



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/630/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 06-05-2022
 - 3) Fee Demand Note letter No: 10-2022-630, Date: **13-05-2022**.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **12-10-2022**.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Kodigehalli - Thindlu Main Road via 7th Cross	35 Poles
02	From Kodigehalli - Thindlu Main Road via 1st Main	
03	From Kodigehalli - Thindlu Main Road via Street ID No-W0537	
04	From Kodigehalli - Thindlu Main Road via Street ID No-W0533, 13th 'A' Cross, W0579, W0338, W0551, W0336	
05	From 13th 'A' Cross via Street ID No-W0544	
06	From 13th 'A' Cross via Street ID No-W0543	
07	From 13th 'A' Cross via Street ID No-W0549	
08	From 13th 'A' Cross via Street ID No-W0550	
09	From 13th 'A' Cross via Street ID No-W0561	
10	From 13th 'A' Cross via Street ID No-W0563	
11	From 13th 'A' Cross via Street ID No-W0573	
12	From Street ID No-W0579 via W0344	
13	From Street ID No-W0581 via 1st Main for total No of 35 Poles , in Ward No-09, Yelahanka Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/630/2022-23, Dt: 15-10-2022

Executive Engineer (OFC), BBMP

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Yelahanka** Zone) for information.
4. Copy to Zonal Chief Engineer (**Yelahanka** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Byatarayanapura** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Vidyaranyapura** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-630 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-630

With reference to your Demand Note bearing Pole-OFC-10-2022-630 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0150 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-630	35	161259	205907	28980	161259
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Ab

Authorized Signatory.





630

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205907

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-630 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref. Demand Note :- Pole-OFC-10-2022-630

With reference to your Demand Note bearing Pole-OFC-10-2022-630, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0150.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-630	35	161259	205907	28980	161259
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **205907**
as per details mentioned below.

01/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31122022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 0 0 0 0 0 0 0 0 0 0 0 0
दिनांक D D M M Y Y Y Y Y Y

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर
RUPEES One Lac Sixty One Thousand Two Hundred Fifty Nine Only
रुपये

अदा करे ₹ 161,259.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205907

Client Reference 4200008085_90

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

Authorized Signatory
Authorized Signatory

Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-630

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-630

General Information

Segment ID

OFC/Pole/2022-23/W0328/621

Street ID

64643

Street Name

NA

Zone

Yelahanka

Ward No.

9

Ward Name

Vidyaranyaपुरa

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

06/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

POLE INSTALLATION

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

35

No.Junction Box

35




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	12/05/2022

Date : 13/05/2022

Time: 12:33:51

20220513123351





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-630

Date: 13/05/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-630, dated : 06/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0328/621)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/6442/W- 9/446	W0328,W051 3	Tindlu, Virupakshapu ra, Bengaluru, Karnataka	13.073200060 186153- 77.567690312 86241	6442	23/02/2022
2	EE/ OFC/pole/202 2-23/6442/W- 9/447	W0328,W050 9	Tindlu, Virupakshapu ra, Bengaluru, Karnataka	13.073205285 568484- 77.567955851 55488	6442	23/02/2022
3	EE/ OFC/pole/202 2-23/6442/W- 9/448	W0332,W054 9	Tindlu, Virupakshapu ra, Bengaluru, Karnataka	13.073228799 787564- 77.569050192 83295	6442	23/02/2022
4	EE/ OFC/pole/202 2-23/6442/W- 9/449	W0332,W055 1	Tindlu, Virupakshapu ra, Bengaluru, Karnataka	13.073192222 11246- 77.569331824 77951	6442	23/02/2022
5	EE/ OFC/pole/202 2-23/6442/W- 9/450	W0332	Tindlu, Virupakshapu ra, Bengaluru, Karnataka	13.073155644 431937- 77.569570541 38185	6442	23/02/2022

6	EE/ OFC/pole/202 2-23/6442/W- 9/451	W0332	Tindlu, Virupakshapu ra, Bengaluru, Karnataka	13.073124292 130016- 77.569739520 54979	6442	23/02/2022
7	EE/ OFC/pole/202 2-23/6442/W- 9/452	W0336	Tindlu, Virupakshapu ra, Bengaluru, Karnataka	13.072800318 110318- 77.569452524 1852	6442	23/02/2022
8	EE/ OFC/pole/202 2-23/6442/W- 9/453	W0336	Tindlu, Virupakshapu ra, Bengaluru, Karnataka	13.072745451 50035- 77.569857537 74644	6442	23/02/2022
9	EE/ OFC/pole/202 2-23/6442/W- 9/454	W0336	Tindlu, Virupakshapu ra, Bengaluru, Karnataka	13.072685359 484948- 77.570225000 38148	6442	23/02/2022
10	EE/ OFC/pole/202 2-23/6442/W- 9/455	W0336	Tindlu, Virupakshapu ra, Bengaluru, Karnataka	13.072643556 335176- 77.570474445 81987	6442	23/02/2022
11	EE/ OFC/pole/202 2-23/6442/W- 9/456	W0338,W055 1	Tindlu, Virupakshapu ra, Bengaluru, Karnataka	13.072400575 38687- 77.569288909 43529	6442	23/02/2022
12	EE/ OFC/pole/202 2-23/6442/W- 9/457	W0338	Tindlu, Virupakshapu ra, Bengaluru, Karnataka	13.072356159 488741- 77.569632232 18919	6442	23/02/2022
13	EE/ OFC/pole/202 2-23/6442/W- 9/458	W0338	Tindlu, Virupakshapu ra, Bengaluru, Karnataka	13.072309130 88201- 77.570002377 03325	6442	23/02/2022
14	EE/ OFC/pole/202 2-23/6442/W- 9/459	W0338	Tindlu, Virupakshapu ra, Bengaluru, Karnataka	13.072249038 76034- 77.570474445 81987	6442	23/02/2022
15	EE/ OFC/pole/202 2-23/6442/W- 9/460	W0338,W057 1	Tindlu, Virupakshapu ra, Bengaluru, Karnataka	13.072204622 834933- 77.570828497 40983	6442	23/02/2022
16	EE/ OFC/pole/202 2-23/6442/W- 9/461	W0338,W057 5	Tindlu, Virupakshapu ra, Bengaluru, Karnataka	13.072157594 199311- 77.571163773 53668	6442	23/02/2022
17	EE/ OFC/pole/202 2-23/6442/W- 9/462	W0338	Tindlu, Virupakshapu ra, Bengaluru, Karnataka	13.072094889 337881- 77.571458816 52833	6442	23/02/2022
18	EE/ OFC/pole/202 2-23/6442/W- 9/463	W0340,W055 1	Tindlu, Virupakshapu ra, Bengaluru, Karnataka	13.072094889 337881- 77.569256722 92711	6442	23/02/2022
19	EE/ OFC/pole/202 2-23/6442/W- 9/464	W0555	Tindlu, Virupakshapu ra, Bengaluru, Karnataka	13.071658567 569186- 77.569487392 90237	6442	23/02/2022
20	EE/ OFC/pole/202 2-23/6442/W- 9/465	W0561	Tindlu, Virupakshapu ra, Bengaluru, Karnataka	13.071778752 085457- 77.569846808 91038	6442	23/02/2022

21	EE/ OFC/pole/202 2-23/6442/W- 9/466	W0563	Sir MV Layout, Tindlu, Virupakshapu ra	13.071755237 728187- 77.570152580 73808	6442	23/02/2022
22	EE/ OFC/pole/202 2-23/6442/W- 9/467	W0340,W057 3	Sir MV Layout, Tindlu, Virupakshapu ra	13.071815329 970082- 77.570495903 49199	6442	23/02/2022
23	EE/ OFC/pole/202 2-23/6442/W- 9/468	W0573	Sir MV Layout, Tindlu, Virupakshapu ra	13.071580186 331385- 77.570450305 93873	6442	23/02/2022
24	EE/ OFC/pole/202 2-23/6442/W- 9/469	W0573	Sir MV Layout, Tindlu, Virupakshapu ra	13.071394683 969421- 77.570310831 06995	6442	23/02/2022
25	EE/ OFC/pole/202 2-23/6442/W- 9/470	W0340	Sir MV Layout, Tindlu, Virupakshapu ra	13.071742174 195398- 77.570949196 8155	6442	23/02/2022
26	EE/ OFC/pole/202 2-23/6442/W- 9/471	W0549	Sir MV Layout, Tindlu, Virupakshapu ra	13.072421476 983225- 77.568961679 93547	6442	23/02/2022
27	EE/ OFC/pole/202 2-23/6442/W- 9/472	W0549	Sir MV Layout, Tindlu, Virupakshapu ra	13.072729775 32383- 77.568993866 44365	6442	23/02/2022
28	EE/ OFC/pole/202 2-23/6442/W- 9/473	W0549	Sir MV Layout, Tindlu, Virupakshapu ra	13.072959692 479623- 77.569007277 48872	6442	23/02/2022
29	EE/ OFC/pole/202 2-23/6442/W- 9/474	W0543	Sir MV Layout, Tindlu, Virupakshapu ra	13.072298680 079284- 77.568637132 64467	6442	23/02/2022
30	EE/ OFC/pole/202 2-23/6442/W- 9/475	W0543	Sir MV Layout, Tindlu, Virupakshapu ra	13.072627880 152181- 77.568669319 15285	6442	23/02/2022
31	EE/ OFC/pole/202 2-23/6442/W- 9/476	W0543	Sir MV Layout, Tindlu, Virupakshapu ra	13.072933565 540886- 77.568696141 243	6442	23/02/2022
32	EE/ OFC/pole/202 2-23/6442/W- 9/477	W0541	Sir MV Layout, Tindlu, Virupakshapu ra	13.072319581 684278- 77.568409144 8784	6442	23/02/2022
33	EE/ OFC/pole/202 2-23/6442/W- 9/478	W0541	Sir MV Layout, Tindlu, Virupakshapu ra	13.072902213 21076- 77.568468153 47672	6442	23/02/2022

34	EE/ OFC/pole/202 2-23/6442/W- 9/479	W0533	Sir MV Layout, Tindlu, Virupakshapu ra	13.071415585 650989- 77.568014860 15321	6442	23/02/2022
35	EE/ OFC/pole/202 2-23/6442/W- 9/480	W0346,W053 3	Sir MV Layout, Tindlu, Virupakshapu ra	13.071538382 994381- 77.568022906 78026	6442	23/02/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 35

Pole Charges @ Rs 1500/- Pole	52,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	258.65
Junction Box Charges @ Rs 3000/- Pole	105,000	Total (C)	258.65
Supervision Charge @ Rs 100/- Pole	3,500		
Sub Total (A)	161,000	GST @ 18% (B)	28,980
Grand Total (A + B + C)	190,238.65		

Total Amount Payable Rs: 190,239 In words (Rupees One Lakh Ninety Thousand Two Hundred and Thirty-Nine Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-630

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

OFC/Pole/2022-23/W0400/643 10-2022-645 Pending ceofc01(ceofc01) OFC Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details

10-2022-630



OFC/Pole/2022-23/W0083/614 10-2022-620 Pending ceofc01(ceofc01) OFC Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

S. High
EXECUTIVE ENGINEER
OFC CELL

BENGALURU