



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/655/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,

M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 06-05-2022
 - 3) Fee Demand Note letter No: 10-2022-655, Date: **14-05-2022**.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **14-10-2022**.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Kothanur Dinne Main Road via 1st Main Road	44 Poles
02	From Kothanur Dinne Main Road via 1st Cross, 2nd Main	
03	From Kothanur Dinne Main Road via Street ID No-W0378	
04	From Kothanur Dinne Main Road via Street ID No-W0374, W0389, W0366	
05	From 2nd Main via 1st Cross, W0401, W0418, W0407	
06	From Street ID No-W0407 via W0410, W0485	
07	From Street ID No-W0376 via W0403 up to W0348.	
08	From Street ID No-W0376 via W0348	
09	From Street ID No-W0348 via W0376 up to Road end. for total No of 44 Poles , in Ward No-195, Bommanahalli Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/655/2022-23, Dt: 15-10-2022

Executive Engineer (OFC), BBMP

AI

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Bommanahalli** Zone) for information.
4. Copy to Zonal Chief Engineer (**Bommanahalli** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Bangalore South** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Anjanapura** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-655 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagara Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-655

With reference to your Demand Note bearing Pole-OFC-10-2022-655, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1044.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-655	44	202725	205923	36432	202725
			Dated		
			01-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



655

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205923

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-655 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-655

With reference to your Demand Note bearing Pole-OFC-10-2022-655 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1044 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-655	44	202725	205923	36432	202725
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

655

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205923

01/10/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31122022

DATE
दिनांक

D	D	M	M	Y	Y	Y	Y
---	---	---	---	---	---	---	---

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES Two Lacs Two Thousand Seven Hundred Twenty Five Only

रुपये

₹ 202,725.00
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205923

Client Reference 4200008085_106

For Axis Bank Ltd
[Signature]
Authorised Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-655

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-655

General Information

Segment ID

OFC/Pole/2022-23/W0410/645

Street ID

82079

Street Name

NA

Zone

Bommanahalli

Ward No.

195

Ward Name

Konanakunte

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

06/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

44

No.Junction Box

44




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	13/05/2022

Date : 14/05/2022

Time : 12:13:09

20220514121309





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-655

Date: 14/05/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0


Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-655, dated : 06/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0410/645)




Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/2683/W- 195/676	W0366	MARUTHI NAGAR	12.881383102 304003- 77.576088309 28804	2683	23/02/2022
2	EE/ OFC/pole/202 2-23/2683/W- 195/677	W0366,W038 3	MARUTHI NAGAR	12.881346496 393652- 77.576533555 98451	2683	23/02/2022
3	EE/ OFC/pole/202 2-23/2683/W- 195/678	W0348,W038 3	MARUTHI NAGAR	12.881926960 913502- 77.576538920 40254	2683	23/02/2022
4	EE/ OFC/pole/202 2-23/2683/W- 195/679	W0348,W030 9	MARUTHI NAGAR	12.881900813 891978- 77.577247023 58247	2683	23/02/2022
5	EE/ OFC/pole/202 2-23/2683/W- 195/680	W0348	MARUTHI NAGAR	12.881843290 435032- 77.577676177 02486	2683	23/02/2022

6	EE/ OFC/pole/202 2-23/2683/W- 195/681	W0348	MARUTHI NAGAR	12.881796225 778624- 77.578201889 99177	2683	23/02/2022
7	EE/ OFC/pole/202 2-23/2683/W- 195/682	W0403	MARUTHI NAGAR	12.881670719 984962- 77.578598856 92598	2683	23/02/2022
8	EE/ OFC/pole/202 2-23/2683/W- 195/683	W0350	MARUTHI NAGAR	12.881592278 831988- 77.577123641 96779	2683	23/02/2022
9	EE/ OFC/pole/202 2-23/2683/W- 195/684	W0350	MARUTHI NAGAR	12.881534755 304205- 77.577901482 5821	2683	23/02/2022
10	EE/ OFC/pole/202 2-23/2683/W- 195/685	W0364,W040 3	MARUTHI NAGAR	12.881294202 22673- 77.578577399 25386	2683	23/02/2022
11	EE/ OFC/pole/202 2-23/2683/W- 195/686	W0403	MARUTHI NAGAR	12.880755571 672207- 77.578529119 49159	2683	23/02/2022
12	EE/ OFC/pole/202 2-23/2683/W- 195/687	W0374,W038 3	MARUTHI NAGAR	12.880766030 52895- 77.576496005 0583	2683	23/02/2022
13	EE/ OFC/pole/202 2-23/2683/W- 195/688	W0374,W038 9	MARUTHI NAGAR	12.880750342 243678- 77.577032446 86128	2683	23/02/2022
14	EE/ OFC/pole/202 2-23/2683/W- 195/689	W0366	MARUTHI NAGAR	12.881262825 721322- 77.577295303 34473	2683	23/02/2022
15	EE/ OFC/pole/202 2-23/2683/W- 195/690	W0378,W037 2	MARUTHI NAGAR	12.880802636 52412- 77.577643990 51668	2683	23/02/2022
16	EE/ OFC/pole/202 2-23/2683/W- 195/691	W0364,W036 8	MARUTHI NAGAR	12.881064107 762583- 77.577944397 92634	2683	23/02/2022
17	EE/ OFC/pole/202 2-23/2683/W- 195/692	W0376	MARUTHI NAGAR	12.880718965 670168- 77.577960491 18042	2683	23/02/2022
18	EE/ OFC/pole/202 2-23/2683/W- 195/693	W0378	MARUTHI NAGAR	12.880436576 331833- 77.577461600 30365	2683	23/02/2022
19	EE/ OFC/pole/202 2-23/2683/W- 195/694	W0378	MARUTHI NAGAR	12.880478411 809449- 77.576501369 47633	2683	23/02/2022
20	EE/ OFC/pole/202 2-23/2683/W- 195/695	W0376	MARUTHI NAGAR	12.880755571 672207- 77.579167485 23714	2683	23/02/2022
21	EE/ OFC/pole/202 2-23/2683/W- 195/696	W0380	MARUTHI NAGAR	12.880211710 519983- 77.576715946 19752	2683	23/02/2022

22	EE/ OFC/pole/202 2-23/2683/W- 195/697	W0397	MARUTHI NAGAR	12.880222169 399435- 77.577842473 98378	2683	23/02/2022
23	EE/ OFC/pole/202 2-23/2683/W- 195/698	W0397	MARUTHI NAGAR	12.880394740 847231- 77.578212618 82783	2683	23/02/2022
24	EE/ OFC/pole/202 2-23/2683/W- 195/699	W0397	MARUTHI NAGAR	12.880379052 538716- 77.578920722 00777	2683	23/02/2022
25	EE/ OFC/pole/202 2-23/2683/W- 195/700	W0382,W039 7	MARUTHI NAGAR	12.880415658 59041- 77.579296231 26985	2683	23/02/2022
26	EE/ OFC/pole/202 2-23/2683/W- 195/701	W0382,W038 4	MARUTHI NAGAR	12.880159416 11621- 77.579312324 52394	2683	23/02/2022
27	EE/ OFC/pole/202 2-23/2683/W- 195/702	W0388	MARUTHI NAGAR	12.879976385 61706- 77.576791048 04994	2683	23/02/2022
28	EE/ OFC/pole/202 2-23/2683/W- 195/703	W0382	MARUTHI NAGAR	12.880086203 932608- 77.578566670 4178	2683	23/02/2022
29	EE/ OFC/pole/202 2-23/2683/W- 195/704	W0390,W039 7	MARUTHI NAGAR	12.879871796 700385- 77.577794194 2215	2683	23/02/2022
30	EE/ OFC/pole/202 2-23/2683/W- 195/705	W0400,W039 7	MARUTHI NAGAR	12.879254721 203345- 77.577767372 13136	2683	23/02/2022
31	EE/ OFC/pole/202 2-23/2683/W- 195/706	W0408,W039 7	MARUTHI NAGAR	12.878669021 020837- 77.577772736 54939	2683	23/02/2022
32	EE/ OFC/pole/202 2-23/2683/W- 195/707	W0400	MARUTHI NAGAR	12.879312245 254583- 77.578239440 91798	2683	23/02/2022
33	EE/ OFC/pole/202 2-23/2683/W- 195/708	W0406	MARUTHI NAGAR	12.879040313 259658- 77.578287720 68025	2683	23/02/2022
34	EE/ OFC/pole/202 2-23/2683/W- 195/709	W0412,W039 9	MARUTHI NAGAR	12.878397088 327933- 77.578057050 70497	2683	23/02/2022
35	EE/ OFC/pole/202 2-23/2683/W- 195/710	W0412	MARUTHI NAGAR	12.878454612 576034- 77.578566670 4178	2683	23/02/2022
36	EE/ OFC/pole/202 2-23/2683/W- 195/711	W0407	MARUTHI NAGAR	12.879735831 043426- 77.579033374 78638	2683	23/02/2022
37	EE/ OFC/pole/202 2-23/2683/W- 195/712	W0400,W040 7	MARUTHI NAGAR	12.879265180 122733- 77.579006552 69624	2683	23/02/2022

38	EE/ OFC/pole/202 2-23/2683/W- 195/713	W0407	MARUTHI NAGAR	12.878637644 186727- 77.578995823 86018	2683	23/02/2022
39	EE/ OFC/pole/202 2-23/2683/W- 195/714	W0394	MARUTHI NAGAR	12.879578947 501411- 77.578030228 61482	2683	23/02/2022
40	EE/ OFC/pole/202 2-23/2683/W- 195/715	W0392	MARUTHI NAGAR	12.879563259 141815- 77.576651573 18117	2683	23/02/2022
41	EE/ OFC/pole/202 2-23/2683/W- 195/716	W0392	MARUTHI NAGAR	12.879584176 954406- 77.577365040 77913	2683	23/02/2022
42	EE/ OFC/pole/202 2-23/2683/W- 195/717	W0395	MARUTHI NAGAR	12.879087378 433761- 77.577413320 5414	2683	23/02/2022
43	EE/ OFC/pole/202 2-23/2683/W- 195/718	W0393	MARUTHI NAGAR	12.878810216 725784- 77.576748132 7057	2683	23/02/2022
44	EE/ OFC/pole/202 2-23/2683/W- 195/719	W0393	MARUTHI NAGAR	12.878747463 088972- 77.577182650 56612	2683	23/02/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 44

Pole Charges @ Rs 1500/- Pole	66,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	325.16
Junction Box Charges @ Rs 3000/- Pole	132,000	Total (C)	325.16
Supervision Charge @ Rs 100/- Pole	4,400		
Sub Total (A)	202,400	GST @ 18% (B)	36,432


Grand Total (A + B + C)	239,157.16
-------------------------	------------

Total Amount Payable Rs: 239,157 In words (Rupees Two Lakh Thirty-Nine Thousand One Hundred and Fifty-Seven Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

No.: 10-2022-655

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-655

1/2


Navigation icons: Up, Down, Close

@RIL.COM

OFC/Pole/2022-23/W0251/653 10-2022-663 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details

10-2022-655



OFC/Pole/2022-23/W0072/626 10-2022-635 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

EXECUTIVE ENGINEER
OFC CELL

BENGALURU