



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/656/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,

M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 06-05-2022
 - 3) Fee Demand Note letter No: 10-2022-656, Date: 13-05-2022.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 14-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 6th Main Road via 4th Cross Road, Street ID No-W0268 up to Road end.	43 Poles
02	From Road end via Street ID No-W0268, W1281 up to Road end.	
03	From Street ID No-W0258 via W0258, W0267 up to Road end.	
04	From Street ID No-W0234 via 4th Main Road	
05	From 6th Main Road via 3rd Main Road up to 16th Main Road.	
06	From 6th Main Road via 2nd Main Road up to 16th Main Road.	
07	From 6th Main Road via Street ID No-W0261 up to W0228, for total No of 43 Poles, in Ward No-187, Bommanahalli Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/561/2022-23, Dt: 15-10-2022

Executive Engineer (OFC), BBMP

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.

13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be undertaken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exist, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Bommanahalli** Zone) for information.
4. Copy to Zonal Chief Engineer (**Bommanahalli** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Bommanahalli** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Arekere** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-561 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note:- Pole-OFC-10-2022-561

With reference to your Demand Note bearing Pole-OFC-10-2022-561 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1062

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-561	43	198118	205822	35604	198118
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



561

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205822

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-561 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-561

With reference to your Demand Note bearing Pole-OFC-10-2022-561, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1062.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-561	43	198118	205822	35604	198118
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE
Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205822

01/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31122022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 01/10/2022
दिनांक 01/10/2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

RUPEES One Lac Ninety Eight Thousand One Hundred Eighteen Only
रुपये

₹ 198,118.00
अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205822

Client Reference 4200008085 5

For Axis Bank Ltd
Authorized Signatory
Authorized Signatory

Under CMS Arrangement -
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Please sign above

Rudresha B
SS. No. 26182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-561

PR Number(To be Assigned by AE/JE- CE-POLE-10-2022-561
OFC, BBMP)

General Information

Segment ID

OFC/Pole/2022-23/W0283/554

Street ID

82620

Street Name

NA

Zone

Bommanahalli

Ward No.

187

Ward Name

Puttenahalli

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

06/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

43

No.Junction Box

43




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	11/05/2022

Date : 12/05/2022

Time : 03:28:30

20220512032830





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002.

No. : Pole-OFC-10-2022-561

Date: 12/05/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-561, dated.: 06/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0283/554)

Sr No.	Unique Poleld.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/4189/W- 187/279	W0265,W028 3	MANGALA	12.896302180 007163- 77.584666013 71767	4189	21/12/2021
2	EE/ OFC/pole/202 2-23/4189/W- 187/280	W0283	SAVI	12.895881236 796708- 77.584792077 54137	4189	21/12/2021
3	EE/ OFC/pole/202 2-23/4189/W- 187/281	W0283	JAI SRI RAM	12.895551802 485906- 77.584883272 64786	4189	21/12/2021
4	EE/ OFC/pole/202 2-23/4189/W- 187/282	W0283,W024 8	GOPAL	12.895177920 163361- 77.584939599 03718	4189	21/12/2021
5	EE/ OFC/pole/202 2-23/4189/W- 187/283	W0283	venkateshwar a	12.894929536 49343- 77.584979832 17241	4189	21/12/2021

6	EE/ OFC/pole/202 2-23/4189/W- 187/284	W0283	RADAKRISH NA	12.893321573 088018- 77.585154175 75838	4189	21/12/2021
7	EE/ OFC/pole/202 2-23/4189/W- 187/285	W0283	geetha	12.894079801 021599- 77.585100531 57808	4189	21/12/2021
8	EE/ OFC/pole/202 2-23/4189/W- 187/286	W0268	SLUV	12.893190843 901808- 77.584539949 89395	4189	21/12/2021
9	EE/ OFC/pole/202 2-23/4189/W- 187/287	W0268,W027 9	Asrithas	12.893177770 979424- 77.584800124 1684	4189	21/12/2021
10	EE/ OFC/pole/202 2-23/4189/W- 187/288	W0268	Gangalankara	12.893156854 302202- 77.584969103 33635	4189	21/12/2021
11	EE/ OFC/pole/202 2-23/4189/W- 187/289	W0268	Darshanam	12.893146395 962935- 77.585068345 0699	4189	21/12/2021
12	EE/ OFC/pole/202 2-23/4189/W- 187/290	W0281	Lakshmis	12.893081031 332619- 77.585121989 25018	4189	21/12/2021
13	EE/ OFC/pole/202 2-23/4189/W- 187/291	W0281	SOORAJ	12.892748978 74699- 77.585087120 533	4189	21/12/2021
14	EE/ OFC/pole/202 2-23/4189/W- 187/292	W0267	Corner	12.892908468 626562- 77.584019601 34508	4189	21/12/2021
15	EE/ OFC/pole/202 2-23/4189/W- 187/293	W0267,W026 4	Duttha	12.893467989 695521- 77.584049105 64424	4189	21/12/2021
16	EE/ OFC/pole/202 2-23/4189/W- 187/294	W0264	MYTHRI	12.893473218 858489- 77.584282457 82854	4189	21/12/2021
17	EE/ OFC/pole/202 2-23/4189/W- 187/295	W0267,W025 8	en build	12.893888936 96499- 77.584065198 89833	4189	21/12/2021
18	EE/ OFC/pole/202 2-23/4189/W- 187/296	W0271,W025 8,W0269	Yashasvi	12.893886322 387864- 77.584295868 87361	4189	21/12/2021
19	EE/ OFC/pole/202 2-23/4189/W- 187/297	W0258	vandhana	12.893899395 273227- 77.584741115 57008	4189	21/12/2021
20	EE/ OFC/pole/202 2-23/4189/W- 187/298	W0267	JANU	12.894304654 380992- 77.584092020 98846	4189	21/12/2021
21	EE/ OFC/pole/202 2-23/4189/W- 187/299	W0267	PRAKESH	12.894754360 493769- 77.584113478 6606	4189	21/12/2021

22	EE/ OFC/pole/202 2-23/4188/W- 187/300	W0267	LAKSHMI	12.895345252 180967- 77.584145665 16878	4188	21/12/2021
23	EE/ OFC/pole/202 2-23/4188/W- 187/301	W0267	Pragna	12.895951829 806876- 77.584167122 8409	4188	21/12/2021
24	EE/ OFC/pole/202 2-23/4188/W- 187/302	W0259	MANJULA	12.896009350 02267- 77.583823800 08699	4188	21/12/2021
25	EE/ OFC/pole/202 2-23/4188/W- 187/303	W0259	kamala	12.895794956 423895- 77.583861351 0132	4188	21/12/2021
26	EE/ OFC/pole/202 2-23/4188/W- 187/304	W0259	Anugraha	12.895543958 806563- 77.583845257 75911	4188	21/12/2021
27	EE/ OFC/pole/202 2-23/4188/W- 187/305	W0259	VINAYAKA	12.895345252 180967- 77.583839893 34108	4188	21/12/2021
28	EE/ OFC/pole/202 2-23/4189/W- 187/306	W0259	VIRUPAKSHI	12.895000129 772075- 77.583839893 34108	4189	21/12/2021
29	EE/ OFC/pole/202 2-23/4189/W- 187/307	W0259	LOHITHKUM AR	12.894728214 811666- 77.583829164 50502	4189	21/12/2021
30	EE/ OFC/pole/202 2-23/4189/W- 187/308	W0259	NARAYANA	12.894435382 985465- 77.583796977 99684	4189	21/12/2021
31	EE/ OFC/pole/202 2-23/4189/W- 187/309	W0259	BAVANA	12.894184384 004593- 77.583796977 99684	4189	21/12/2021
32	EE/ OFC/pole/202 2-23/4189/W- 187/310	W0259	Avemaria	12.894017051 21083- 77.583775520 32472	4189	21/12/2021
33	EE/ OFC/pole/202 2-23/4189/W- 187/311	W0259	GAJANANA	12.893734676 867677- 77.583764791 48866	4189	21/12/2021
34	EE/ OFC/pole/202 2-23/4189/W- 187/312	W0259	RAGAVENDR A	12.893431385 551665- 77.583743333 81654	4189	21/12/2021
35	EE/ OFC/pole/202 2-23/4189/W- 187/313	W0259	VERABADRA	12.893023510 443818- 77.583700418 4723	4189	21/12/2021
36	EE/ OFC/pole/202 2-23/4189/W- 187/314	W0253	DIVYA	12.893253593 919708- 77.583367824 55446	4189	21/12/2021
37	EE/ OFC/pole/202 2-23/4189/W- 187/315	W0253	DHANANKAR	12.893807885 061312- 77.583432197 57081	4189	21/12/2021

38	EE/ OFC/pole/202 2-23/4189/W- 187/316	W0253	hogirana	12.894445841 270866- 77.583475112 91505	4189	21/12/2021
39	EE/ OFC/pole/202 2-23/4189/W- 187/317	W0253	SAMUDA	12.894968754 984028- 77.583507299 42323	4189	21/12/2021
40	EE/ OFC/pole/202 2-23/4189/W- 187/318	W0253	ajmeer	12.895431532 708837- 77.583539485 9314	4189	21/12/2021
41	EE/ OFC/pole/202 2-23/4189/W- 187/319	W0253	janardhana	12.895855091 232324- 77.583571672 43958	4189	21/12/2021
42	EE/ OFC/pole/202 2-23/4189/W- 187/320	W0234,W025 3	NIKEL	12.896059026 562035- 77.583560943 60352	4189	21/12/2021
43	EE/ OFC/pole/202 2-23/4189/W- 187/321	W0253	sukruthi	12.893044427 132184- 77.583346366 88234	4189	21/12/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 43

Pole Charges @ Rs 1500/- Pole	64,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	317.77
Junction Box Charges @ Rs 3000/- Pole	129,000	Total (C)	317.77
Supervision Charge @ Rs 100/- Pole	4,300		
Sub Total (A)	197,800	GST @ 18% (B)	35,604
Grand Total (A + B + C)	233,721.77		

Total Amount Payable Rs: 233,722 In words (Rupees Two Lakh Thirty-Three Thousand Seven Hundred and Twenty-Two Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-561

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-561 1/2 ^ v x @RIL.COM

OFC/Pole/2022-23/W0023/603 10-2022-612 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

Pole Details

10-2022-561

The map displays a grid of roads with numerous blue location pins indicating road cutting sites. Key landmarks and labels include:

- Wellness Forever** (Red pin)
- 6th Main Rd**, **7th Main Rd**, **9th Main Rd**, **10th Main Rd**, **12th Main Rd**, **13th Main Rd**, **14th Main Rd**
- Purya Coronation Square**
- Modicare Distribution Point**
- Star Convention Center**
- iwik Nest**
- IDFC FIRST Bank**
- Shubb Convention**
- Kotak Mahindra Bank ATM & Cash...**
- Airtel Store**
- The Woodrose**
- Feeler Touch Sports Arena**
- Amma's Pastries**
- Brigade Almsprings**
- Sapphire Honda service**
- Cult JP Nagar 7th Phase - Gyms in JP Nagar 7th...**
- Hakuna Matata**
- Brahma Brews Works**
- Himagiri Green Forest Apartments**
- Adarsh Citrine**
- SSVD Forest View**
- Mahaveer Riviera**

Map controls: Leaflet | Powered by Esri | © GoogleMap contributors

OFC/Pole/2022-23/I0072/452 10-2022-461 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

EXECUTIVE ENGINEER
OFC CELL

BENGALURU