



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/656/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,

M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.


- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 06-05-2022
 - 3) Fee Demand Note letter No: 10-2022-656, Date: 13-05-2022.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 14-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Street ID No-RIS-220 via 1st Main Street ID-W0385 up to Street Id No-W0381	32 Poles
02	From Street ID No-RIS-220 via Street ID-W0381, W0384 up to Road end.	
03	From Street ID No-RIS-220 via Street ID-W0375 up to W0362.	
04	From Street ID No-RIS-220 via Street ID-W0373 up to W0350.	
05	From Street ID No-W0381 via W0354, W0356 up to Road end.	
06	From Street ID No-W0354 via W0377.	
07	From Road end of Street ID No-W0350 up to Road end	
08	From 1st Main Road via 2nd Cross.	
09	From 1st Main Road via 3rd Cross	
10	From 2nd Cross Road via Street ID No-W0382 up to 4th Cross Road, for total No of 32 Poles, in Ward No-187, Bommanahalli Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/656/2022-23, Dt: 15-10-2022


Executive Engineer (OFC), BBMP

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Bommanahalli** Zone) for information.
4. Copy to Zonal Chief Engineer (**Bommanahalli** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Bommanahalli** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Arekere** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-656 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-656

With reference to your Demand Note bearing Pole-OFC-10-2022-656 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1073 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-656	32	147436	205891	26496	147436
			Dated		
			01-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



656

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205891

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-656 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square.
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-656

With reference to your Demand Note bearing Pole-OFC-10-2022-656 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1073 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-656	32	147436	205891 Dated 01-10-2022	26496	147436

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **205891**
as per details mentioned below.

01/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31/12/2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 0 1 10 2022
दिनांक 0 1 10 2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर
RUPEES One Lac Forty Seven Thousand Four Hundred Thirty Six Only

रुपये अदा करे

₹ 147,436.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205891

Client Reference 4200008085_74

For Axis Bank Ltd
Authorized Signatory
Authorized Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Rudresh B
SS. No. 26182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-656

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-656

General Information

Segment ID

OFC/Pole/2022-23/W0404/648

Street ID

82748

Street Name

NA

Zone

Bommanahalli

Ward No.

187

Ward Name

Puttenahalli

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

06/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

32

No.Junction Box

32




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	12/05/2022

Date : 13/05/2022

Time : 01:19:39

20220513011939





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-656

Date: 13/05/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-656, dated : 06/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0404/648)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/5337/W- 187/411	W0369	kalyani	12.901089901 67769- 77.596538022 4579	5337	11/01/2022
2	EE/ OFC/pole/202 2-23/5337/W- 187/412	RI-S220	kalyani developers	12.900953947 543435- 77.597508841 67666	5337	11/01/2022
3	EE/ OFC/pole/202 2-23/5337/W- 187/413	W0373	kalyani	12.900159137 279907- 77.597629162 899	5337	11/01/2022
4	EE/ OFC/pole/202 2-23/5337/W- 187/414	RI- S220,W0375	kalyani	12.900462420 441588- 77.598101163 40311	5337	11/01/2022
5	EE/ OFC/pole/202 2-23/5337/W- 187/415	RI- S220,W0381	puttenahalli	12.900268946 74298- 77.598617309 71588	5337	11/01/2022

6	EE/ OFC/pole/202 2-23/5337/W- 187/416	RI-S220	putenahalli	12.900277313 20819- 77.599126973 65714	5337	11/01/2022
7	EE/ OFC/pole/202 2-23/5337/W- 187/417	W0381,W035 4	kalyani	12.900035732 190275- 77.598564816 6906	5337	11/01/2022
8	EE/ OFC/pole/202 2-23/5337/W- 187/418	W0377,W035 4	kalyani	12.900018999 562556- 77.598099025 42804	5337	11/01/2022
9	EE/ OFC/pole/202 2-23/5337/W- 187/419	W0375,W035 6	kalyani	12.899987625 403826- 77.597975661 65992	5337	11/01/2022
10	EE/ OFC/pole/202 2-23/5337/W- 187/420	W0377	kalya ni	12.899788921 987982- 77.598037849 98121	5337	11/01/2022
11	EE/ OFC/pole/202 2-23/5337/W- 187/421	W0377,W036 4	kalyani	12.899537928 377093- 77.597984213 56031	5337	11/01/2022
12	EE/ OFC/pole/202 2-23/5337/W- 187/422	W0377	kalyani	12.899281705 472925- 77.597919849 85517	5337	11/01/2022
13	EE/ OFC/pole/202 2-23/5337/W- 187/423	W0377	kalyani	12.899375828 202912- 77.597506849 41405	5337	11/01/2022
14	EE/ OFC/pole/202 2-23/5337/W- 187/424	W0403	mytri tower	12.899319354 234052- 77.596306493 69224	5337	11/01/2022
15	EE/ OFC/pole/202 2-23/5337/W- 187/425	W0403,W037 0	mythri tower	12.898984695 40214- 77.596295766 40806	5337	11/01/2022
16	EE/ OFC/pole/202 2-23/5337/W- 187/426	W0403,W039 5	mythri	12.898221253 266412- 77.596290402 76596	5337	11/01/2022
17	EE/ OFC/pole/202 2-23/5337/W- 187/427	W0403	mythi tower	12.897475587 639477- 77.596227083 30025	5337	11/01/2022
18	EE/ OFC/pole/202 2-23/5337/W- 187/428	W0405	udupi cafe	12.898889526 810814- 77.596610089 68763	5337	11/01/2022
19	EE/ OFC/pole/202 2-23/5337/W- 187/429	W0405	udupi cafe	12.898309101 616933- 77.596593998 76134	5337	11/01/2022
20	EE/ OFC/pole/202 2-23/5337/W- 187/430	W0405,W038 2	udupi cafe	12.897603177 26918- 77.596577907 83507	5337	11/01/2022
21	EE/ OFC/pole/202 2-23/5337/W- 187/431	W0405	udupi cafe	12.897272699 584148- 77.596466318 69425	5337	11/01/2022

22	EE/ OFC/pole/202 2-23/5337/W- 187/432	W0407	apollo	12.898806908 194334- 77.596939468 51678	5337	11/01/2022
23	EE/ OFC/pole/202 2-23/5336/W- 187/433	W0374	apollo	12.898629120 381461- 77.597170105 12675	5336	11/01/2022
24	EE/ OFC/pole/202 2-23/5336/W- 187/434	W0407,W037 6	apollo	12.898383354 667398- 77.596885832 09585	5336	11/01/2022
25	EE/ OFC/pole/202 2-23/5336/W- 187/435	W0407	apollo	12.898043465 51612- 77.596891195 73792	5336	11/01/2022
26	EE/ OFC/pole/202 2-23/5336/W- 187/436	W0376	apollo	12.898344659 330846- 77.597214080 06544	5336	11/01/2022
27	EE/ OFC/pole/202 2-23/5336/W- 187/437	W0407	apollo	12.897478725 597676- 77.596853630 0689	5336	11/01/2022
28	EE/ OFC/pole/202 2-23/5337/W- 187/438	W0381	apollo	12.897985945 767903- 77.598044489 74687	5337	11/01/2022
29	EE/ OFC/pole/202 2-23/5337/W- 187/439	W0408	bg road	12.898150138 835716- 77.600151269 94485	5337	11/01/2022
30	EE/ OFC/pole/202 2-23/5337/W- 187/440	W0381	apollo	12.898950184 530396- 77.598365177 12803	5337	11/01/2022
31	EE/ OFC/pole/202 2-23/5337/W- 187/441	W0381,W038 5	apollo church	12.899690616 33068- 77.598591540 11563	5337	11/01/2022
32	EE/ OFC/pole/202 2-23/5336/W- 187/442	W0387,W038 9,W0398	church	12.899748135 686973- 77.599546440 66617	5336	11/01/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be

processed further.

Total No.of Poles 32

Pole Charges @ Rs 1500/- Pole	48,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	236.48
Junction Box Charges @ Rs 3000/- Pole	96,000	Total (C)	236.48
Supervision Charge @ Rs 100/- Pole	3,200		
Sub Total (A)	147,200	GST @ 18% (B)	26,496
Grand Total (A + B + C)	173,932.48		

Total Amount Payable Rs: 173,932 In words (Rupees One Lakh seventy-Three Thousand Nine Hundred and Thirty-Two Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-656

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

OFC/Pole/2022-23/W0121/664 10-2022-666 Pending ceofc01(ceofc01) OFC Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details



OFC/Pole/2022-23/W1280/627 10-2022-637 Pending ceofc01(ceofc01) OFC Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

3
 EXECUTIVE ENGINEER
 OFC CELL