



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/659/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 06-05-2022
 - 3) Fee Demand Note letter No: 10-2022-659, Date: **14-05-2022**.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **14-10-2022**.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

SI No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Madavaraya Modaliyar Road via Stephens Road Ratan Sing Road, Moore Road up to Madavaraya Modaliyar Road.	24 Poles
02	From Madavaraya Modaliyar Road via Achuttaraya Road up to Moore Road.	
03	From Boor Dillon Road via Rayappa Road up to Moore Road.	
04	From Boor Dillan Road via Kumaswamy Naidu Road up to Stephens Road.	
05	From Boor Dillan Road via Street ID No-W0004 up to Stephens Road.	
06	From Ratan Singh Road via Street ID No-W0015.	
07	From Ratan Singh Road via Street ID No-W0013 up to Madavaraya Modaliyar Road.	
08	From Moore Road via Achuttaraya Road up to Bamboo Bazar Road.	
09	From Moore Road via Street ID No-W0018.	
10	From Moore Road via Street ID No-W0006 up to Road end.	
11	From Achuttaraya Road via Street ID No-W0005.	
12	From Mask Road via Street ID No-W0020 up to Stephens Road. total no of 24 Poles, in Ward No-78, East Zone Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/659/2022-23, Dt: 15-10-2022

Executive Engineer (OFC), BBMP

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;


		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**East Zone**) for information.
4. Copy to Zonal Chief Engineer (**East Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Pulikeshi Nagar Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Pulikeshi Nagar Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

10-2022-659 jio

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा / Branch Rec Extension

दिनांक / Date

1	3	1	0	2	0	2	2
---	---	---	---	---	---	---	---

PSB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / चालू खाता / जोड़ी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8	4	0	1	1	3	2	0	0	0	0	1	0
---	---	---	---	---	---	---	---	---	---	---	---	---

नाम / Name Commissioner BBmp

टेलिफोन / मोबाइल नं
Tel No./Mobile No. _____ ₹ पै/P.

राशि / Amount

1	1	9	5	7	7	0	0	1	0
---	---	---	---	---	---	---	---	---	---

राशि शब्दों में
Rupees in words one Lakh ten thousand

one Hundred Seven only

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date / Name of Bank & Branch	206032 dt. 11/10/2022	119577.00
EXECUTIVE	11 OCT 2022	119577.00

अधिकारी / रोकड़िय
Officer/Cashier/SWO

BRUHAR BENGALURU MAHAAGABALIKE
BENGALURU
1800 425 0078

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-659 /DD

Date: 12-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-659

With reference to your Demand Note bearing Pole-OFC-10-2022-659 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1252

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-659	24	110577	206032	19872	110577
			Dated		
			11-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED


Authorized Signatory.



659

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206032

11/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-659 /DD

Date: 12-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-659

With reference to your Demand Note bearing Pole-OFC-10-2022-659, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1252.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-659	24	110577	206032	19872	110577
			Dated		
			11-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206032**
as per details mentioned below.

11/10/2022
dated

PAYMENT REFERENCE

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE

D	D	M	M	Y	Y	Y	Y
---	---	---	---	---	---	---	---

दिनांक

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या वनक आदेश पर

मौगे जाने पर
RUPEES One Lac Ten, Thousand Five Hundred Seventy Seven Only

रुपये

₹ 110,577.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206032

Client Reference 4200008447 21

For Axis Bank Ltd

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

(Signature)
5510:24009
Authorised Signatory

(Signature)
Authorised Signatory

Rudresha E
Please refer above
CC No. 20187



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-659

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-659

General Information

Segment ID

OFC/Pole/2022-23/W0004/642

Street ID

42853

Street Name

NA

Zone

East

Ward No.

78

Ward Name

Pulikeshi Nagar

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

06/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

POLE

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

24

No.Junction Box

24




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	13/05/2022

Date : 14/05/2022

20220514121642





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-659

Date: 14/05/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0


Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-659, dated : 06/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0004/642)



Sr No.	Unique Poleld.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/1825/W- 78/145	W0010	Narayani means wear	13.001282590 550494- 77.612129411 73459	1825	19/3/2022
2	EE/ OFC/pole/202 2-23/1825/W- 78/146	W0010,W001 8	house no 20	13.001387128 55505- 77.612638957 7334	1825	19/03/2022
3	EE/ OFC/pole/202 2-23/1825/W- 78/147	W0010,W000 5	naassil scholl	13.001334859 558288- 77.613336231 2054	1825	19/03/2022
4	EE/ OFC/pole/202 2-23/1825/W- 78/148	W0010	sardadari	13.001340086 458454- 77.613797504 42536	1825	19/03/2022
5	EE/ OFC/pole/202 2-23/1825/W- 78/149	W0018	school back side road	13.001131010 365668- 77.613132412 80591	1825	19/03/2022

6	EE/ OFC/pole/202 2-23/1825/W- 78/150	RI-S22	vijayasagar hotel	13.000874891 911945- 77.612617503 16503	1825	19/03/2022
7	EE/ OFC/pole/202 2-23/1825/W- 78/151	RI-S22	ring and rang	13.000911480 278662- 77.612290320 9974	1825	19/03/2022
8	EE/ OFC/pole/202 2-23/1825/W- 78/152	W0007	down town	13.000839349 304803- 77.613751493 93531	1825	19/03/2022
9	EE/ OFC/pole/202 2-23/1825/W- 78/153	W0007	S.A STORE	13.001220913 48998- 77.613869494 06135	1825	19/03/2022
10	EE/ OFC/pole/202 2-23/1825/W- 78/154	W0005	SYED IDPAL	13.001733149 418834- 77.613376038 98883	1825	19/03/2022
11	EE/ OFC/pole/202 2-23/1825/W- 78/155	W0006	RAJAPPA ROAD	13.001602477 088461- 77.613032765 89491	1825	19/03/2022
12	EE/ OFC/pole/202 2-23/1825/W- 78/156	W0007,W000 2	APPARTMEN T	13.001764510 767867- 77.613853403 13507	1825	19/03/2022
13	EE/ OFC/pole/202 2-23/1825/W- 78/157	W0002	AZAGIRI MANZIL	13.001722695 634935- 77.614089403 38714	1825	19/03/2022
14	EE/ OFC/pole/202 2-23/1825/W- 78/158	W0002	NABEEL HERITAGE	13.001654746 028864- 77.614588222 10176	1825	19/03/2022
15	EE/ OFC/pole/202 2-23/1825/W- 78/159	W0008	OPP NO 18	13.001419535 71036- 77.614266403 5762	1825	19/03/2022
16	EE/ OFC/pole/202 2-23/1825/W- 78/160	W0016	OPP HOUSE NO 13	13.001085013 984449- 77.614341494 56547	1825	19/03/2022
17	EE/ OFC/pole/202 2-23/1825/W- 78/161	W0015	REILVA ROAD	13.001863821 680379- 77.615097768 10054	1825	19/03/2022
18	EE/ OFC/pole/202 2-23/1825/W- 78/162	RI-S35	IDEAL HOUSE	13.001780191 440915- 77.616122223 74019	1825	19/03/2022
19	EE/ OFC/pole/202 2-23/1825/W- 78/163	W0002	APPARTMEN T	13.001550208 137052- 77.616090041 88765	1825	19/03/2022
20	EE/ OFC/pole/202 2-23/1825/W- 78/164	W0013	BANGALURU IDLI CAFE	13.000713903 417143- 77.614899313 34312	1825	19/03/2022
21	EE/ OFC/pole/202 2-23/1825/W- 78/165	W0012	MOSQUE COMPOUND	13.001116375 415414- 77.615451768 47862	1825	19/03/2022

22	EE/ OFC/pole/202 2-23/1825/W- 78/166	RI-S22	HAJA SRI ISMAL	13.000614592 044444- 77.615274768 28958	1825	19/03/2022
23	EE/ OFC/pole/202 2-23/1825/W- 78/167	W0002	NABEEL HERITAGE	13.001550208 137052- 77.615553677 6784	1825	19/03/2022
24	EE/ OFC/pole/202 2-23/1825/W- 78/168	RI-S22	A1 ZERA	13.000708676 503784- 77.614030403 32411	1825	19/03/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP, Bangalore" within seven (7) days. Then only your request can be processed further.

Total No. of Poles 24

Pole Charges @ Rs 1500/- Pole	36,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	177.36
Junction Box Charges @ Rs 3000/- Pole	72,000	Total (C)	177.36
Supervision Charge @ Rs 100/- Pole	2,400		
Sub Total (A)	110,400	GST @ 18% (B)	19,872
Grand Total (A + B + C)	130,449.36		

Total Amount Payable Rs: 130,449 In words (Rupees One Lakh Thirty Thousand Four Hundred and Forty-Nine Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-659

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-659


1/2

@RIL.COM

OFC/Pole/2022-23/W0156/665 10-2022-670 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

Pole Details

10-2022-659



OFC/Pole/2022-23/W0400/643 10-2022-645 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

S. S. Srinivas
EXECUTIVE ENGINEER
OFC CELL

BENGALURU