



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell ), 3<sup>rd</sup>Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/667/2022-23

Date: 15-10-2022

**Permission for Regularization for Poles**

To,  
M/s. Jio Digital Fibre Private Limited ,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 06-05-2022
  - 3) Fee Demand Note letter No: 10-2022-667, Date: **14-05-2022**.
  - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **12-10-2022**.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles, from 4th Cross via 2nd Main	30 Poles
02	From 2nd Cross via Street ID No-W0328 up to 2nd Main.	
03	From 2nd Cross via Street ID No-W0330 up to 2nd Main.	
04	From 2nd Cross via Street ID No-W0336 up to 2nd Main.	
05	From 2nd Cross via Street ID No-W0338 up to 2nd Main.	
06	From 2nd Main via 3rd Main up to 11th Cross.	
07	From 3rd Main via 9th Cross	
08	From 3rd Main via 10th Cross	
09	From 3rd Main via 11th Cross up to 3rd 'A' Cross.	
10	From 3rd Main via Street ID No-W0331	
11	From 3rd Main via Street ID No-W0333	
12	From 3rd Main via Street ID No-W0343	
13	From 3rd Main via Street ID No-W0345	
14	From 3rd Main via Street ID No-W0355	
15	From 3rd Main via Street ID No-W0357	
16	From 2nd cross via 1st Main	
17	From 2nd Cross via 11th Main, for total No of 30 Poles, in Ward No-193, <b>Bommanahalli Zone.</b> <b>Ref: As per drawing enclosed &amp; demand note GIS co-ordinates.</b>	

No: EE/OFC/PR/667/2022-23, Dt: 15-10-2022

Executive Engineer (OFC), BBMP

*A*



**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for Regularization of Poles**

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.



12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Bommanahalli** Zone) for information.
4. Copy to Zonal Chief Engineer (**Bommanahalli** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Bangalore South** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Anjanapura** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-667 /DD

Date: 12-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to lay the OFC by HDD method.**

**Ref: Demand Note :-** Pole-OFC-10-2022-667

With reference to your Demand Note bearing Pole-OFC-10-2022-667 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1045 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-667	40	184296	206014	33120	184296
			Dated		
			11-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



8/12



667

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701


We are pleased to send to you Demand Draft No. **206014**  
as per details mentioned below.

11/10/2022  
dated

---

PAYMENT REFERENCE

10-2022-667 J10

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch Bcc Extension

दिनांक/ Date 

1	3	1	0	2	0	2	2
---	---	---	---	---	---	---	---

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

*P* पंचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.  

8	4	0	1	1	3	2	0	0	0	1	0
---	---	---	---	---	---	---	---	---	---	---	---

नाम/Name Comm. Officer RBM?

टेलिफोन / मोबाइल नं  
Tel No./Mobile No. \_\_\_\_\_

राशि / Amount 

1	3	4	2	9	6	0	0
---	---	---	---	---	---	---	---

 ₹ पै/P.

राशि शब्दों में  
Rupees in words one lakh eighty four thousand two hundred ninety six only

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date / Name of Bank & Branch	पै/P.
<u>206014 dt. 11/10/22</u>	<u>1,34,296.00/-</u>
<u>8th OCT 2022</u>	
<u>EXECUTIVE</u>	<u>1,34,296.00/-</u>

अधिकारी / रोक DEPT. OFF. OFFICER  
Canara Bank Toll Free No.

BRUHAT BANGALURU MAHANAGARA MIKE  
Officer/Cashier/SWO

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasathanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-667 /DD

Date: 12-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru – 560 002

Dear Sir,

**Sub: Permission to lay the OFC by HDD method.**

**Ref: Demand Note :-** Pole-OFC-10-2022-667

With reference to your Demand Note bearing Pole-OFC-10-2022-667 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1045 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-667	40	184296	206014	33120	184296
			Dated		
			11-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206014**  
as per details mentioned below.

11/10/2022  
dated

**PAYMENT REFERENCE**

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 10012023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE  
दिनांक 

D	D	M	M	Y	Y	Y	Y
---	---	---	---	---	---	---	---

ON DEMAND PAY **COMMISSIONER BBMP BANGALORE**

OR ORDER / या उनके आदेश पर

मौगे जाने पर  
RUPEES **One Lac Eighty Four Thousand Two Hundred Ninety Six Only**

रुपये

₹ **184,296.00**

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. **206014**

Client Reference **4200008447 3**

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd

*Alexandra...*  
SSA: 24004  
Authorised Signatory

*Rudresha B*  
Authorised Signatory

**Rudresha B**  
Case No. 206014  
cc No. 206014



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-667

PR Number(To be Assigned by AE/JE-  
OFC, BBMP)

CE-POLE-10-2022-667

General Information

Segment ID

OFC/Pole/2022-23/W0328/664

Street ID

82149

Street Name

NA

Zone

Bommanahalli

Ward No.

195

Ward Name

Konanakunte

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

06/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

40

No.Junction Box

40




### Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	13/05/2022

Date : 14/05/2022

Time : 12:17:49

20220514121749







ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-667

Date: 14/05/2022

**Demand Notice**  
**GST No.: 29AAALBI608FIZK**

**To**

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

**Sub:-** Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-667, dated : 06/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0328/664)


Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/4929/W- 195/748	W0325	NILAYAM	12.882015860 766252- 77.578952908 51594	4929	21/01/2022
2	EE/ OFC/pole/202 2-23/4929/W- 195/749	W0331	Swasthik	12.882141366 387017- 77.579237222 67152	4929	21/01/2022
3	EE/ OFC/pole/202 2-23/4929/W- 195/750	W0331	Shree	12.881958337 33573- 77.579306960 10591	4929	21/01/2022
4	EE/ OFC/pole/202 2-23/4929/W- 195/751	W0329	vasundara	12.882533571 046663- 77.579087018 96669	4929	21/01/2022
5	EE/ OFC/pole/202 2-23/4929/W- 195/752	W0329	sapthami	12.883103574 05734- 77.578904628 75368	4929	21/01/2022

6	EE/ OFC/pole/202 2-23/4929/W- 195/753	W0333	PAVAN	12.882721829 065185- 77.579323053 36	4929	21/01/2022
7	EE/ OFC/pole/202 2-23/4929/W- 195/754	W0333	ANUSHA	12.883140179 710956- 77.579188942 90924	4929	21/01/2022
8	EE/ OFC/pole/202 2-23/4929/W- 195/755	W0333	RAMU	12.882089072 386005- 77.579575181 0074	4929	21/01/2022
9	EE/ OFC/pole/202 2-23/4929/W- 195/756	W0333	KRUPA	12.882334854 095854- 77.579478621 48286	4929	21/01/2022
10	EE/ OFC/pole/202 2-23/4929/W- 195/757	W0342,W034 3	ANITHA	12.882447286 074221- 77.579760253 42943	4929	21/01/2022
11	EE/ OFC/pole/202 2-23/4929/W- 195/758	W0342	HOME-52	12.882523112 263698- 77.579838037 49086	4929	21/01/2022
12	EE/ OFC/pole/202 2-23/4929/W- 195/759	W0345	poorvi	12.882469510 994206- 77.579913139 34328	4929	21/01/2022
13	EE/ OFC/pole/202 2-23/4929/W- 195/760	W0342	koti	12.882574098 826488- 77.579972147 9416	4929	21/01/2022
14	EE/ OFC/pole/202 2-23/4929/W- 195/761	W0347	Bidara	12.882516575 52413- 77.580086141 82474	4929	21/01/2022
15	EE/ OFC/pole/202 2-23/4929/W- 195/762	W0342	dream	12.882625085 378885- 77.580107599 49686	4929	21/01/2022
16	EE/ OFC/pole/202 2-23/4929/W- 195/763	W0342,W035 5,W0353	PAUNAJA	12.882687838 044532- 77.580319494 00902	4929	21/01/2022
17	EE/ OFC/pole/202 2-23/4929/W- 195/764	W0357	SRINIVASA	12.882715292 330797- 77.580678910 01703	4929	21/01/2022
18	EE/ OFC/pole/202 2-23/4929/W- 195/765	W0342,W035 7	LAKSHMI	12.882834260 869881- 77.580696344 37562	4929	21/01/2022
19	EE/ OFC/pole/202 2-23/4929/W- 195/766	W0373,W034 2	MADHURI	12.883061739 018093- 77.581404447 55556	4929	21/01/2022
20	EE/ OFC/pole/202 2-23/4929/W- 195/767	W0342,W037 7	VAIBHAVA	12.883249996 639695- 77.582128643 98958	4929	21/01/2022
21	EE/ OFC/pole/202 2-23/4929/W- 195/768	W0338	VEDANTHA	12.883563759 02798- 77.582002580 16588	4929	21/01/2022

22	EE/ OFC/pole/202 2-23/4929/W- 195/769	W0338	HEENA	12.883448712 864574- 77.581635117 53082	4929	21/01/2022
23	EE/ OFC/pole/202 2-23/4929/W- 195/770	W0373,W033 8,W0371	PRATHIBHA	12.883333666 648332- 77.581321299 0761	4929	21/01/2022
24	EE/ OFC/pole/202 2-23/4929/W- 195/771	W0338	VEERABHAD RA	12.883249996 639695- 77.581034302 7115	4929	21/01/2022
25	EE/ OFC/pole/202 2-23/4929/W- 195/772	W0338	Krupa	12.883148023 778888- 77.580707073 21168	4929	21/01/2022
26	EE/ OFC/pole/202 2-23/4929/W- 195/773	W0338	BHAGAVATH I	12.883038206 80543- 77.580371797 08482	4929	21/01/2022
27	EE/ OFC/pole/202 2-23/4929/W- 195/774	W0338	NILAYA	12.882910086 942235- 77.579972147 9416	4929	21/01/2022
28	EE/ OFC/pole/202 2-23/4929/W- 195/775	W0338	RAMA	12.882787196 399637- 77.579588592 05247	4929	21/01/2022
29	EE/ OFC/pole/202 2-23/4929/W- 195/776	W0336	CLEANERS	12.883846144 84142- 77.581922113 89543	4929	21/01/2022
30	EE/ OFC/pole/202 2-23/4929/W- 195/777	W0336	PRASANTH	12.883749401 589316- 77.581586837 76857	4929	21/01/2022
31	EE/ OFC/pole/202 2-23/4929/W- 195/778	W0336	Ashirvad	12.883636970 19537- 77.581173777 58028	4929	21/01/2022
32	EE/ OFC/pole/202 2-23/4929/W- 195/779	W0336	nimishambaks hiti	12.883524538 75093- 77.580868005 75258	4929	21/01/2022
33	EE/ OFC/pole/202 2-23/4929/W- 195/780	W0336	Parvathi	12.883357198 83322- 77.580401301 38399	4929	21/01/2022
34	EE/ OFC/pole/202 2-23/4929/W- 195/781	W0336	Parvathi	12.883085271 228516- 77.579623460 76967	4929	21/01/2022
35	EE/ OFC/pole/202 2-23/4929/W- 195/782	W0336	Raman	12.883236923 19832- 77.580049932 00304	4929	21/01/2022
36	EE/ OFC/pole/202 2-23/4929/W- 195/783	W0330	SHAILAJA	12.884217429 407968- 77.581726312 63734	4929	21/01/2022
37	EE/ OFC/pole/202 2-23/4929/W- 195/784	W0330	MUKUNDA	12.884206970 695317- 77.581262290 47777	4929	21/01/2022



38	EE/ OFC/pole/202 2-23/4929/W- 195/785	W0328	WELLNESS CLINIC	12.884518117 209943- 77.581589519 97758	4929	21/01/2022
39	EE/ OFC/pole/202 2-23/4929/W- 195/786	W0328	SUMUKHA	12.884520731 884903- 77.581259608 26875	4929	21/01/2022
40	EE/ OFC/pole/202 2-23/4929/W- 195/787	W0371	KRISHANA	12.883772933 735163- 77.581208646 29745	4929	21/01/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven (7) days. Then only your request can be processed further.

**Total No. of Poles 40**

Pole Charges @ Rs 1500/- Pole	60,000	Worker Welfare Cess Amount @ Rs-7.39/- Pole	295.6
Junction Box Charges @ Rs 3000/- Pole	120,000	Total (C)	295.6
Supervision Charge @ Rs 100/- Pole	4,000		
Sub Total (A)	184,000	GST @ 18% (B)	33,120
Grand Total (A + B + C)	217,415.6		

**Total Amount Payable Rs: 217,416 In words (Rupees Two Lakh Seventeen Thousand Four Hundred and Sixteen Only)**

**Note:** The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-667

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.




# BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

OFC/Pole/2022-23/W0919/671 10-2022-676 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

## Pole Details

10-2022-667



OFC/Pole/2022-23/W0307/647 10-2022-657 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

EXECUTIVE ENGINEER  
OFC CELL

BENGALURU