



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/668/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 06-05-2022
 - 3) Fee Demand Note letter No: 10-2022-668, Date: **12-05-2022**.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **14-10-2022**.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 60feet Main Road via 13th Cross Road, 8th Main Road, 12th Cross Road, 7th Main Road, 11th Cross Road up to 50feet Road.	47 Poles
02	From 60feet Main Road via 12th Cross Road up to 7th Main Road.	
03	From 60feet Main Road via Street ID No-W0031 up to 6th Main Road.	
04	From 60feet Main Road via Street ID No-W0033.	
05	From 60feet Main Road via 11th Cross Road up to 7th Main Road.	
06	From 60feet Main Road via 10th Cross Road up to 50feet Road.	
07	From 60feet Main Road via 9th Cross Road, Street ID No-W0042 up to 10th Cross Road.	
08	From 10th Cross Road via 1st Main Road, 7th Cross Road up to W0042, total No of 47 Poles , in Ward No-162 , South Zone . Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/668/2022-23, Dt: 15-10-2022


Executive Engineer (OFC), BBMP



Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent

- authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
 15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
 16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
 17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
 18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
 19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
 20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
 21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
 22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Basavanagudi** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Giri Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-668 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-668

With reference to your Demand Note bearing Pole-OFC-10-2022-668, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0876

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-668	47	216547	205839	38916	216547
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



688

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205839

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasathanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-668 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-668

With reference to your Demand Note bearing Pole-OFC-10-2022-668 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0876 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-668	47	216547	205839	38916	216547
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **205839**
as per details mentioned below.

01/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31/12/2022

DATE 01/10/2022
दिनांक 01/10/2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर
RUPEES Two Lacs Sixteen Thousand Five Hundred Forty Seven Only
रुपये

₹ 216,547.00
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205839

Client Reference 4200008085_22

For Axis Bank Ltd
Authorized Signatory
Rudresha B

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Please Sign above
Rudresha B
cc No. 26182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-668

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-668

General Information

Segment ID

OFC/Pole/2022-23/W0031/650

Street ID

36348

Street Name

NA

Zone

South

Ward No.

162

Ward Name

Girinagara

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5 Rasta, Ambawadi, Ahmedabad, Gujarat, India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

06/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

Purpose

ofc

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

47

No.Junction Box

47




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	11/05/2022

Date : 12/05/2022

Time : 03:20:57

20220512032057





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-668

Date: 12/05/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-668, dated : 06/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0031/650)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/2875/W- 162/31	W0027	House #677	12.941140860 118637- 77.539269689 90564	2875	25/08/2021
2	EE/ OFC/pole/202 2-23/2875/W- 162/32	W0027	House #668	12.941407496 40347- 77.539253598 97937	2875	25/08/2021
3	EE/ OFC/pole/202 2-23/2875/W- 162/33	W0027	House #672	12.941679360 557176- 77.539237508 05309	2875	25/08/2021
4	EE/ OFC/pole/202 2-23/2875/W- 162/34	W0027	House #680	12.941982593 301978- 77.539216053 4847	2875	25/08/2021
5	EE/ OFC/pole/202 2-23/2875/W- 162/35	W0027	House #685	12.942296281 960248- 77.539189235 27425	2875	25/08/2021

6	EE/ OFC/pole/202 2-23/2875/W- 162/36	W0027	House #690	12.942641339 028485- 77.539167780 70587	2875	25/08/2021
7	EE/ OFC/pole/202 2-23/2875/W- 162/37	W0040,W002 7	House #142	12.943127554 99587- 77.539157053 4217	2875	25/08/2021
8	EE/ OFC/pole/202 2-23/2875/W- 162/38	W0040	House #1224	12.943138011 163047- 77.539352304 07467	2875	25/08/2021
9	EE/ OFC/pole/202 2-23/2875/W- 162/39	W0040,W002 9	House #573	12.943132783 039626- 77.539556122 47418	2875	25/08/2021
10	EE/ OFC/pole/202 2-23/2875/W- 162/40	W0029	House #573	12.942873468 108106- 77.539570044 55155	2875	25/08/2021
11	EE/ OFC/pole/202 2-23/2875/W- 162/41	W0044,W002 9	House #572	12.942700939 794316- 77.539580771 83574	2875	25/08/2021
12	EE/ OFC/pole/202 2-23/2875/W- 162/42	W0029	House #538	12.942502270 679023- 77.539575408 19363	2875	25/08/2021
13	EE/ OFC/pole/202 2-23/2875/W- 162/43	W0046,W002 9	House #640	12.942337061 632344- 77.539586135 47786	2875	25/08/2021
14	EE/ OFC/pole/202 2-23/2875/W- 162/44	W0029	House #638	12.942059970 049861- 77.539591499 11995	2875	25/08/2021
15	EE/ OFC/pole/202 2-23/2875/W- 162/45	W0029	House #633	12.941793334 46278- 77.539607590 04622	2875	25/08/2021
16	EE/ OFC/pole/202 2-23/2875/W- 162/46	W0029	House #632	12.941521470 433342- 77.539629044 61459	2875	25/08/2021
17	EE/ OFC/pole/202 2-23/2875/W- 162/47	W0029	House #620	12.941124130 164813- 77.539661226 46713	2875	25/08/2021
18	EE/ OFC/pole/202 2-23/2875/W- 162/48	W0044	House #500	12.942680027 462762- 77.539843584 09078	2875	25/08/2021
19	EE/ OFC/pole/202 2-23/2875/W- 162/49	W0044	House #504	12.942669571 196607- 77.540143948 04796	2875	25/08/2021
20	EE/ OFC/pole/202 2-23/2875/W- 162/50	W0044	House #506	12.942659114 930006- 77.540465766 5735	2875	25/08/2021
21	EE/ OFC/pole/202 2-23/2875/W- 162/51	W0044	House #508	12.942638202 395495- 77.540809039 66745	2875	25/08/2021

22	EE/ OFC/pole/202 2-23/2875/W- 162/52	W0044,W003 7	House #558	12.942606833 590453- 77.541195221 89808	2875	25/08/2021
23	EE/ OFC/pole/202 2-23/2875/W- 162/53	W0040,W003 7	House #559	12.942957118 356095- 77.541195221 89808	2875	25/08/2021
24	EE/ OFC/pole/202 2-23/2875/W- 162/54	W0046,W003 7	House #499	12.942225179 479594- 77.541220958 95157	2875	25/08/2021
25	EE/ OFC/pole/202 2-23/2875/W- 162/55	W0050,W003 7	House #449	12.941864437 385682- 77.541242413 51995	2875	25/08/2021
26	EE/ OFC/pole/202 2-23/2875/W- 162/56	W0037	House #25	12.941498466 612133- 77.541258504 4462	2875	25/08/2021
27	EE/ OFC/pole/202 2-23/2875/W- 162/57	W0037	House #22	12.941027931 971119- 77.541279959 01462	2875	25/08/2021
28	EE/ OFC/pole/202 2-23/2875/W- 162/58	W0033	House #600	12.941064529 141713- 77.540394958 06934	2875	25/08/2021
29	EE/ OFC/pole/202 2-23/2875/W- 162/59	W0033	House #571	12.941425272 392966- 77.540368139 85887	2875	25/08/2021
30	EE/ OFC/pole/202 2-23/2875/W- 162/60	W0033	House #572	12.941676223 912088- 77.540357412 57469	2875	25/08/2021
31	EE/ OFC/pole/202 2-23/2875/W- 162/61	W0050,W003 3	House #590	12.941885349 985089- 77.540357412 57469	2875	25/08/2021
31	EE/ OFC/pole/202 2-23/2875/W- 162/65	W0063	House #443	12.941538200 799279- 77.541784187 92752	2875	25/08/2021
32	EE/ OFC/pole/202 2-23/2875/W- 162/62	W0050	House #506	12.941848752 934975- 77.540716776 59489	2875	25/08/2021
33	EE/ OFC/pole/202 2-23/2875/W- 162/63	W0039	House #462	12.940984015 550782- 77.541741278 7908	2875	25/08/2021
34	EE/ OFC/pole/202 2-23/2875/W- 162/64	W0039	House #458	12.941663676 533592- 77.541682278 72775	2875	25/08/2021
36	EE/ OFC/pole/202 2-23/2875/W- 162/66	W0039	House #455	12.942135255 508006- 77.541647953 18376	2875	25/08/2021
37	EE/ OFC/pole/202 2-23/2875/W- 162/67	W0039	House #460	12.942579647 465061- 77.541632930 99946	2875	25/08/2021

38	EE/ OFC/pole/202 2-23/2875/W- 162/68	W0039	House #476	12.942976985 414013- 77.541606112 78901	2875	25/08/2021
39	EE/ OFC/pole/202 2-23/2875/W- 162/69	W0042	House #326	12.942945616 65159- 77.541852840 32525	2875	25/08/2021
40	EE/ OFC/pole/202 2-23/2875/W- 162/70	W0041	House #356	12.942678982 011666- 77.542040567 7985	2875	25/08/2021
41	EE/ OFC/pole/202 2-23/2875/W- 162/71	W0041	House #350	12.942370521 97442- 77.542051295 08267	2875	25/08/2021
42	EE/ OFC/pole/202 2-23/2875/W- 162/72	W0041	House #347	12.942098658 57434- 77.542062022 36685	2875	25/08/2021
43	EE/ OFC/pole/202 2-23/2875/W- 162/73	W0041	House #343	12.941696091 072064- 77.542088840 57732	2875	25/08/2021
44	EE/ OFC/pole/202 2-23/2875/W- 162/74	W0043	House #437	12.941334302 676129- 77.542180022 49289	2875	25/08/2021
45	EE/ OFC/pole/202 2-23/2875/W- 162/75	W0043	House #439	12.940984015 630564- 77.542169295 2087	2875	25/08/2021
46	EE/ OFC/pole/202 2-23/2875/W- 162/76	W0052,W004 5	House #293	12.941973183 058948- 77.542422496 1326	2875	25/08/2021
47	EE/ OFC/pole/202 2-23/2875/W- 162/77	W0045	House #317	12.942647613 211749- 77.542374223 35379	2875	25/08/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 47


Pole Charges @ Rs 1500/- Pole	70,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	347.33
Junction Box Charges @ Rs 3000/- Pole	141,000	Total (C)	347.33
Supervision Charge @ Rs 100/- Pole	4,700		
Sub Total (A)	216,200	GST @ 18% (B)	38,916
Grand Total (A + B + C)	255,463.33		

Total Amount Payable Rs: 255,463 In words (Rupees Two Lakh Fifty-Five Thousand Four Hundred and Sixty-Three Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-668

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.


BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-668 1/2 X

OFC/Pole/2022-23/W0031/674 10-2022-689 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

Pole Details

10-2022-668



OFC/Pole/2022-23/W0078/615 10-2022-622 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

S. J. Singh
 EXECUTIVE ENGINEER
 OFC CELL

BENGALURU