



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell), 3<sup>rd</sup>Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/670/2022-23

Date: 15-10-2022

**Permission for Regularization for Poles**

To,  
M/s. Jio Digital Fibre Private Limited,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 06-05-2022
  - 3) Fee Demand Note letter No: 10-2022-670, Date: **13-05-2022**.
  - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **14-10-2022**.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization from 41st Cross Road via Street ID No-W0121, W0156, W0113 up to 41st Cross Road.	<b>42 Poles</b>
02	From Street ID No-W121 via 37th Cross Road up to Street ID No-W0113.	
03	From Street ID No-W121 via 11th 'A' Main Road up to Street ID No-W0113.	
04	From Street ID No-W121 via 39th Cross Road up to Street ID No-W0113.	
05	From Street ID No-W121 via Street ID No-W0164 up to Street ID No-W0113.	
06	From 12th Main Road via 35th Cross Road, Street ID No-W0129, W0146 2nd Main Road up to W0145.	
07	From 35th Cross Road via Street ID No-W0125 up to W0140.	
08	From Street ID No-W0146 via 2nd Main Road up to W0128.	
09	From 2nd Main Road via Street ID No-W0132 up to Dr. Rajkumar Road.	
10	From 2nd Main Road via Street ID No-W0130 up to Dr. Rajkumar Road.	
11	From 2nd Main Road via Street ID No-W0136, 33rd Cross Road, W0128 up to Dr.Rajkumar Road. For a total of 42 poles, in <b>Ward No-99, West Zone.</b>	
<b>Ref: As per drawing enclosed &amp; demand note GIS co-ordinates.</b>		

No: EE/OFC/PR/670/2022-23, Dt: 15-10-2022

Executive Engineer (OFC), BBMP

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for Regularization of Poles**

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**West Zone**) for information.
4. Copy to Zonal Chief Engineer (**West Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Rajaji Nagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Rajaji Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-670 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to lay the OFC by HDD method.**

**Ref: Demand Note :-** Pole-OFC-10-2022-670

With reference to your Demand Note bearing Pole-OFC-10-2022-670 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0417

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-670	42	193510	205899	34776	193510
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



GA

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**205899**

01/10/2022  
dated

PAYMENT REFERENCE

---

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-670 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to lay the OFC by HDD method.**

**Ref: Demand Note :- Pole-OFC-10-2022-670**

With reference to your Demand Note bearing Pole-OFC-10-2022-670 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0417 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-670	42	193510	205899	34776	193510
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

**205899**

01/10/2022  
dated

**PAYMENT REFERENCE**



**AXIS BANK LTD** ISSUING BRANCH  
IFS CODE - UTIB0000274

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31/12/2022

DATE दिनांक 

0	D	D	M	M	Y	Y	Y	Y
---	---	---	---	---	---	---	---	---

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर  
RUPEES One Lac Ninety Three Thousand Five Hundred Ten Only  
रुपये

अदा करे

₹ 193,510.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205899

Client Reference 4200008085\_82

For Axis Bank Ltd  
*[Signature]*  
5540124004  
Authorised Signatory

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

Please sign above





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-670

PR Number(To be Assigned by AE/JE- CE-POLE-10-2022-670  
OFC, BBMP)

General Information

Segment ID

OFC/Pole/2022-23/W0156/665

Street ID

17834

Street Name

NA

Zone

West

Ward No.

99

Ward Name

Rajajinagar

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

06/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

42

No.Junction Box

42




**Status of My Application**

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	12/05/2022

Date : 13/05/2022

Time : 12:07:12

20220513120712





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-670

Date: 13/05/2022

**Demand Notice**  
**GST No.: 29AAALBI608FIZK**

**To**

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

**Sub:-** Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-670, dated : 06/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0156/665)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/2532/W- 99/82	W0129	BGLBD03532 36 #36/2 Davanagere benne dose hotel	12.991916329 375876- 77.556548416 61455	2532	09/12/2021
2	EE/ OFC/pole/202 2-23/2532/W- 99/83	W0129	PL0103 #37 Embeded home	12.991960759 709551- 77.556607425 21287	2532	09/12/2021
3	EE/ OFC/pole/202 2-23/2532/W- 99/84	W0129,W015 4	BGLRBD0261 357 Opposite to Ravikrupa appartment near Govt school	12.992164616 43264- 77.556363344 19252	2532	09/12/2021
4	EE/ OFC/pole/202 2-23/2532/W- 99/85	W0154	PL0102 #620M Shri Raksha	12.992080982 925463- 77.556202411 65163	2532	09/12/2021

5	EE/ OFC/pole/202 2-23/2532/W- 99/86	W0154,W012 3	PL0101 Opposite to #154 Veeresh Nilay	12.991973827 453217- 77.555990517 13945	2532	09/12/2021
6	EE/ OFC/pole/202 2-23/2532/W- 99/87	W0154	BGLRBD0279 496 #47 Bhairava Nivas opposite	12.991911102 27728- 77.555724978 44697	2532	09/12/2021
7	EE/ OFC/pole/202 2-23/2532/W- 99/88	W0154	BGLRBD0071 802 Opposite to Electric Pole 10000426848	12.991892807 431316- 77.555555999 27904	2532	09/12/2021
8	EE/ OFC/pole/202 2-23/2532/W- 99/89	W0119	BGLRBD0151 2266 #155 Anugraha doors	12.992067915 187421- 77.555526494 97987	2532	09/12/2021
9	EE/ OFC/pole/202 2-23/2532/W- 99/90	W0119,W014 6	BGLRBD0196 757 #7/1 choudeshwari nilay	12.992418130 329195- 77.555496990 68071	2532	09/12/2021
10	EE/ OFC/pole/202 2-23/2532/W- 99/91	W0146	PL0701 #163 veena baskar nilaya	12.992428584 50495- 77.555765211 5822	2532	09/12/2021
11	EE/ OFC/pole/202 2-23/2532/W- 99/92	W0125,W014 6	PL0702 Next to Electric Pole 10000202781 Govt Highschool Backside	12.992431198 048815- 77.556017339 2296	2532	09/12/2021
12	EE/ OFC/pole/202 2-23/2532/W- 99/93	W0129,W014 6	BGLRBD0262 770 Govt highschool Front	12.992425970 961046- 77.556175589 56146	2532	09/12/2021
13	EE/ OFC/pole/202 2-23/2532/W- 99/94	W0142,W012 9	PL0601 #11/1 kiran kuttira	12.992700392 919831- 77.555944919 5862	2532	09/12/2021
14	EE/ OFC/pole/202 2-23/2532/W- 99/95	W0129,W013 8	PL0602 #170/2 shri venkateswar nilaya	12.992914703 191037- 77.555861771 10673	2532	09/12/2021
15	EE/ OFC/pole/202 2-23/2532/W- 99/96	W0129	PL0603 #171	12.993027085 332491- 77.555859088 89772	2532	09/12/2021
16	EE/ OFC/pole/202 2-23/2532/W- 99/97	W0138	PL0604 #167	12.992883340 723886- 77.555537223 81593	2532	09/12/2021
17	EE/ OFC/pole/202 2-23/2532/W- 99/98	W0119,W013 8	BGLRBD0664 426 #167 Juganahalli	12.992862432 41025- 77.555437982 08238	2532	09/12/2021
18	EE/ OFC/pole/202 2-23/2532/W- 99/99	W0119,W013 2	PL0503 # 137/14 Laksmi venkateswar nilay	12.993317187 834647- 77.555384337 90207	2532	09/12/2021

19	EE/ OFC/pole/202 2-23/2532/W- 99/100	W0130	BGLRBD0174 289 #131 Omkara nilay	12.993544565 234538- 77.555239498 61528	2532	09/12/2021
20	EE/ OFC/pole/202 2-23/2532/W- 99/101	W0115,W013 2	PL0406 #90	12.993262303 603476- 77.554810345 1729	2532	09/12/2021
21	EE/ OFC/pole/202 2-23/2532/W- 99/102	W0119	PL0301 #132 shri giri nilaya	12.994030681 735854- 77.555220723 15217	2532	09/12/2021
22	EE/ OFC/pole/202 2-23/2532/W- 99/103	W0121	PL5102 #92/A	12.991406686 744801- 77.556020021 43861	2532	09/12/2021
23	EE/ OFC/pole/202 2-23/2532/W- 99/104	W0156	PL6403 #156 Sundar sadana	12.991487706 925307- 77.555604279 0413	2532	09/12/2021
24	EE/ OFC/pole/202 2-23/2532/W- 99/105	W0158	PL5601 #93/B shri harshanta	12.991134876 913923- 77.555730342 865	2532	09/12/2021
25	EE/ OFC/pole/202 2-23/2532/W- 99/106	W0158	PL 5607 #37	12.991158398 930274- 77.554815709 59093	2532	09/12/2021
26	EE/ OFC/pole/202 2-23/2532/W- 99/107	W0156	PL6403 #156 sundar sadana	12.991479866 26384- 77.555631101 13145	2532	09/12/2021
27	EE/ OFC/pole/202 2-23/2532/W- 99/108	W0156	PL6401 #462 gurukrupa	12.991495547 586535- 77.555368244 648	2532	09/12/2021
28	EE/ OFC/pole/202 2-23/2532/W- 99/109	W0156	PL5705 #152/11	12.991500774 69387- 77.555027604 1031	2532	09/12/2021
29	EE/ OFC/pole/202 2-23/2532/W- 99/110	W0113,W015 6	PI5706/Bglarb d0190576 #690 near	12.991503388 247507- 77.554821074 00896	2532	09/12/2021
30	EE/ OFC/pole/202 2-23/2532/W- 99/111	W0160	PL5501 #446	12.990860453 22517- 77.554799616 33684	2532	09/12/2021
31	EE/ OFC/pole/202 2-23/2532/W- 99/112	W0113	PL5507 #685	12.990923178 666481- 77.554697692 39426	2532	09/12/2021
32	EE/ OFC/pole/202 2-23/2532/W- 99/113	W0160	PL5506 #234/4	12.990849998 983427- 77.555083930 49242	2532	09/12/2021
33	EE/ OFC/pole/202 2-23/2532/W- 99/114	W0162	PL5406 #235/b Lakshmi narasimha nilaya	12.990562507 162638- 77.554775476 4557	2532	09/12/2021

34	EE/ OFC/pole/202 2-23/2532/W- 99/115	W0162	pl5205 #456/24 -1 Bhavani shankara nilaya	12.990546825 781028- 77.555274367 33247	2532	09/12/2021
35	EE/ OFC/pole/202 2-23/2532/W- 99/116	W0162	pl5207 #111b/1	12.990601710 612342- 77.555955648 42226	2532	09/12/2021
36	EE/ OFC/pole/202 2-23/2532/W- 99/117	W0162	PL5201 #113/A Laksmi venkateswara nila	12.990532451 180355- 77.555971406 40022	2532	09/12/2021
37	EE/ OFC/pole/202 2-23/2532/W- 99/118	W0164	BGLRBD0868 365 #1002	12.990227317 415057- 77.555945590 13844	2532	09/12/2021
38	EE/ OFC/pole/202 2-23/2532/W- 99/119	W0164	PL5403 #236/a	12.990319445 636366- 77.554772794 24669	2532	09/12/2021
39	EE/ OFC/pole/202 2-23/2532/W- 99/120	W0113	PL5405 #68 Vibuniketana	12.990387398 345096- 77.554686963 5582	2532	09/12/2021
40	EE/ OFC/pole/202 2-23/2532/W- 99/121	W0113	PL5404 #678	12.990029339 632345- 77.554729878 90245	2532	09/12/2021
41	EE/ OFC/pole/202 2-23/2532/W- 99/122	RI- S107,W0013, W0121	PL5305 #245/B	12.989948318 97609- 77.555971741 67634	2532	09/12/2021
42	EE/ OFC/pole/202 2-23/2532/W- 99/123	W0154	pl6302 #620/j unitech solutions	12.991892807 431316- 77.555427253 24632	2532	09/12/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No. of Poles 42**


Pole Charges @ Rs 1500/- Pole	63,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	310.38
Junction Box Charges @ Rs 3000/- Pole	126,000	Total (C)	310.38
Supervision Charge @ Rs 100/- Pole	4,200		
Sub Total (A)	193,200	GST @ 18% (B)	34,776
Grand Total (A + B + C)	228,286.38		

**Total Amount Payable Rs: 228,286 In words (Rupees Two Lakh Twenty-Eight Thousand Two Hundred and Eighty-Six Only)**

**Note:**The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-670

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

# BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

OFC/Pole/2022-23/W0078/673 10-2022-678 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

## Pole Details

10-2022-670



OFC/Pole/2022-23/W0004/642 10-2022-659 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

*S. J. Singh*  
EXECUTIVE ENGINEER  
OFC CELL