



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/678/2022-23

Date: 21-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 06-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-678, Date: 17-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 21-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 3rd Cross via 2nd Main, 4th Cross up to 5th Cross.	20 Poles
02	From 3rd Cross via 1st 'B' Main up to 2nd 'B' Cross.	
03	From 2nd Main via 3rd Cross	
04	From 16th Main via 2nd Main	
05	From 2nd 'A' Main via 3rd Cross up to 2nd 'B' Main.	
06	From 2nd 'B' Main via 2nd 'B' Cross	
07	From 20th 'A' Cross via Street ID No-W0190	
08	From W0217 via W0190	
09	From 2nd Cross via Street ID No-W0185	
10	From 2nd cross via Street ID No-W0193	
11	From 2nd cross via Street ID No-W0197	
12	From 2nd cross via Street ID No-W0207	
13	From Street ID No-W0213 via W0219	
14	From 17th Main via 5th Cross	

No: EE/OFC/PR/678/2022-23, Dt: 21-10-2022

Executive Engineer (OFC), BBMP

15	From 17th Main via Street ID No-W0096, W0095
16	From 20th Main via Street ID No-W0083
17	From 20th Main via Street ID No-W0086
18	From 20th Main via Street ID No-W0072
19	From Street ID No-W0077 via W0082, 20th Main, W0078
20	From Street ID No-W0075 via W0077
21	From Street ID No-W0077 via W0073 for total No of 20 Poles, in Ward No-162, South Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.

10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.

20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.

21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:

22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.

5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Basavanagadi** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Giri Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

678

केनरा बँक  Canara Bank

जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch BCL Extension

दिनांक/ Date 20102022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता नं. / क्रेडिट कार्ड नं.

840113200010

नाम/Name Commissioner BBMP

टेलिफोन / मोबाइल नं
Tel No./Mobile No.

राशि /Amount ₹ 92,148.00/- पै/P.

राशि शब्दों में Ninty two thousand

Rupees in words one hundred twenty BA only

चेक नं. / चिनांक / डिपॉजिट करीब / चेक नं. / Date / Name of Bank / Branch	₹	पै/P.
<u>20649 DT: 8/10/2022</u>	<u>92,148.00/-</u>	
<u>2 NO. 4 St Road</u>		
<u>BANGALURU</u>		

B.B.M.P. BANGALURU

अधिकारी / लेखा अधिकारी / एस डब्ल्यू ओ
Officer/Cashier/SWO

केनरा बैंक टोल फ्री 24 घंटे कॉल सेंटर
Canara Bank Toll Free No.
1800 425 0018

MAHANAGARA PALI KE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-678 /DD

Date: 18-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-678

With reference to your Demand Note bearing Pole-OFC-10-2022-678 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0877 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-678	20	92148	206199	16560	92148
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



678

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206199

18/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-678 /DD

Date: 18-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagara Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-678

With reference to your Demand Note bearing Pole-OFC-10-2022-678, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0877.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-678	20	92148	206199	16560	92148
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206199

18/10/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17/01/2023

DATE
दिनांक

D	M	Y	D	M	Y	D	M	Y
---	---	---	---	---	---	---	---	---

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर.

माँग जाने पर
RUPEES **Ninety Two Thousand One Hundred Forty Eight Only**
रुपये

₹ 92,148.00
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. **206199**

Client Reference **4200008920_63**

For Axis Bank Ltd
[Signature]
SSM: 24004
Authorised Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

[Signature]
Prudresha B
No. 26182
Please sign above

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-678 /DD

Date: 18-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-678

With reference to your Demand Note bearing Pole-OFC-10-2022-678 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0877 :

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-678	20	92148	206199	16560	92148
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE
Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206199

18/10/2022
dated

PAYMENT REFERENCE

Centralised Collection and Payment Hub (CCPH)

Valid Until: 17/01/2023

DATE
दिनांक

D	D	M	M	Y	Y	Y	Y
---	---	---	---	---	---	---	---

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर
RUPEES **Ninety Two Thousand One Hundred Forty Eight Only**
रुपये

अदा करे ₹ 92,148.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr.No. 206199

Client Reference 420000892063

For Axis Bank Ltd
[Signature]
5870124004
Authorised Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

[Signature]
Pradresha B
No. 206182
Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-678

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-678

General Information

Segment ID

OFC/Pole/2022-23/W0078/673

Street ID

36594

Street Name

NA

Zone

South

Ward No.

162

Ward Name

Girinagara

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

06/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

20

No.Junction Box


20



Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	11/05/2022

Date : 17/10/2022



20221017073350



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-678

Date: 17/10/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited


GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-678, dated : 06/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0078/673)



Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/6675/W- 162/86	W0185	HOUSE NO.132	12.937415242 02299- 77.544770836 83015	6675	31/03/2022
2	EE/ OFC/pole/202 2-23/6675/W- 162/87	W0182	VIJAY JAIN	12.938764125 159604- 77.545140981 67421	6675*	31/03/2022
3	EE/ OFC/pole/202 2-23/6675/W- 162/88	W0189	MUNESHW RA NILAYA	12.938262216 007532- 77.545500397 6822	6675	31/03/2022
4	EE/ OFC/pole/202 2-23/6675/W- 162/89	W0189	GURURAJA	12.938115825 647898- 77.545446753 5019	6675	31/03/2022
5	EE/ OFC/pole/202 2-23/6675/W- 162/90	W0189	TEMPLE	12.936322536 769385- 77.544813752 17439	6675	31/03/2022

6	EE/ OFC/pole/202 2-23/6675/W- 162/91	W0193	TEMPLE	12.936155232 19316- 77.545183897 01843	6675	31/03/2022
7	EE/ OFC/pole/202 2-23/6675/W- 162/92	W0197	PANDURANG A	12.935543523 881153- 77.545377016 06752	6675	31/03/2022
8	EE/ OFC/pole/202 2-23/6675/W- 162/93	W0201	MADUGIRI	12.937676654 053469- 77.546519637 10786	6675	31/03/2022
9	EE/ OFC/pole/202 2-23/6675/W- 162/94	W0188,W020 1	SHUBHA	12.937943294 042324- 77.546541094 77998	6675	31/03/2022
10	EE/ OFC/pole/202 2-23/6675/W- 162/95	W0182,W021 5	SHANTI NIKETHANA SCHOOL	12.938722299 435515- 77.548225522 04134	6675	31/03/2022
11	EE/ OFC/pole/202 2-23/6675/W- 162/96	W0209	COFFE SHOP	12.939098730 699824- 77.547737360 00062	6675	31/03/2022
12	EE/ OFC/pole/202 2-23/6675/W- 162/97	W0077,W007 3	SCHOOL	12.941806927 768157- 77.545661330 2231	6675	31/03/2022
13	EE/ OFC/pole/202 2-23/6675/W- 162/98	W0077,W007 5	HOUSE NO:100	12.941723277 333697- 77.545999288 55897	6675	31/03/2022
14	EE/ OFC/pole/202 2-23/6675/W- 162/99	W0082,W007 7	MANJUNATH A KRUPA	12.941723277 333697- 77.546315789 22273	6675	31/03/2022
15	EE/ OFC/pole/202 2-23/6675/W- 162/100	W0077	SHIVA KRUPA	12.941937631 51582- 77.546423077 58333	6675	31/03/2022
16	EE/ OFC/pole/202 2-23/6675/W- 162/101	W0072,W008 5,W0079	VISHNU NIVAS	12.942193810 662479- 77.547056078 91084	6675	31/03/2022
17	EE/ OFC/pole/202 2-23/6675/W- 162/102	W0078	SHIVASHAN KARI NILAYA	12.941927175 218535- 77.546803951 26344	6675	31/03/2022
18	EE/ OFC/pole/202 2-23/6675/W- 162/103	W0082,W008 4,W0085	RAMYA	12.941566432 69344- 77.546862959 86177	6675	31/03/2022
19	EE/ OFC/pole/202 2-23/6675/W- 162/104	W0085	HOSPITAL	12.942486586 507773- 77.547136545 18129	6675	31/03/2022
20	EE/ OFC/pole/202 2-23/6675/W- 162/105	W0086	BANASANKA RI NILAYA	12.941331165 548055- 77.546530365 94392	6675	31/03/2022



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 20


Pole Charges @ Rs 1500/- Pole	30,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	147.8
Junction Box Charges @ Rs 3000/- Pole	60,000	Total (C)	147.8
Supervision Charge @ Rs 100/- Pole	2,000		
Sub Total (A)	92,000	GST @ 18% (B)	16,560
Grand Total (A + B + C)	1,08,707.8		

Total Amount Payable Rs: 1,08,708 In words (Rupees One Lakh Eight Thousand Seven Hundred and Eight Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-678

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-678

1/2

@RIL.COM

OFC/Pole/2022-23/W0296/702 10-2022-711 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details

10-2022-678



OFC/Pole/2022-23/W0919/676 10-2022-682 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

EXECUTIVE ENGINEER

OFC CELL

BRIHAT BENGALURU MAHANAGARA PALIKE

BENGALURU