



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/705/2022-23

Date: 22-11-2022

739

Permission for Regularization of Poles
(already installed)

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization of poles (already installed).

- Ref :-** 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
2) M/s. Jio Digital Fibre Private Limited online application Dated: 06-05-2022
3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
4) Fee Demand Note letter No: 10-2022-705, Date: 19-10-2022.
5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 31-10-2022.

*_*_*_*

With reference to your application for the regularization of poles already installed, we have pleasure to inform you that permission has been accorded for regularization of the poles installed details of which are as mentioned below.

SL No.	UniquePoleId.	Street Id	Landmark or address	Coordinates	Permissi onLetter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/4389/W-170/23	W0033	12.92026, 77.59315	12.920354900 78265-77.593216896 05714	4389	24/06/2020
2	EE/ OFC/pole/202 2-23/4389/W-170/24	RI-S215,W0106	12.91986, 77.59299	12.920114385 033118-77.593013048 17201	4389	24/06/2020
3	EE/ OFC/pole/202 2-23/4389/W-170/25	RI-S215	12.91973, 77.59297	12.919931383 764206-77.592970132 82776	4389	24/06/2020
4	EE/ OFC/pole/202 2-23/4389/W-170/26	RI-S215	12.91957, 77.59294	12.919591523 909043-77.592852115	4389	24/06/2020

No: EE/OFC/PR/705/2022-23, Dt: 22-11-2022


Executive Engineer (OFC), BBMP

				63112		
5	EE/ OFC/pole/202 2-23/4389/W-170/27	RI-S215,W0120	12.91928,77.59285	12.919241206343573-77.59274482727052	4389	24/06/2020
6	EE/ OFC/pole/202 2-23/4389/W-170/28	RI-S215	12.91903,77.59278	12.919037289922514-77.5926858186722	4389	24/06/2020
7	EE/ OFC/pole/202 2-23/4389/W-170/29	I0072	12.91902,77.59311	12.918974546374855-77.59307742118837	4389	24/06/2020
8	EE/ OFC/pole/202 2-23/4389/W-170/30	I0072	12.91902,77.59335	12.918974546374855-77.59329736232759	4389	24/06/2020
9	EE/ OFC/pole/202 2-23/4389/W-170/31	I0072	12.91902,77.59413	12.918943174595103-77.59415030479433	4389	24/06/2020
10	EE/ OFC/pole/202 2-23/4389/W-170/32	I0072	12.91902,77.59435	12.918943174595103-77.59434878826143	4389	24/06/2020
11	EE/ OFC/pole/202 2-23/4389/W-170/33	I0072	12.91901,77.59445	12.91894840322534-77.59447216987611	4389	24/06/2020
12	EE/ OFC/pole/202 2-23/4389/W-170/34	I0072	12.919,77.59471	12.918943174595103-77.59464383125307	4389	24/06/2020
13	EE/ OFC/pole/202 2-23/4389/W-170/35	I0072	12.919,77.59478	12.918943174595103-77.5947940349579	4389	24/06/2020
14	EE/ OFC/pole/202 2-23/4389/W-170/36	I0072	12.91898,77.59516	12.918932717334313-77.59506225585938	4389	24/06/2020
15	EE/ OFC/pole/202 2-23/4389/W-170/37	W0035	12.92053,77.5935	12.920501301560266-77.59356021881105	4389	24/06/2020

16	EE/ OFC/pole/202 2-23/4389/W-170/38	RI-S218	12.92053, 77.59386	12.920527444 54723- 77.593930363 6551	4389	24/06/2020
17	EE/ OFC/pole/202 2-23/4389/W-170/39	RI-S218	12.92053, 77.59420	12.920527444 54723- 77.594091296 196	4389	24/06/2020
18	EE/ OFC/pole/202 2-23/4389/W-170/40	RI-S218	12.92049, 77.59448	12.920506530 157883- 77.594498991 96626	4389	24/06/2020
19	EE/ OFC/pole/202 2-23/4389/W-170/41	RI-S218,W0 045	12.92052, 77.59482	12.920496072 962548- 77.594794034 9579	4389	24/06/2020
20	EE/ OFC/pole/202 2-23/4389/W-170/42	RI-S218	12.92052 77.59508	12.920490844 364702- 77.595072984 69543	4389	24/06/2020

01	No of Poles	20
02	Ward No	170
03	Zone Name	South Zone

The locational details of poles are also given in the map enclosed with this permission letter.

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.

4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do the same at its own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at its own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to poles and resultant losses, if any during performance of official duties by any employee of corporation.
13. **Any dispute** arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. If any dispute arise it will be settled as per the MOU.

14. Operational and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operational and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its

amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South** Zone) for information.
4. Copy to Zonal Chief Engineer (**South** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Jayanagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Jayanagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

केनरा बैंक  Canara Bank

705
जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा / Branch BCC Extension

दिनांक / Date 31/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

वचत / चाल खाता / ओडी / सीसी / आरडी / डीएमए / डीएल खाता सं. / क्रेडिट कार्ड सं.

840113200010

नाम / Name Commissioner BBMP

टेलिफोन / मोबाइल नं.
Tel No. / Mobile No. 17 NOV 2022

राशि / Amount ₹ 92,148.00 पै/P. 00

राशि शब्दों में
Rupees in words Ninety two thousand One hundred forty eight Rupees

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date / Name of Bank & Branch	₹	पै/P.
<u>906750 dt 21/10/2022</u>	<u>92148.00</u>	<u>00</u>
<u>Axis Bank</u>		
कुल / Total	<u>92148.00</u>	<u>00</u>

EXECUTIVE ENGINEER

अधिकारी / रोकड़िया
Officer / Cashier

एम डब्ल्यू ओ
Officer / Cashier

BENGALURU

कमिश्नरी बैंक बंगलूरु 24 घंटे कॉल सेंटर
Canara Bank Toll Free No.
1900 125 0018
MAHARAJA PALIKE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasathanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-705 /DD Date: 25-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-705

With reference to your Demand Note bearing Pole-OFC-10-2022-705 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1116 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-705	20	92148	206750	16560	92148
			Dated		
			21-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,
Yours faithfully,
for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

SOA
R
8/10



705

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206750

21/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-705 /DD

Date: 25-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-705

With reference to your Demand Note bearing Pole-OFC-10-2022-705 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1116 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-705	20	92148	206750	16560	92148
			Dated		
			21-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-705 /DD

Date: 25-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-705

With reference to your Demand Note bearing Pole-OFC-10-2022-705 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1116

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-705	20	92148	206750	16560	92148
			Dated		
			21-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206750**
as per details mentioned below.

21/10/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 20012023

DATE 2 2 10 20 22
दिनांक 2 2 10 20 22

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या मन्के आदेश मा

माँग जाने पर
RUPEES **Ninety Two Thousand One Hundred Forty Eight Only**

रुपये

अदा करे ₹ 92,148.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206750

Client Reference 4600001937 20

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

Authorised Signatory
5510:24004
Authorised Signatory

Authorised Signatory
Audresha B
26183
Please Sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-705

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-705

General Information

Segment ID

OFC/Pole/2022-23/W0054/696

Street ID

29743

Street Name

NA

Zone

South

Ward No.

170

Ward Name

Jayanagara East

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

06/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments

Pole Related Information

No.of Poles

20

No.Junction Box

20




tatus of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	18/10/2022

Date : 19/10/2022

Time : 10:32:39

20221019103239





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-705

Date: 19/10/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited


GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-705, dated : 06/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0054/696)



Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/4389/W- 170/23	W0033	12.92026, 77.59315	12.920354900 78265- 77.593216896 05714	4389	24/06/2020
2	EE/ OFC/pole/202 2-23/4389/W- 170/24	RI- S215,W0106	12.91986, 77.59299	12.920114385 033118- 77.593013048 17201	4389	24/06/2020
3	EE/ OFC/pole/202 2-23/4389/W- 170/25	RI-S215	12.91973, 77.59297	12.919931383 764206- 77.592970132 82776	4389	24/06/2020
4	EE/ OFC/pole/202 2-23/4389/W- 170/26	RI-S215	12.91957, 77.59294	12.919591523 909043- 77.592852115 63112	4389	24/06/2020
5	EE/ OFC/pole/202 2-23/4389/W- 170/27	RI- S215,W0120	12.91928, 77.59285	12.919241206 343573- 77.592744827 27052	4389	24/06/2020

6	EE/ OFC/pole/202 2-23/4389/W- 170/28	RI-S215	12.91903, 77.59278	12.919037289 922514- 77.592685818 6722	4389	24/06/2020
7	EE/ OFC/pole/202 2-23/4389/W- 170/29	I0072	12.91902, 77.59311	12.918974546 374855- 77.593077421 18837	4389	24/06/2020
8	EE/ OFC/pole/202 2-23/4389/W- 170/30	I0072	12.91902, 77.59335	12.918974546 374855- 77.593297362 32759	4389	24/06/2020
9	EE/ OFC/pole/202 2-23/4389/W- 170/31	I0072	12.91902, 77.59413	12.918943174 595103- 77.594150304 79433	4389	24/06/2020
10	EE/ OFC/pole/202 2-23/4389/W- 170/32	I0072	12.91902, 77.59435	12.918943174 595103- 77.594348788 26143	4389	24/06/2020
11	EE/ OFC/pole/202 2-23/4389/W- 170/33	I0072	12.91901, 77.59445	12.918948403 22534- 77.594472169 87611	4389	24/06/2020
12	EE/ OFC/pole/202 2-23/4389/W- 170/34	I0072	12.91901, 77.59471	12.918943174 595103- 77.594643831 25307	4389	24/06/2020
13	EE/ OFC/pole/202 2-23/4389/W- 170/35	I0072	12.91901, 77.59478	12.918943174 595103- 77.594794034 9579	4389	24/06/2020
14	EE/ OFC/pole/202 2-23/4389/W- 170/36	I0072	12.91898, 77.59516	12.918932717 334313- 77.595062255 85938	4389	24/06/2020
15	EE/ OFC/pole/202 2-23/4389/W- 170/37	W0035	12.92053, 77.59351	12.920501301 560266- 77.593560218 811057	4389	24/06/2020
16	EE/ OFC/pole/202 2-23/4389/W- 170/38	RI-S218	12.92053, 77.59386	12.920527444 54723- 77.593930363 6551	4389	24/06/2020
17	EE/ OFC/pole/202 2-23/4389/W- 170/39	RI-S218	12.92053, 77.59420	12.920527444 54723- 77.594091296 196	4389	24/06/2020
18	EE/ OFC/pole/202 2-23/4389/W- 170/40	RI-S218	12.92049, 77.59448	12.920506530 157883- 77.594498991 96626	4389	24/06/2020
19	EE/ OFC/pole/202 2-23/4389/W- 170/41	RI- S218,W0045	12.92052, 77.59482	12.920496072 962548- 77.594794034 9579	4389	24/06/2020
20	EE/ OFC/pole/202 2-23/4389/W- 170/42	RI-S218	12.92052, 77.59508	12.920490844 364702- 77.595072984 69543	4389	24/06/2020



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 20


Pole Charges @ Rs 1500/- Pole	30,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	147.8
Junction Box Charges @ Rs 3000/- Pole	60,000	Total (C)	147.8
Supervision Charge @ Rs 100/- Pole	2,000		
Sub Total (A)	92,000	GST @ 18% (B)	16,560
Grand Total (A + B + C)	1,08,707.8		

Total Amount Payable Rs: 1,08,708 In words (Rupees One Lakh Eight Thousand Seven Hundred and Eight Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-705

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

OFC/Pole/2022-23/W1313/707 10-2022-717 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

Pole Details



OFC/Pole/2022-23/W0031/674 10-2022-689 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

S. Yogesh Kumar
 ASSISTANT EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU

Veerabhadre
 EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU
 22/11