



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/7070/2022-23

Date: 05-12-2022

Permission for laying of Optical Fiber Cable

To,

M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for laying of O F C by HDD Method-regarding

Ref :- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.

2) M/s. Jio Digital Fibre Private Limited online application Dated: 16-03-2022.

3) Opinion obtained **Online from Assistant Executive Engineer - Giri Nagar
Sub Division, South Zone on Dated: 16-11-2022.**

4) Approved by Chief Engineer (OFC-Cell) on **17-11-2022 (Online).**

5) Fee Demand Note letter No: 04-2022-7070, Date: **17-11-2022.**

6) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD on: **30-11-2022.**

*_*_*_*

With reference to your application for permission, we have pleasure to inform you that permission has been given for laying of OFC cables by HDD method on roads mentioned below subject to the terms and conditions of MOU and the conditions mentioned below:

Sl No	Name of the Road and Route	Length in Mtr
01	Permission for laying of OFC by HDD Method from 50 Feet Main Road on 17 th Main Road.	44.25 M
02	From 50 Feet Main Road on 16 th Main Road up to 1 st Cross Road.	73.54 M
03	From 50 Feet Main Road on 15 th Main Road up to 1 st Cross Road.	77.76 M
04	From 50 Feet Main Road on 14 th Main Road up to 1 st Cross Road.	86.78 M
05	From 50 Feet Main Road on 13 th Main Road up to 1 st Cross Road.	82.21 M
06	From 50 Feet Main Road on 12 th Main Road up to 1 st Cross Road.	87.1 M
07	From 50 Feet Main Road on 11 th Main Road up to 1 st Cross Road.	93.77 M
08	From 50 Feet Main Road on 10 th Main Road up to 1 st Cross Road.	98.79 M
09	From 50 Feet Main Road on 9 th Main Road up to 1 st Cross Road.	105.8 M
10	From 50 Feet Main Road on 8 th Main Road up to 1 st Cross Road.	104.9 M
11	From 50 Feet Main Road on 7 th Main Road up to 1 st Cross Road.	105.89 M

No: EE/OFC/PR/7070/2022-23, Dt: 05-12-2022


Executive Engineer (OFC), BBMP

12	From 50 Feet Main Road on 6 th Main Road up to 1 st Cross Road.	106.94 M
13	From 50 Feet Main Road on 5 th Main Road up to 1 st Cross Road.	110.01 M
14	From 50 Feet Main Road on 4 th Main Road up to 1 st Cross Road.	110.39 M
15	From 3 rd Main Road on 1 st Cross Road, 17 th Main Road.	500.49 M
16	From 14 th Main Road on 2B Cross Road up to 9 th Main Road.	167.71 M
17	From 50 Feet Main Road on 3 rd Main Road.	40.49 M
No of Pits-05, No of Manhole-20 and No of Ducts 3, in Ward No-162, South Zone Ref: As per drawing enclosed.		
Total		1996.01 Mtr

The work shall be strictly taken up and completed between 05-12-2022 to 03-02-2023 and in line with conditions cited below:

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for HDD Method OFC laying

1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
2. The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.
3. Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.
4. Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.
5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. - PSR(G)/5870/2019-20, Dated : 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.

7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.
10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
11. **Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated /destroyed.**
12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCOM / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
17. The Agency should not cause any inconvenience to public while executing the work.

18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

Copy to:-

1. Copy to the Special Commissioner (Project) for kind information.
2. Copy to the Zonal Additional/Joint Commissioner (South Zone) for information.
3. Copy to Zonal Chief Engineer (South Zone) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
4. Copy to the Chief Engineer (Road Infrastructure) for information.
5. Copy to the Concerned Executive Engineer of (Basavanagudi Division) for information.
6. Copy to the Concerned Assistant Executive Engineer of (Giri Nagara Sub Division) for information.
7. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
8. Office Copy

510

7070
ಕೆನರಾ ಬ್ಯಾಂಕ್ ಕೇನರಾ ಬೆಂಕಿ Canara Bank

|| ಸಹಕಾರ ಸಿಂಡಿಕೇಟ್ ||

ತಾ.ಬೆ / ಶಾಖಾ / Branch BCC Extension

ದಿನಾಂಕ / ದಿನಾಂಕ / Date 30/11/2022

ಉಚ್ಚಾ / ಖಾತಾ / ಒಡಿ / ಸಬ / ಅಚಾ / ಅಸಾ / ತಮಾ ಖಾತೆ ಸಂಖ್ಯೆ / ಕ್ರೆಡಿಟ್ ಕಾರ್ಡ್ ಸಂ. /
ಬಚತ / ಚಾಲ್ ಖಾತಾ / ಆಡಿ / ಸಿಪಿ / ಆಗಡಿ / ಟೀಎಲ್ / ಡೀಎಲ್ ಖಾತಾ ಸಂ. / ಕ್ರೆಡಿಟ್ ಕಾರ್ಡ್ ಸಂ.
SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

8401132000010

ಹೆಸರು / ನಾಮ / Name Commissioner. BBMP

ದೂರವಾಣಿ / ಮೊಬೈಲ್ ಸಂ. /
ಟೆಲಿಫೋನ್ / ಮೊಬೈಲ್ ನಂ.
Tel No. / Mobile No.

ಮೊತ್ತ / ರಾಶಿ / Amount 17,71,240 .00

ರೂ. ಅಕ್ಷರಗಳಲ್ಲಿ /
ರಾಶಿ ಶಬ್ದಗಳಲ್ಲಿ Seventeen Lakh Seventy one thousand
Rupees in words and Two Hundred Forty only

ಚೆಕ್ ಸಂಖ್ಯೆ / ದಿನಾಂಕ / ಬ್ಯಾಂಕ್ ಮತ್ತು ಕಾರ್ಯಾಲಯ ಹೆಸರು Cheque No. / Date / Name of Bank & Branch	₹ ರೂ	₹/₹/₹
<u>210 ಬೆಂಕಿ ಕೆನರಾ ಬ್ಯಾಂಕ್ 16/11/22</u>	<u>17,14,39.00</u>	
<u>210 ಬೆಂಕಿ ಕೆನರಾ ಬ್ಯಾಂಕ್ 16/11/22</u>	<u>57,847.00</u>	

EXECUTIVE MANAGER 17,71,240.00

ಅಧಿಕಾರಿ / ನಗರ ಮುಖ್ಯಸ್ಥರ ಕಛೇರಿ / ಕೆನರಾ ಬೆಂಕಿ ಕೇಂದ್ರ
B.B.M.P. BANGALURU
ಅಧಿಕಾರಿ / ನಗರ ಮುಖ್ಯಸ್ಥರ ಕಛೇರಿ / ಕೆನರಾ ಬೆಂಕಿ ಕೇಂದ್ರ
Officer / Chief No. 56000250018
BENGALURU

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/ 04-2022-7070 /DD

Date: 29-Nov-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note CE-OFC-04-2022-7070

With reference to your Demand Note bearing CE-OFC-04-2022-7070, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying OFC on BGLR0878 by HDD method:

Application No.	Length in Mtr	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No. for Laying & Supervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.	Total Amount
04-2022-7070	1996.01	3	1671439	210387 Dated 29-11-22	99801	210019 Dated : 24-11-22	251497	1771239

Request you to kindly issue permission letter for the same.


Thanking you,


Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED


Authorized Signatory.







LS 7070

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **210387**
as per details mentioned below.

29/11/2022
dated

PAYMENT REFERENCE

393257

SD 7670

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **210019**
as per details mentioned below.

24/11/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasathanagar, Bangalore 560052

No. BBMP/OFC/ 04-2022-7070 /DD

Date: 29-Nov-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note CE-OFC-04-2022-7070

With reference to your Demand Note bearing CE-OFC-04-2022-7070 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying OFC on BGLR0878 by HDD method:

Application No.	Length in Mtr	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No. for Laying & Supervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.	Total Amount
04-2022-7070	1996.01	3	1671439	210387 Dated 29-11-22	99801	210019 Dated : 24-11-22	251497	1771239

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

137070

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **210387**
as per details mentioned below.

29/11/2022
dated

PAYMENT REFERENCE

393257

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 27/02/2023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 2 9 11 20 22
दिनांक D 9 D 11 M 20 Y 2 Y 2 Y

ON DEMAND PAY COMMISSIONER BBMP BANGALORE 393257

OR ORDER / या उनके आदेश पर

मौजे जाने पर
RUPEES Sixteen Lacs Seventy One Thousand Four Hundred Thirty Nine Only
रुपये

अदा करे ₹ 1,671,439.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 210387

Client Reference 42000114759160

For Axis Bank Ltd
Authorized Signatory
SSNo: 24004
Rudresha B
26182

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO

SD 2670

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **210019**
as per details mentioned below.

24/11/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 23022023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 24 11 2022
दिनांक D D M M Y Y Y Y

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौगे जाने पर
RUPEES Ninety Nine Thousand Eight Hundred One Only
रुपये

अदा करे ₹ 99,801.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 210019

Client Reference 420001166126

For Axis Bank Ltd
Authorized Signatory
Rudresha B

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.
CODE NO.

Rudresha B
SS. No. 24004



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

OFC Form

Application No. :04-2022-7070

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-OFC-04-2022-7070

General Information

Segment ID

OFC/2022-23/Z3-1262/W162-38/7070

Street ID

NA

Street Name

NA

Zone

South

Ward No.

162

Ward Name

Girinagara

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

16/03/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments

OFC/Cable Related Information

Laying

OFC

Total No.of Pits(Points marked on map)

5

Laying Method

HDD

Likely Date of Commencement

Total Length (m)


No. of Cables

No. of Ducts

3

No. of Manhole


20



Declaration

I hereby accept the following terms and conditions specified by BBMP

- Maintenance of the cable and road for next 2 years Yes
- Refundable Security Deposit (Rs. 150/Mtr.) will be kept with BBMP. Yes
- Security deposit will be refunded after 2 years, after field verification from BBMP Yes
- BBMP will retain the security deposit ,if service provider fails to maintain the OFC road cut portions for 2 years Yes



Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	03/11/2022
aes16201(aes16201)	AE	03/11/2022
aees04(aees04)	AEE	16/11/2022
ceofc01(ceofc01)	CE	17/11/2022
ceofc01(ceofc01)	CE	17/11/2022



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : CE-OFC-04-2022-7070

Date: 17/11/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0



Sub:- Permission to lay OFC by HDD Method regarding

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 04-2022-7070, dated : 16/03/2022


As per requisition shown in below table for laying of OFC by HDD method to a length of 1996.01 mtr. has been approved by the competent authority.

Details of Segments drawn on BBMP GIS Map

(Segment Id:-OFC/2022-23/Z3-1262/W162-38/7070)

Sr No.	Segment Length (mts)	From Landmark	To Landmark	Start Coordinates	End Coordinates	Passing Through
1	167.71	W0122	W0111	12.940254-77.549073	12.939961-77.550591	BGLR0878
2	500.49	W0106	W0119	12.942000-77.548365	12.941587-77.548290	BGLR0878
3	110.39	W0106	W0098	12.941901-77.552329	12.940923-77.552152	BGLR0878
4	110.01	W0106	W0135	12.941938-77.552013	12.941342-77.551932	BGLR0878
5	106.94	W0106	W0133	12.941948-77.551787	12.941551-77.551712	BGLR0878
6	105.89	W0102	W0129	12.941974-77.551535	12.941420-77.551412	BGLR0878
7	104.09	W0106	W0121	12.941990-77.551273	12.941065-77.551128	BGLR0878

8	105.8	W0106	W0119	12.942016-77.551074	12.941504-77.550945	BGLR0878
9	98.79	W0106	W0117	12.942006-77.550870	12.941634-77.550763	BGLR0878
10	93.77	W0106	W0113	12.942016-77.550564	12.941195-77.550366	BGLR0878
11	87.1	W0109	W0109	12.942063-77.550243	12.941295-77.550087	BGLR0878
12	82.21	W0106	W0105	12.942110-77.549749	12.941378-77.549642	BGLR0878
13	86.78	W0106	W0101	12.942147-77.549438	12.941378-77.549298	BGLR0878
14	77.76	W0106	W0099	12.942162-77.549111	12.941478-77.548966	BGLR0878
15	73.54	W0106	W0097	12.942204-77.548703	12.941556-77.548569	BGLR0878
16	44.25	W0095	W0095	12.942262-77.548419	12.941870-77.548349	BGLR0878
17	40.49	I0191	I0191	12.941885-77.552627	12.941522-77.552603	BGLR0878



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Length of OFC proposed 1996.01 Mtrs.


Laying Charge @ 600/- Mtr	11,97,606.00	Road Restoration Charges Rs. 10000/ (Pits+ Manholes) or Rs.130/ Per Mtr, Whichever is higher	2,59,481.30
Supervision Charge @ 100/- Mtr	1,99,601.00	Cess Amount @ 7.39/- Mtr	14,750.51
Sub Total (A)	13,97,207.00	Security Deposit @ Rs.50/- Mtr	99,800.50
GST @ 18% (B)	2,51,497.26	Total (C)	3,74,032.00
Grand Total (A + B + C)	20,22,736.00		

Total Amount Payable Rs: 20,22,736.00 In words (Rupees Twenty Lakh Twenty-Two Thousand Seven Hundred and Thirty-Six Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself so as to make the road motorable for moving traffic. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded with all applicable, necessary conditions within 7 days after the Receipt of Demand Draft from Nationalized Banks for the above mentioned amount to this office



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 04-2022-7070

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

23/Z6-980/W85-04-2022-7075 Pending aem8501(aem8501) For opinion

[Demand Notice](#) [Update Status](#) [Payment](#) [Permission Letter](#) [View/Submit](#)

OFC Details



OFC/2022-

S. Jagan 5/12
 ASSISTANT EXECUTIVE ENGINEER
 OFC CELL

Rahim 5/12
 EXECUTIVE ENGINEER

BHARAT BANGALURU MAHANAGARA PALIKE
 BANGALURU

BHARAT BANGALURU MAHANAGARA PALIKE
 BANGALURU