



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/708/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,

M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 06-05-2022
 - 3) Fee Demand Note letter No: 10-2022-708, Date: **13-05-2022**.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **14-10-2022**.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Kormangala Road via Street ID No-W0212, 17th Main Road, W0206 up to W0063.	34 Poles
02	From Kormangala Road via Street ID No-W0072, W0067, W0070 back to Kormangala Road.	
03	From Street ID No-W0072 via W0067	
04	From Kormangala Road via Street ID No-W0068 up to 17th Main Road.	
05	From Kormangala Road via Street ID No-W0066 up to W0065.	
06	From Kormangala Road via Street ID No-W0088 up to W0066.	
07	From Street ID No-W0058 via 17th Main Road, W0060, W0063, W0058, W0065, W0206, W0063 up to W0060.	
08	From 17th Main Road via Street ID No-W0064 up to W0063.	
09	From 17th Main Road via Street ID No-W0062, for total No of 34 Poles in Ward No-151, South Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/708/2022-23, Dt: 15-10-2022


Executive Engineer (OFC), BBMP

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**BTM Layout** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Kormangala** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-708 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-708

With reference to your Demand Note bearing Pole-OFC-10-2022-708 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1151

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-708	34	156651	205876	28152	156651
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205876

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasathanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-708 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-708

With reference to your Demand Note bearing Pole-OFC-10-2022-708 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1151

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-708	34	156651	205876	28152	156651
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE
Thane-400701

We are pleased to send to you Demand Draft No. **205876**
as per details mentioned below.

01/10/2022
dated

PAYMENT REFERENCE



AXIS BANK LTD
IFS CODE - UTIB000274

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31122022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 01/10/2022
दिनांक 01/10/2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर
RUPEES One Lac Fifty Six Thousand Six Hundred Fifty One Only

रुपये

₹ 156,651.00
अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205876

Client Reference 4200008085_59

For Axis Bank Ltd

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

[Signature]
554024004
Authorised Signatory

Please sign above
Rudresha B
SS. No. 26182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-708

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-708

General Information

Segment ID

OFC/Pole/2022-23/W0063/697

Street ID

34729

Street Name

NA

Zone

South

Ward No.

151

Ward Name

Koramangala

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

06/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments

Pole Related Information

No.of Poles

34

No.Junction Box

34




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	12/05/2022

Date : 13/05/2022

Time : 12:43:08

20220513124308





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-708

Date: 13/05/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-708, dated : 06/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0063/697)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/3800/W- 151/1	W0074	HOUSE NO banana mandirA (PL6001)	12.937007438 708328- 77.617861032 48598	3800	07/08/2021
2	EE/ OFC/pole/202 2-23/3800/W- 151/2	W0074	HOUSE NO 24 (PL6101)	12.937091090 724657- 77.617630362 5107	3800	07/08/2021
3	EE/ OFC/pole/202 2-23/3800/W- 151/3	I0027	HOUSE NO 20 (PL6102)	12.937566861 03404- 77.617598176 0025	3800	07/08/2021
4	EE/ OFC/pole/202 2-23/3800/W- 151/4	I0027	HOUSE NO CAR CLUB (PL6103)	12.938194249 065528- 77.617721557 6172	3800	07/08/2021
5	EE/ OFC/pole/202 2-23/3800/W- 151/5	I0027	HOUSE NO 11 (PL6104)	12.938675245 487525- 77.617839574 81386	3800	07/08/2021

6	EE/ OFC/pole/202 2-23/3800/W- 151/6	I0027,W0068	HOUSE NO 24 (PL6106)	12.939151012 774937- 77.617930769 92035	3800	07/08/2021
7	EE/ OFC/pole/202 2-23/3800/W- 151/7	W0068	HOUSE NO 08 OPP (PL6105)	12.939072589 658164- 77.618263363 8382	3800	07/08/2021
8	EE/ OFC/pole/202 2-23/3800/W- 151/8	W0068	HOUSE GOURI NIVAS (PL6008)	12.938910515 13869- 77.618805170 0592	3800	07/08/2021
9	EE/ OFC/pole/202 2-23/3800/W- 151/9	I0027,W0066, W0206	HOUSE NO SK TENT HOUSE OPP (PL6201)	12.939475161 395944- 77.618027329 4449	3800	07/08/2021
10	EE/ OFC/pole/202 2-23/3800/W- 151/10	W0066,W006 3	HOUSE NO 330 (PL5903)	12.939339228 15455- 77.618402838 70698	3800	07/08/2021
11	EE/ OFC/pole/202 2-23/3800/W- 151/11	W0066	HOUSE NO 510 (PL5904)	12.939297402 52692- 77.618392109 87092	3800	07/08/2021
12	EE/ OFC/pole/202 2-23/3800/W- 151/12	W0065,W006 6	HOUSE NO 512/A (PL6007)	12.939208523 044885- 77.618692517 28059	3800	07/08/2021
13	EE/ OFC/pole/202 2-23/3800/W- 151/13	W0063,W006 4	HOUSE NO 523 (PL5901)	12.939856819 71605- 77.618831992 14937	3800	07/08/2021
14	EE/ OFC/pole/202 2-23/3800/W- 151/14	W0063	HOUSE NO 524 OPP (PL5902)	12.939945698 967025- 77.618853449 82149	3800	07/08/2021
15	EE/ OFC/pole/202 2-23/3800/W- 151/15	W0064	HOUSE NO 337 (PL5207)	12.939903873 441096- 77.618660330 77241	3800	07/08/2021
16	EE/ OFC/pole/202 2-23/3800/W- 151/16	W0064	HOUSE NO 335 OPP (PL5206)	12.940045034 562969- 77.618322372 43654	3800	07/08/2021
17	EE/ OFC/pole/202 2-23/3800/W- 151/17	W0063	HOUSE NO 528 (PL5701)	12.940280302 921838- 77.619105577 46889	3800	07/08/2021
18	EE/ OFC/pole/202 2-23/3800/W- 151/18	W0063	HOUSE NO 534 OPP (PL5807)	12.940667188 184909- 77.619330883 02614	3800	07/08/2021
19	EE/ OFC/pole/202 2-23/3800/W- 151/19	I0027,W0022	HOUSE NO MUSKAAN APP (PL5502)	12.941231830 464472- 77.618703246 11665	3800	07/08/2021
20	EE/ OFC/pole/202 2-23/3800/W- 151/20	W0058	HOUSE NO SIPANI (PL5501)	12.941137723 506678- 77.618998289 10829	3800	07/08/2021
21	EE/ OFC/pole/202 2-23/3800/W- 151/21	W0060	HOUSE NO SIPANI (PL5702)	12.940588765 544952- 77.619164586 06721	3800	07/08/2021

22	EE/ OFC/pole/202 2-23/3800/W- 151/22	W0060	HOUSE NO SIPANI 1 (PL5601)	12.940667188 184909- 77.618982195 85419	3800	07/08/2021
23	EE/ OFC/pole/202 2-23/3800/W- 151/23	W0060	HOUSE NO SIPANI 2 (PL5603)	12.940656731 834343- 77.618955373 76405	3800	07/08/2021
24	EE/ OFC/pole/202 2-23/3800/W- 151/24	W0060	HOUSE NO SIPANI 2 OPP (PL5602)	12.940719469 931167- 77.618858814 23952	3800	07/08/2021
25	EE/ OFC/pole/202 2-23/3800/W- 151/25	W0060	HOUSE NO 154 (PL5604)	12.940850174 248876- 77.618590593 33803	3800	07/08/2021
26	EE/ OFC/pole/202 2-23/3800/W- 151/26	W0065,W005 8	HOUSE NO 5701 OPP (PL5806)	12.940745610 800187- 77.619743943 21443	3800	07/08/2021
27	EE/ OFC/pole/202 2-23/3800/W- 151/27	W0058	HOUSE NO IDFC FIRST BANK (PL5803)	12.940593993 721716- 77.619985342 02577	3800	07/08/2021
28	EE/ OFC/pole/202 2-23/3800/W- 151/28	W0065	HOUSE NO 540 (PL5805)	12.940489430 165602- 77.619599103 92763	3800	07/08/2021
29	EE/ OFC/pole/202 2-23/3800/W- 151/29	W0065	HOUSE NO 540 OPP (PL5808)	12.940478973 807581- 77.619636654 85384	3800	07/08/2021
30	EE/ OFC/pole/202 2-23/3800/W- 151/30	W0065	HOUSE NO 564 (PL5804)	12.940165282 863012- 77.619411349 29658	3800	07/08/2021
31	EE/ OFC/pole/202 2-23/3800/W- 151/31	W0065	HOUSE NO 561 OPP (PL5906)	12.939971839 917161- 77.619228959 08357	3800	07/08/2021
32	EE/ OFC/pole/202 2-23/3800/W- 151/32	W0065	HOUSE NO 561 (PL5905)	12.939956155 347401- 77.619266510 00978	3800	07/08/2021
33	EE/ OFC/pole/202 2-23/3800/W- 151/33	W0065	HOUSE NO 560 (PL5908)	12.939778396 82124- 77.619143128 3951	3800	07/08/2021
34	EE/ OFC/pole/202 2-23/3800/W- 151/34	W0065	HOUSE NO 556 (PL5907)	12.939621550 95764- 77.618987560 27223	3800	07/08/2021



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 34

Pole Charges @ Rs 1500/- Pole	51,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	251.26
Junction Box Charges @ Rs 3000/- Pole	102,000	Total (C)	251.26
Supervision Charge @ Rs 100/- Pole	3,400		
Sub Total (A)	156,400	GST @ 18% (B)	28,152
Grand Total (A + B + C)	184,803.26		

Total Amount Payable Rs: 184,803 In words (Rupees One Lakh Eighty-Four Thousand Eight Hundred and Three Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-708

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-708

1/2

@RIL.COM

OFC/Pole/2022-23/W0173/714 10-2022-722 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details



10-2022-708

OFC/Pole/2022-23/W0632/682 10-2022-690 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

[Signature]
EXECUTIVE ENGINEER
OFC CELL

BENGALURU