



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell), 3<sup>rd</sup> Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/729/2022-23

Date: 09-11-2022

**Permission for Regularization of Poles**  
**(already installed)**

To,  
M/s. Jio Digital Fibre Private Limited,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization of poles (already installed).

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 06-05-2022
  - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
  - 4) Fee Demand Note letter No: 10-2022-729, Date: 19-10-2022.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 25-10-2022.

\*\_\*\_\*\_\*

With reference to your application for the regularization of poles already installed, we have pleasure to inform you that permission has been accorded for regularization of the poles installed details of which are as mentioned below.

SL No.	UniquePoleId.	Street Id	Landmark or address	Coordinates	Permissi onLetter No.	Permission Letter Date
01	EE/ OFC/pole/202 2-23/3867/W-193/230	W0099	sjr luxuria apt	12.885922193 733101- 77.594536542 89247	3867	30/03/2022
02	EE/ OFC/pole/202 2-23/3867/W-193/231	W0062, W009 9	sjr luxuria apt	12.885085501 03571- 77.594429254 53187	3867	30/03/2022
03	EE/ OFC/pole/202 2-23/3867/W-193/232	W0105	sjr luxuria apt	12.885922193 733101- 77.594879865 64638	3867	30/03/2022
04	EE/ OFC/pole/202 2-23/3867/W-193/233	W0062, W010 5	sjr luxuria apt	12.885064583 682455- 77.594740390 77759	3867	30/03/2022

No: EE/OFC/PR/729/2022-23, Dt: 09-11-2022

Executive Engineer (OFC), BBMP

05	EE/ OFC/pole/202 2-23/3867/W-193/234	W0111	sjr luxuria apt	12.885922193 733101- 77.595276832 58058	3867	30/03/2022
06	EE/ OFC/pole/202 2-23/3867/W-193/235	W0062, W011 1	sjr luxuria apt	12.884980914 252019- 77.595148086 54787	3867	30/03/2022
07	EE/ OFC/pole/202 2-23/3867/W-193/236	W0060, W011 1	sjr luxuria apt	12.885587516 989563- 77.595266103 74452	3867	30/03/2022
08	EE/ OFC/pole/202 2-23/3867/W-193/237	W0115	sjr luxuria apt	12.885901276 44973- 77.595716714 85902	3867	30/03/2022
09	EE/ OFC/pole/202 2-23/3867/W-193/238	W0115	sjr luxuria apt	12.885148253 084967- 77.595566511 15419	3867	30/03/2022
10	EE/ OFC/pole/202 2-23/3867/W-193/239	W0060	sjr luxuria apt	12.885493389 074853- 77.595899105 07204	3867	30/03/2022
11	EE/ OFC/pole/202 2-23/3867/W-193/240	W0119	sjr luxuria apt	12.884970455 571237- 77.595995664 59657	3867	30/03/2022
12	EE/ OFC/pole/202 2-23/3867/W-193/241	W0119	sjr luxuria apt	12.885943111 014718- 77.596135139 46533	3867	30/03/2022
13	EE/ OFC/pole/202 2-23/3867/W-193/242	W0062	sjr luxuria apt	12.884719447 1017- 77.596328258 51442	3867	30/03/2022
14	EE/ OFC/pole/202 2-23/3867/W-193/243	W0064, W009 9	sjr luxuria apt	12.884604401 469076- 77.594268321 99098	3867	30/03/2022
15	EE/ OFC/pole/202 2-23/3867/W-193/244	W0115	sjr luxuria apt	12.884290640 38431- 77.595427036 2854	3867	30/03/2022
16	EE/ OFC/pole/202 2-23/3867/W-193/245	W0119	sjr luxuria apt	12.884437062 272767- 77.595909833 9081	3867	30/03/2022



17	EE/ OFC/pole/202 2-23/3867/W-193/246	W0105	sjr luxuria apt	12.884656694 94499- 77.594654560 08913	3867	30/03/2022
18	EE/ OFC/pole/202 2-23/3867/W-193/247	W0111	sjr luxuria apt	12.884541649 283564- 77.595051527 02332	3867	30/03/2022
19	EE/ OFC/pole/202 2-23/3867/W-193/248	W0119	sjr luxuria apt	12.883893209 112705- 77.595791816 71143	3867	30/03/2022
20	EE/ OFC/pole/202 2-23/3867/W-193/249	W0060	sjr luxuria apt	12.885409719 787654- 77.596457004 54712	3867	30/03/2022

01	No of Poles	<b>20</b>
02	Ward No	<b>193</b>
03	Zone Name	<b>Bommanahalli Zone</b>

The locational details of poles are also given in the map enclosed with this permission letter.

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for Regularization of Poles**

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.

4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do the same at its own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at its own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to poles and resultant losses, if any during performance of official duties by any employee of corporation.
13. **Any dispute** arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. If any dispute arise it will be settled as per the MOU.



14. Operational and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operational and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:

**22. Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)


24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Bommanahalli** Zone) for information.
4. Copy to Zonal Chief Engineer (**Bommanahalli** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Bommanahalli** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Arekere** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch B.C.C. Ex. Center

दिनांक/ Date 21/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

वचन / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000010

नाम/Name Commissioner Bbm p

टेलिफोन / मोबाइल नं

Tel No./Mobile No.

राशि/Amount ₹ 92148 - पै/P. 0

राशि शब्दों में Rupees in words Ninety Two thousand

One hundred forty Eight Only

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date / Name of Bank & Branch

10065402301 29.10.22 92148 -

₹ 92148 - पै/P. 0

₹ 92148 - पै/P. 0

अधिकारी / क्लर्क/Officer/Clerk

BRUHAT BENGALURU MAHARAJA PALIKE

Officer/Cashier/SW 800 425 0018

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-729 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-729

With reference to your Demand Note bearing Pole-OFC-10-2022-729 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1082 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-729	20	92148	206540	16560	92148
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.





709

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206540**

19/10/2022  
dated

PAYMENT REFERENCE

---

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-729 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-729

With reference to your Demand Note bearing Pole-OFC-10-2022-729 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1082 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-729	20	92148	206540	16560	92148
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.





729

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206540**  
as per details mentioned below.

19/10/2022  
dated

**PAYMENT REFERENCE**

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18/01/2023

DATE 

D	D	M	M	Y	Y	Y	Y
9	1	0	2	2	0	2	2

  
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर  
RUPEES **Ninety Two Thousand One Hundred Forty Eight Only**  
रुपये

₹ 92,148.00  
अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. **206540**

Client Reference **4200009020\_236**

For Axis Bank Ltd  
*Rudresha B*  
SSNo: 24004  
Authorised Signatory

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO:

**Rudresha B**  
Please sign above

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasathanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-729 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-729

With reference to your Demand Note bearing Pole-OFC-10-2022-729 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1082

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-729	20	92148	206540	16560	92148
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



729

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206540**  
as per details mentioned below.

19/10/2022  
dated

**PAYMENT REFERENCE**

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18/10/2023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE  
दिनांक 

D	9	D	1	M	0	M	2	Y	0	Y	2	Y	2	Y
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या वनके आदेश पर

मांगे जाने पर  
RUPEES **Ninety Two Thousand One Hundred Forty Eight Only**  
रुपये

अदा करें ₹ **92,148.00**

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. **206540**

Client Reference **4200009020\_236**

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd

*[Signature]*  
5540:24004  
Authorised Signatory

*[Signature]*  
Authorised Signatory

**Rudresha B**  
76182  
\*Please sign above\*



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT  
Pole Form

Application No. :10-2022-729

PR Number(To be Assigned by AE/JE-  
OFC, BBMP)

CE-POLE-10-2022-729

General Information

Segment ID

OFC/Pole/2022-23/W0107/720

Street ID

91065

Street Name

NA

Zone

Bommanahalli

Ward No.

193

Ward Name

Arakere

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

06/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments

Pole Related Information


No.of Poles

20

No.Junction Box

20






### Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	21/05/2022

Date : 19/10/2022

Time : 03:26:31

20221019032631





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-729

Date: 19/10/2022

**Demand Notice**  
**GST No.: 29AAALBI608FIZK**

**To**

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

**Sub:-** Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-729, dated : 06/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0107/720)

Sr No.	Unique Poleld.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/3867/W- 193/230	W0099	sjr luxuria apt	12.885922193 733101- 77.594536542 89247	3867	30/03/2022
2	EE/ OFC/pole/202 2-23/3867/W- 193/231	W0062,W009 9	sjr luxuria apt	12.885085501 03571- 77.594429254 53187	3867	30/03/2022
3	EE/ OFC/pole/202 2-23/3867/W- 193/232	W0105	sjr luxuria apt	12.885922193 733101- 77.594879865 64638	3867	30/03/2022
4	EE/ OFC/pole/202 2-23/3867/W- 193/233	W0062,W010 5	sjr luxuria apt	12.885064583 682455- 77.594740390 77759	3867	30/03/2022
5	EE/ OFC/pole/202 2-23/3867/W- 193/234	W0111	sjr luxuria apt	12.885922193 733101- 77.595276832 58058	3867	30/03/2022



6	EE/ OFC/pole/202 2-23/3867/W- 193/235	W0062,W011 1	sjr luxuria apt	12.884980914 252019- 77.595148086 54787	3867	30/03/2022
7	EE/ OFC/pole/202 2-23/3867/W- 193/236	W0060,W011 1	sjr luxuria apt	12.885587516 989563- 77.595266103 74452	3867	30/03/2022
8	EE/ OFC/pole/202 2-23/3867/W- 193/237	W0115	sjr luxuria apt	12.885901276 44973- 77.595716714 85902	3867	30/03/2022
9	EE/ OFC/pole/202 2-23/3867/W- 193/238	W0115	sjr luxuria apt	12.885148253 084967- 77.595566511 15419	3867	30/03/2022
10	EE/ OFC/pole/202 2-23/3867/W- 193/239	W0060	sjr luxuria apt	12.885493389 074853- 77.595899105 07204	3867	30/03/2022
11	EE/ OFC/pole/202 2-23/3867/W- 193/240	W0119	sjr luxuria apt	12.884970455 571237- 77.595995664 59657	3867	30/03/2022
12	EE/ OFC/pole/202 2-23/3867/W- 193/241	W0119	sjr luxuria apt	12.885943111 014718- 77.596135139 46533	3867	30/03/2022
13	EE/ OFC/pole/202 2-23/3867/W- 193/242	W0062	sjr luxuria apt	12.884719447 1017- 77.596328258 51442	3867	30/03/2022
14	EE/ OFC/pole/202 2-23/3867/W- 193/243	W0064,W009 9	sjr luxuria apt	12.884604401 469076- 77.594268321 99098	3867	30/03/2022
15	EE/ OFC/pole/202 2-23/3867/W- 193/244	W0115	sjr luxuria apt	12.884290640 38431- 77.595427036 2854	3867	30/03/2022
16	EE/ OFC/pole/202 2-23/3867/W- 193/245	W0119	sjr luxuria apt	12.884437062 272767- 77.595909833 9081	3867	30/03/2022
17	EE/ OFC/pole/202 2-23/3867/W- 193/246	W0105	sjr luxuria apt	12.884656694 94499- 77.594654560 08913	3867	30/03/2022
18	EE/ OFC/pole/202 2-23/3867/W- 193/247	W0111	sjr luxuria apt	12.884541649 283564- 77.595051527 02332	3867	30/03/2022
19	EE/ OFC/pole/202 2-23/3867/W- 193/248	W0119	sjr luxuria apt	12.883893209 112705- 77.595791816 71143	3867	30/03/2022
20	EE/ OFC/pole/202 2-23/3867/W- 193/249	W0060	sjr luxuria apt	12.885409719 787654- 77.596457004 54712	3867	30/03/2022



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No.of Poles 20**

Pole Charges @ Rs 1500/- Pole	30,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	147.8
Junction Box Charges @ Rs 3000/- Pole	60,000	Total (C)	147.8
Supervision Charge @ Rs 100/- Pole	2,000		
Sub Total (A)	92,000	GST @ 18% (B)	16,560
Grand Total (A + B + C)	1,08,707.8		

**Total Amount Payable Rs: 1,08,708 In words (Rupees One Lakh Eight Thousand Seven Hundred and Eight Only)**

**Note:** The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-729

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

# BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

BABU.VEERABHADRE@RIL.COM

OFC/Pole/2022-23/W0409/733    10-2022-741    Pending    ceofc01(ceofc01)    Pole Work Created    [Demand Notice](#)    [Permission Letter](#)    [View/Submit](#)

## Pole Details

10-2022-729

The map displays a cluster of blue location pins in the Bannerghatta area. Key landmarks labeled include:
 

- Deccan Medisales Pvt
- Orchid Residency
- Aradhana Academy
- Bhumika Primrose
- Akshaya Brick Lane
- IRIS SURYA
- ClayWorks Create - Best Coworking...
- Ganesh Tailors and Tailors
- EuroKids Preschool Arekere | Best
- DHI SPORTS
- AECS Magnolia
- Araruti Public School
- Shahi Exports Pvt Ltd Unit 12
- Southwoods Apartments
- DTDC COURIER ARAKERE [BF 16C]
- Merit Medilinks Orthopedic shoe store
- Habitat Aura, Off Bannerghatta Road...
- Dr Revathi's P
- Bharat Petroleum Corporation Ltd
- COVIE Co Living Spaces - Bannerghatta 141
- Cycle World Bannerghatta Road...
- Arakere Lake
- BDA 80 Feet Rd

 The map also shows '2nd Cross', '3rd Cross', '7th Cross Rd', and '6th Cross Rd'. A legend on the left includes a 'CLINIC' icon. The bottom of the map area contains the text 'Leaflet | Powered by Esri | © GoogleMap contributors'.

OFC/Pole/2022-23/W0063/710    10-2022-719    Pending    ceofc01(ceofc01)    Pole Work Created    [Demand Notice](#)    [Permission Letter](#)    [View/Submit](#)

ASSISTANT EXECUTIVE ENGINEER  
OFC CELL

BRUHAT BENGALURU MAHANAGARA PALIKE

EXECUTIVE ENGINEER  
OFC CELL

BRUHAT BENGALURU MAHANAGARA PALIKE  
BENGALURU