



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/730/2022-23

Date: 02-11-2022

404
Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.


- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 06-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022.**
 - 4) Fee Demand Note letter No: 10-2022-730, Date: **19-10-2022.**
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **25-10-2022.**

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

SI No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 3rd Cross via Church Road, 1st Cross, Rajiv Gandhi Road, 3rd Cross, Street ID No-W0158	19 Poles
02	From 2nd Cross via W0170, W0137, W0168 up to 2nd Cross.	
03	From 3rd Cross via Street ID No-W0156	
04	From 3rd Cross via Street ID No-W0152, W0154	
05	From Rajiv Gandhi Road via W0135	
06	From Rajiv Gandhi Road via W0133	
07	From Rajiv Gandhi Road via W0131	
08	From Rajiv Gandhi Road via W0127	
09	From Rajiv Gandhi Road via W0125	
10	From Rajiv Gandhi Road via W0121	
11	From 1st Cross via 1st Main, Street ID No-W0123	
07	From Street ID No-W0168 via 3rd Cross, W0164 for total No of 19 Poles , in Ward No-186, Bommanahalli Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/730/2022-23, Dt: 02-11-2022


Executive Engineer (OFC), BBMP

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do the same at its own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at its own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to poles and resultant losses, if any during performance of official duties by any employee of corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. If any dispute arise it will be settled as per the MOU.
14. Operational and maintenance activities in respect of poles shall be undertaken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operational and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exist, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0


23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Bommanahalli** Zone) for information.
4. Copy to Zonal Chief Engineer (**Bommanahalli** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Bommanahalli** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Arekere** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch B.C.C. Sr. Generation

दिनांक/ Date

2	5	1	0	2	0	2	2
---	---	---	---	---	---	---	---

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

चूकत / चालू खाता / ओडी / सीसी / अरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8	4	0	1	1	3	2	0	0	0	0	1	0
---	---	---	---	---	---	---	---	---	---	---	---	---

नाम/Name Commission B Bmp

टेलिफोन / मोबाइल नं
Tel No./Mobile No.

राशि /Amount

₹	7	5	4	0	0	0	0
---	---	---	---	---	---	---	---

 पै/P. 0

राशि शब्दों में Eight seven thousand

Rupees in words Eight seven thousand

चेक नं. / दिनांक/ तथा बैंक व शाखा का नाम Cheque No./Date/ Name of Bank & Branch	₹	पै/P.
<u>206311</u> <u>05/10/22</u> <u>Axis Bank</u>	<u>7,540</u>	<u>00</u>
<u>206311</u> <u>05/10/22</u> <u>Axis Bank</u>	<u>7,540</u>	<u>00</u>

EXECUTED BY [Signature] ₹ 7,540.00

अधिकारी / रोकड़िय [Signature] DEED बैंक टॉल फ्री 24 घंटे कॉल सेंटर

BRUHAT BENGALURU MAHANAGARA BALIKE
Officer/Cashier/SWO Canara Bank Toll Free No. 1800 425 0018

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-730 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-730

With reference to your Demand Note bearing Pole-OFC-10-2022-730, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1057.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-730	19	87540	206361	15732	87540
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



730

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD .
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206361

dated 19/10/2022

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-730 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-730

With reference to your Demand Note bearing Pole-OFC-10-2022-730, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1057

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-730	19	87540	206361	15732	87540
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-730 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-730

With reference to your Demand Note bearing Pole-OFC-10-2022-730 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1057

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-730	19	87540	206361	15732	87540
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

730

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD.
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE
Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206361

dated 18/10/2022

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18/01/2023

DATE	D9	D1	N0	M2	Y0	Y2	Y
दिनांक							

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उक्त आदेश पर

मांगे जाने पर

RUPEES Eighty Seven Thousand Five Hundred Forty Only

रुपये

अदा करें

₹ 87,540.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206361

Client Reference 420000902057

For Axis Bank Ltd

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

[Signature]
Authorized Signatory

[Signature]
Authorized Signatory



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-730

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-730

General Information

Segment ID

OFC/Pole/2022-23/W0123/722

Street ID

81522

Street Name

NA

Zone

Bommanahalli

Ward No.

186

Ward Name

Jaraganahalli

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

06/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

19

No.Junction Box

19




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	21/05/2022

Date : 19/10/2022

Time : 03:25:57

20221019032557





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-730

Date: 19/10/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).


2)Your request letter No. : 10-2022-730, dated : 06/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0123/722)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/3945/W- 186/1	W0117	jaraganahalli	12.897904372 411816- 77.572449951 20818	3945	25/02/2022
2	EE/ OFC/pole/202 2-23/3945/W- 186/2	W0117	jaraganahalli	12.898239032 68877- 77.572519677 23593	3945	25/02/2022
3	EE/ OFC/pole/202 2-23/3945/W- 186/3	W0117	jaraganahalli	12.898693960 784918- 77.572610857 42608	3945	25/02/2022
4	EE/ OFC/pole/202 2-23/3945/W- 186/4	W0154,W012 3	jaraganahalli	12.897836394 48835- 77.572921942 7807	3945	25/02/2022
5	EE/ OFC/pole/202 2-23/3945/W- 186/5	W0154	jaraganahalli	12.897836394 48835- 77.573549477 03045	3945	25/02/2022

7	EE/ OFC/pole/202 2-23/3945/W- 186/6	W0133,W013 1	jaraganahalli	12.898317468 626423- 77.573924924 87222	3945	25/02/2022
8	EE/ OFC/pole/202 2-23/3945/W- 186/7	W0125,W012 1	jaraganahalli	12.898411591 71916- 77.572761036 56277	3945	25/02/2022
9	EE/ OFC/pole/202 2-23/3945/W- 186/8	W0125,W014 8	jaraganahalli	12.898390675 479403- 77.573056031 29558	3945	25/02/2022
10	EE/ OFC/pole/202 2-23/3945/W- 186/9	W0121	jaraganahalli	12.898829916 147363- 77.572820035 50935	3945	25/02/2022
11	EE/ OFC/pole/202 2-23/3945/W- 186/10	W0131	jaraganahalli	12.898359301 116455- 77.573646020 76117	3945	25/02/2022
12	EE/ OFC/pole/202 2-23/3945/W- 186/11	W0127,W014 8	jaraganahalli	12.898385446 419182- 77.573329571 86601	3945	25/02/2022
13	EE/ OFC/pole/202 2-23/3945/W- 186/12	W0127	jaraganahalli	12.898798541 839517- 77.573372480 19078	3945	25/02/2022
14	EE/ OFC/pole/202 2-23/3945/W- 186/13	W0133	jaraganahalli	12.898735793 212001- 77.573935651 95339	3945	25/02/2022
15	EE/ OFC/pole/202 2-23/3945/W- 186/14	W0135	jaraganahalli	12.898730564 159006- 77.574284282 09217	3945	25/02/2022
16	EE/ OFC/pole/202 2-23/3945/W- 186/15	W0138,W012 5	jaraganahalli	12.898871748 551725- 77.573093576 07978	3945	25/02/2022
17	EE/ OFC/pole/202 2-23/3945/W- 186/16	W0138,W013 1	jaraganahalli	12.898803770 8911- 77.573646020 76117	3945	25/02/2022
18	EE/ OFC/pole/202 2-23/3945/W- 186/17	W0071	jaraganahalli	12.898992016 675262- 77.574128739 41487	3945	25/02/2022
19	EE/ OFC/pole/202 2-23/3945/W- 186/18	W0135	jaraganahalli	12.898390675 479403- 77.574257464 38918	3945	25/02/2022
20	EE/ OFC/pole/202 2-23/3945/W- 186/19	W0152	jaraganahalli	12.897909601 482075- 77.574268191 47037	3945	25/02/2022



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 19


Pole Charges @ Rs 1500/- Pole	28,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	140.41
Junction Box Charges @ Rs 3000/- Pole	57,000	Total (C)	140.41
Supervision Charge @ Rs 100/- Pole	1,900		
Sub Total (A)	87,400	GST @ 18% (B)	15,732
Grand Total (A + B + C)	1,03,272.41		

Total Amount Payable Rs: 1,03,272 In words (Rupees One Lakh Three Thousand Two Hundred and seventy-Two Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-730

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

BABU.VEERABHADRE@RIL.COM

OFC/Pole/2022-23/W0121/736 10-2022-746 Pending ceofc01(ceofc01) OFC Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details

10-2022-730



OFC/Pole/2022-23/W0182/714 10-2022-720 Pending ceofc01(ceofc01) OFC Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

S. J. [Signature]
 ASSISTANT EXECUTIVE ENGINEER,
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU

EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU