



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell), 3<sup>rd</sup> Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/735/2022-23

Date: 15-10-2022

**33**  
**Permission for Regularization for Poles**

To,

M/s. Jio Digital Fibre Private Limited,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 06-05-2022
  - 3) Fee Demand Note letter No: 10-2022-735, Date: **13-05-2022**.
  - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **12-10-2022**.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Hesaragatta Main Road via 80feet Road, 5th Cross up to Road end.	33 Poles
02	From Hesaragatta Main Road via 10th Main	
03	From Hesaragatta Main Road via 10th 'A' Main	
04	From 4th Cross via Street ID No-W0646, W0755, W0662, W0757	
05	From Street ID No-W0755 via W0646, W0753, W0662	
06	From Street ID No-W0662 via W0753, W0668, W0765, W0660 up to W0737.	
07	From Street ID No-W0753 via W0064	
08	From Street ID No-W0753 via W0668	
09	From Street ID No-W0668 via W0753, W0676	
10	From 5th Cross via 10th Main for total No of <b>33 Poles</b> , in <b>Ward No-12, Dasarahalli Zone.</b> Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/735/2022-23, Dt: 15-10-2022

Executive Engineer (OFC), BBMP

*AB*

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for Regularization of Poles**

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Dasarahalli** Zone) for information.
4. Copy to Zonal Chief Engineer (**Dasarahalli** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Dasarahalli** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Shettihalli** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

735

केनरा बैंक Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch BCC Extension

दिनांक/ Date 12/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / चाल खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000010

नाम/Name Amillane, 133M

टेलिफोन / मोबाइल नं  
Tel No./Mobile No.

राशि / Amount ₹ 1,50,044/- पै/P.

राशि शब्दों में  
Rupees in words One lakh fifty two thousand four four only

चेक नं. / दिनांक/ बैंक व शाखा का नाम Cheque No./Date / Name of Bank & Branch	₹	पै/P.
<u>205900, 11/10/22</u>	<u>OCT 2022</u>	<u>044/-</u>

EXECUTED ₹ 1,50,044/-

अधिकारी / रोकाडिया /  
Officer / Cashier / SVO

BRUHAT BENGALURU  
MAHANAGARA PALIKE  
DENGALURU

OFC  
किसा बैंक टोल फ्री 24 घंटे कॉल सेंटर  
Canara Bank Toll Free No.  
1800 425 0018

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-735 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to lay the OFC by HDD method.**

**Ref: Demand Note :-** Pole-OFC-10-2022-735

With reference to your Demand Note bearing Pole-OFC-10-2022-735 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0143 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-735	33	152044	205902	27324	152044
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



8/11

735

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**205902**

01/10/2022  
dated

PAYMENT REFERENCE

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-735 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru – 560 002

Dear Sir,

**Sub: Permission to lay the OFC by HDD method.**

**Ref: Demand Note :-** Pole-OFC-10-2022-735

With reference to your Demand Note bearing Pole-OFC-10-2022-735 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0143


Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-735	33	152044	205902	27324	152044
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

  
Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**205902**

01/10/2022  
dated

**PAYMENT REFERENCE**

**AXIS BANK LTD** ISSUING BRANCH  
IFS CODE - UTIB000274

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31/12/2022

DATE 01/10/2022  
दिनांक 01/10/2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या वक्रे आदेश पर

मौगे जाने पर  
RUPEES One Lac Fifty Two Thousand Forty Four Only  
रुपये

₹ 152,044.00  
अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205902

Client Reference 4200008085\_85

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd

Authorized Signatory  
Authorized Signatory

Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-735

PR Number(To be Assigned by AE/JE-  
OFC, BBMP)

CE-POLE-10-2022-735

General Information

Segment ID

OFC/Pole/2022-23/W0646/725

Street ID

52564

Street Name

NA

Zone

Dasarahalli

Ward No.

12

Ward Name

Shettihalli

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

06/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

Purpose

POLE INSTALLATION

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

33

No.Junction Box

33




**Status of My Application**

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	12/05/2022

Date : 13/05/2022

Time : 01:05:42

20220513010542





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-735

Date: 13/05/2022

### Demand Notice

**GST No.: 29AAALBI608FIZK**

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-735, dated : 06/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0646/725)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/3940/W- 12/60	W0636	Hesarghatta Rd, AGB layout, Bengaluru	13.070386175 730775- 77.504333853 72163	3940	03/01/2022
2	EE/ OFC/pole/202 2-23/3940/W- 12/61	W0636	Hesarghatta Rd, AGB layout, Bengaluru	13.070360048 519564- 77.504618167 87721	3940	03/01/2022
3	EE/ OFC/pole/202 2-23/3940/W- 12/62	W0753	Hesarghatta Rd, AGB layout, Bengaluru	13.070088325 359007- 77.504623532 29524	3940	03/01/2022
4	EE/ OFC/pole/202 2-23/3940/W- 12/63	W0753	Hesarghatta Rd, AGB layout, Bengaluru	13.070093550 807226- 77.504156827 92665	3940	03/01/2022
5	EE/ OFC/pole/202 2-23/3940/W- 12/64	W0636	Hesarghatta Rd, AGB layout, Bengaluru	13.070673574 871522- 77.505862712 86012	3940	03/01/2022

6	EE/ OFC/pole/202 2-23/3940/W- 12/65	W0636	Hesarghatta Rd, AGB layout, Bengaluru	13.070589967 883286- 77.505514025 68819	3940	03/01/2022
7	EE/ OFC/pole/202 2-23/3940/W- 12/66	W0737	Hesarghatta Rd, AGB layout, Bengaluru	13.070098776 25533- 77.506463527 67946	3940	03/01/2022
8	EE/ OFC/pole/202 2-23/3940/W- 12/67	W0737	Hesarghatta Rd, AGB layout, Bengaluru	13.069267928 616783- 77.506796121 59729	3940	03/01/2022
9	EE/ OFC/pole/202 2-23/3940/W- 12/68	W0737	Hesarghatta Rd, AGB layout, Bengaluru	13.068964851 423486- 77.506914138 79396	3940	03/01/2022
10	EE/ OFC/pole/202 2-23/3940/W- 12/69	W0737	Hesarghatta Rd, AGB layout, Bengaluru	13.068740156 0227- 77.506989240 64638	3940	03/01/2022
11	EE/ OFC/pole/202 2-23/3940/W- 12/70	W0737	Hesarghatta Rd, AGB layout, Bengaluru	13.068546813 304806- 77.507058978 08076	3940	03/01/2022
12	EE/ OFC/pole/202 2-23/3940/W- 12/71	W0765,W066 8	Hesarghatta Rd, AGB layout, Bengaluru	13.068531136 861578- 77.506667375 56459	3940	03/01/2022
13	EE/ OFC/pole/202 2-23/3940/W- 12/72	W0765,W066 4	Hesarghatta Rd, AGB layout, Bengaluru	13.068802861 736518- 77.506560087 204	3940	03/01/2022
14	EE/ OFC/pole/202 2-23/3940/W- 12/73	W0668	Hesarghatta Rd, AGB layout, Bengaluru	13.068447529 147578- 77.506463527 67946	3940	03/01/2022
15	EE/ OFC/pole/202 2-23/3940/W- 12/74	W0668	Hesarghatta Rd, AGB layout, Bengaluru	13.068343019 465251- 77.506136298 17964	3940	03/01/2022
16	EE/ OFC/pole/202 2-23/3940/W- 12/75	W0753,W066 8	Hesarghatta Rd, AGB layout, Bengaluru	13.068196705 835634- 77.505615949 63075	3940	03/01/2022
17	EE/ OFC/pole/202 2-23/3940/W- 12/76	W0668	Hesarghatta Rd, AGB layout, Bengaluru	13.068060843 10192- 77.505315542 22108	3940	03/01/2022
18	EE/ OFC/pole/202 2-23/3940/W- 12/77	W0668	Hesarghatta Rd, AGB layout, Bengaluru	13.067987686 214321- 77.505068778 99171	3940	03/01/2022
19	EE/ OFC/pole/202 2-23/3940/W- 12/78	W0664	Hesarghatta Rd, AGB layout, Bengaluru	13.068269862 661287- 77.505149245 26216	3940	03/01/2022
20	EE/ OFC/pole/202 2-23/3940/W- 12/79	W0664	Hesarghatta Rd, AGB layout, Bengaluru	13.068468431 07873- 77.505750060 0815	3940	03/01/2022
21	EE/ OFC/pole/202 2-23/3940/W- 12/80	W0664	Hesarghatta Rd, AGB layout, Bengaluru	13.068541587 82384- 77.505964636 80269	3940	03/01/2022

22	EE/ OFC/pole/202 2-23/3940/W- 12/81	W0662	Hesarghatta Rd, AGB layout, Bengaluru	13.068677450 292943- 77.505176067 35231	3940	03/01/2022
23	EE/ OFC/pole/202 2-23/3940/W- 12/82	W0662,W075 7	Hesarghatta Rd, AGB layout, Bengaluru	13.068985753 310821- 77.506082653 99934	3940	03/01/2022
24	EE/ OFC/pole/202 2-23/3940/W- 12/83	W0757	Hesarghatta Rd, AGB layout, Bengaluru	13.069299281 408636- 77.505948543 5486	3940	03/01/2022
25	EE/ OFC/pole/202 2-23/3940/W- 12/84	W0755	Hesarghatta Rd, AGB layout, Bengaluru	13.068943949 534367- 77.505648136 13893	3940	03/01/2022
26	EE/ OFC/pole/202 2-23/3940/W- 12/85	W0755	Hesarghatta Rd, AGB layout, Bengaluru	13.069424692 536241- 77.505481839 18	3940	03/01/2022
27	EE/ OFC/pole/202 2-23/3940/W- 12/86	W0755	Hesarghatta Rd, AGB layout, Bengaluru	13.069764347 3535- 77.505342364 31123	3940	03/01/2022
28	EE/ OFC/pole/202 2-23/3940/W- 12/87	W0646,W075 7	Hesarghatta Rd, AGB layout, Bengaluru	13.069889758 244791- 77.505717873 57332	3940	03/01/2022
29	EE/ OFC/pole/202 2-23/3940/W- 12/88	W0765	Hesarghatta Rd, AGB layout, Bengaluru	13.069806150 991004- 77.506130933 76161	3940	03/01/2022
30	EE/ OFC/pole/202 2-23/3940/W- 12/89	W0646	Hesarghatta Rd, AGB layout, Bengaluru	13.069717318 252842- 77.505058050 15564	3940	03/01/2022
31	EE/ OFC/pole/202 2-23/3940/W- 12/90	W0753	Hesarghatta Rd, AGB layout, Bengaluru	13.069445594 38465- 77.505117058 75398	3940	03/01/2022
32	EE/ OFC/pole/202 2-23/3940/W- 12/91	W0753,W065 4	Hesarghatta Rd, AGB layout, Bengaluru	13.069142517 409512- 77.505229711 5326	3940	03/01/2022
33	EE/ OFC/pole/202 2-23/3940/W- 12/92	W0753	Hesarghatta Rd, AGB layout, Bengaluru	13.068776734 357694- 77.505374550 81941	3940	03/01/2022



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No.of Poles 33**

Pole Charges @ Rs 1500/- Pole	49,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	243.87
Junction Box Charges @ Rs 3000/- Pole	99,000	Total (C)	243.87
Supervision Charge @ Rs 100/- Pole	3,300		
Sub Total (A)	151,800	GST @ 18% (B)	27,324
Grand Total (A + B + C)	179,367.87		

**Total Amount Payable Rs: 179,368 In words (Rupees One Lakh seventy-Nine Thousand Three Hundred and Sixty-Eight Only)**

**Note:**The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-735

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

# BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-735

1/2

Navigation icons: Up, Down, Close

@RIL.COM

OFC/Pole/2022-23/W0402/746

10-2022-755

Pending

ceofc01(ceofc01)

Pole Work Created


[Demand Notice](#)

[Permission Letter](#)

[View/Submit](#)

## Pole Details

10-2022-735



OFC/Pole/2022-23/W0557/714

10-2022-723

Pending

ceofc01(ceofc01)

OFC Work Created

[Demand Notice](#)

[Permission Letter](#)

[View/Submit](#)

EXECUTIVE ENGINEER  
OFC CELL

BENGALURU