



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/746/2022-23
49

Date: 15-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 06-05-2022
 - 3) Fee Demand Note letter No: 10-2022-746, Date: **13-05-2022**.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **12-10-2022**.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

SI No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles, from 6th Main Road via 5th Main Road, 3rd Cross road, 4th Cross Road, Street ID No-W0155, W0180, 5th Main Road, 5th Cross road, Street ID No-W0134, W0125 up to W0121.	30 Poles
02	From 5th Main Road via 3rd Cross Road up to Street ID No-W0163.	
03	From Street ID No-W0155 via W0138, W0151, W0186	
04	From Street ID No-W0155 via W0142, 1st Main Road up to W0144.	
05	From 1st Cross via Street ID No-W0133, W0148, W0134, W0098 up to W0121.	
06	From Street ID No-W0148 via W0131, W0125	
07	From Street ID No-W0113 via W0096, W0098, W0087, for total No of 30 Poles , in Ward No-163, South Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/746/2022-23, Dt: 15-10-2022

Executive Engineer (OFC), BBMP

Ad ✓

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent

- authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
 15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
 16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
 17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
 18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
 19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
 20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
 21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
 22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0


23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Basavanagudi** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Giri Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

क्र. 10-2022-746
केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा / Branch Sec Extn

दिनांक / Date 12/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000010

नाम / Name Commissioner RRM


टेलिफोन / मोबाइल नं. / Tel No. / Mobile No.

राशि / Amount 1,38,222.00/-

राशि शब्दों में
Rupees in words One lakh thirty eight thousand two hundred rupees

चेक नं. / दिनांक तथा बैंक-शाम्बा का नाम Cheque No./Date / Name of Bank & Branch	₹	₹/P.
<u>205866</u> / <u>12/10/2022</u> / <u>ANARA BANK</u>	<u>1,38,222.00/-</u>	

213 OCT 2022
EXECUTED ON 12/10/2022 222.00/-

अधिकारी / बैंक ड्राईव / क्लर्क / ट्रेजरी की 24 घंटे कॉल सेंटर
BRUHAR  SWEN GALLURU MARATHI BANK
Officer / Cashier / SWEN GALLURU 1800 425 0018

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-746 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-746

With reference to your Demand Note bearing Pole-OFC-10-2022-746 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0919 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-746	30	138222	205866	24840	138222
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



796

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205866

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-746 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-746

With reference to your Demand Note bearing Pole-OFC-10-2022-746, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0919.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-746	30	138222	205866	24840	138222
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

205866

01/10/2022
dated

PAYMENT REFERENCE



AXIS BANK LTD
IFS CODE - UTIB0000274

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31122022

C Payee / Negotiable

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE
दिनांक

0	1	1	0	2	0	2	2
---	---	---	---	---	---	---	---

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर
RUPEES One Lac Thirty Eight Thousand Two Hundred Twenty Two Only
रुपये

₹ 138,222.00
अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205866

Client Reference 4200008085_49

For Axis Bank Ltd
[Signature]
55/10/24004
Authorised Signatory

Under CMS Arrangement;
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Please Sign Here
Rudresha B
SS. No. 26182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-746

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-746

General Information

Segment ID

OFC/Pole/2022-23/W0121/736

Street ID

31346

Street Name

NA

Zone

South

Ward No.

163

Ward Name

Katriguppe

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

06/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

30

No.Junction Box

30




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	11/05/2022

Date : 13/05/2022

Time : 01:37:55

20220513013755





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-746

Date: 13/05/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-746, dated : 06/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0121/736)

Sr No.	Unique Poleld.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/3186/W- 163/118	W0186,W016 1	12.92951, 77.55033	12.929896914 795647- 77.549850940 70436	3186	07/08/2021
2	EE/ OFC/pole/202 2-23/3186/W- 163/119	W0186	.92966, 77.5503	12.929849859 183093- 77.550129890 44191	3186	07/08/2021
3	EE/ OFC/pole/202 2-23/3186/W- 163/120	W0186,W016 3	12.92985, 77.55037	12.929823717 17228- 77.550403475 76143	3186	07/08/2021
4	EE/ OFC/pole/202 2-23/3186/W- 163/121	W0186	12.9298, 77.5507	12.929771433 142461- 77.550832629 20381	3186	07/08/2021
5	EE/ OFC/pole/202 2-23/3186/W- 163/122	W0186,W013 5	12.92975, 77.55099	12.929703463 887291- 77.551154494 2856	3186	07/08/2021

6	EE/ OFC/pole/202 2-23/3186/W- 163/123	W0163	12.930001482 79179- 77.550467848 77779	12.930001482 79179- 77.550467848 77779	3186	07/08/2021
7	EE/ OFC/pole/202 2-23/3186/W- 163/124	W0184,W016 3	12.93023, 77.55045	12.930252445 803758- 77.550494670 86793	3186	07/08/2021
8	EE/ OFC/pole/202 2-23/3186/W- 163/125	W0184	W0184	12.930210618 652618- 77.550789713 85957	3186	07/08/2021
9	EE/ OFC/pole/202 2-23/3186/W- 163/126	W0184	W0184	12.930153106 308365- 77.551057934 76106	3186	07/08/2021
10	EE/ OFC/pole/202 2-23/3186/W- 163/127	W0184,W015 5	W0155	12.930545235 665415- 77.549126744 27034	3186	07/08/2021
11	EE/ OFC/pole/202 2-23/3186/W- 163/128	W0184,W012 1	W0121	12.930393612 387089- 77.549529075 62257	3186	07/08/2021
12	EE/ OFC/pole/202 2-23/3186/W- 163/129	W0184	W0184	12.930341328 476642- 77.549861669 54042	3186	07/08/2021
13	EE/ OFC/pole/202 2-23/3186/W- 163/130	W0186,W015 1	W0151	12.931109900 857095- 77.548230886 45936	3186	07/08/2021
14	EE/ OFC/pole/202 2-23/3186/W- 163/131	W0138	W0138	12.931538627 278927- 77.548128962 51678	3186	07/08/2021
15	EE/ OFC/pole/202 2-23/3186/W- 163/132	W0138,W015 1	W0138	12.931334720 901857- 77.548399865 62729	3186	07/08/2021
16	EE/ OFC/pole/202 2-23/3186/W- 163/133	W0138	W0138	12.931120357 607853- 77.548676133 15584	3186	07/08/2021
17	EE/ OFC/pole/202 2-23/3186/W- 163/134	W0138	W0138	12.930874623 849165- 77.548971176 14748	3186	07/08/2021
18	EE/ OFC/pole/202 2-23/3186/W- 163/135	W0138,W015 5	W0138	12.930707315 619678- 77.549172341 82359	3186	07/08/2021
19	EE/ OFC/pole/202 2-23/3186/W- 163/136	W0180,W015 5	W0180	12.930877238 039358- 77.549252808 09402	3186	07/08/2021
20	EE/ OFC/pole/202 2-23/3186/W- 163/137	W0180	W0180	12.930822340 039503- 77.549443244 9341	3186	07/08/2021
21	EE/ OFC/pole/202 2-23/3186/W- 163/138	W0180,W018 2,W0121	W0180,	12.930796198 130569- 77.549630999 56514	3186	07/08/2021

22	EE/ OFC/pole/202 2-23/3186/W- 163/139	W0182	W0182	12.930775284 601435- 77.549915313 72072	3186	07/08/2021
23	EE/ OFC/pole/202 2-23/3186/W- 163/140	W0140,W012 1	W0140,	12.931204011 59816- 77.549687325 95445	3186	07/08/2021
24	EE/ OFC/pole/202 2-23/3186/W- 163/141	W0178,W013 1	W0131	12.931156956 23206- 77.550073564 0526	3186	07/08/2021
25	EE/ OFC/pole/202 2-23/3186/W- 163/142	W0178,W015 9	W0159	12.931073302 225979- 77.550376653 67128	3186	07/08/2021
26	EE/ OFC/pole/202 2-23/3186/W- 163/143	W0131	W0131	12.931428831 558128- 77.550215721 13039	3186	07/08/2021
27	EE/ OFC/pole/202 2-23/3186/W- 163/144	W0131,W012 3	W0131	12.931632737 858292- 77.550349831 58113	3186	07/08/2021
28	EE/ OFC/pole/202 2-23/3186/W- 163/145	W0131,W012 9	W0129	12.931522942 178905- 77.550795078 2776	3186	07/08/2021
29	EE/ OFC/pole/202 2-23/3186/W- 163/146	W0131	W0131	12.931878470 870414- 77.550913095 47426	3186	07/08/2021
30	EE/ OFC/pole/202 2-23/3186/W- 163/147	W0131	W0131	12.932354251 120941- 77.551111578 94136	3186	07/08/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 30

Pole Charges @ Rs 1500/- Pole	45,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	221.7
----------------------------------	--------	--	-------

Junction Box Charges @ Rs 3000/- Pole	90,000	Total (C)	221.7
Supervision Charge @ Rs 100/- Pole	3,000		
Sub Total (A)	138,000	GST @ 18% (B)	24,840
Grand Total (A + B + C)	163,061.7		

Total Amount Payable Rs: 163,062 In words (Rupees One Lakh Sixty-Three Thousand and Sixty-Two Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-746

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-746

1/2

@RIL.COM

OFC/Pole/2022-23/W0144/751 10-2022-761 Pending ceofc01(ceofc01) OFC Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details

The map displays a grid of roads with numerous blue location pins indicating road cutting sites. Key landmarks and businesses labeled include:

- Sri Bhairava Party Hall** (ಶ್ರೀ ಭೈರವ ಪಾರ್ಟಿ ಹಾಲ್)
- Nadaprabhu Kempegowda Park** (ನಿಂಪ್ರಭು ಕೆಂಪೇಗೌಡ ಉದ್ಯಾನವನ)
- Pine Wood Studio** (ಪೈನ್ ವುಡ್ ಸ್ಟುಡಿಯೋ)
- Vittal Eye hospital** (ವಿಟ್ಟಲ್ ಐ ಹಾಸ್ಪಿಟಲ್)
- Divine Women's Healthcare Center**
- Maruthi Davanagere Benne Dose** (ಮಾರುತಿ ದಾವಣಗೆರೆ... Vegetarian - S)
- Diwakar Medicals** (ದಿವಾಕರ್ ಮೆಡಿಕಲ್ಸ್)
- Mudfingers Garden Studio** (ಮಡ್‌ಫಿಂಗರ್ಸ್ ಗಾರ್ಡನ್ ಸೆಂಟರ್)
- IndianOil Petrol** (ಇಂಡಿಯಾನ್‌ಪೆಟ್ರೋಲ್ ಬೆಂಜೆಲೈಟ್ ಬಂಕ್)
- Sambulinge Gowda**
- Balaji Enclave Apartment** (ಬಾಲಾಜಿ ಎನ್‌ಕ್ಲೇವ್ ಅಪಾರ್ಟ್‌ಮೆಂಟ್ಸ್)
- 43A Bus Stop, Katriguppe** (43ಎ ಬಸ್ ಸ್ಟಾಪ್, ಕತ್ರಗುಪ್ಪೆ)
- Sri Vinayaka Mini Party Hall**
- Mane Holige / Kuruk Thindi** (ಮನೆ ಹೋಲಿಗೆ / ಕುರುಕ್ ತೆಂಡಿ)
- BWSSB Water Tank**
- Water Tank Circle**
- Water Tank Rd**
- 80 Feet Rd**
- 50 Feet Rd**
- 1st Cross Rd**
- 2nd Main Rd**
- 3rd Cross Rd**
- 4th Main Rd**
- 5th Cross Rd**
- 6th Cross Rd**
- 7th Rd**
- 8th Main Rd**
- 9th A Main Road**
- 10th Main Rd**
- 11th Main Rd**
- 12th Main Rd**
- 13th Main Rd**
- 14th Main Rd**
- 15th Main Rd**
- 16th Main Rd**
- 17th Main Rd**
- 18th Main Rd**
- 19th Main Rd**
- 20th Main Rd**
- 21st Main Rd**
- 22nd Main Rd**
- 4th A Cross Rd**
- 4th B Cross Rd**
- 5th Main Rd**
- 6th Main Rd**
- 7th Main Rd**
- 8th Main Rd**
- 9th Main Rd**
- 10th Main Rd**
- 11th Main Rd**
- 12th Main Rd**
- 13th Main Rd**
- 14th Main Rd**
- 15th Main Rd**
- 16th Main Rd**
- 17th Main Rd**
- 18th Main Rd**
- 19th Main Rd**
- 20th Main Rd**
- 21st Main Rd**
- 22nd Main Rd**
- 23rd Main Rd**
- 24th Main Rd**
- 25th Main Rd**
- 26th Main Rd**
- 27th Main Rd**
- 28th Main Rd**
- 29th Main Rd**
- 30th Main Rd**
- 31st Main Rd**
- 32nd Main Rd**
- 33rd Main Rd**
- 34th Main Rd**
- 35th Main Rd**
- 36th Main Rd**
- 37th Main Rd**
- 38th Main Rd**
- 39th Main Rd**
- 40th Main Rd**
- 41st Main Rd**
- 42nd Main Rd**
- 43rd Main Rd**
- 44th Main Rd**
- 45th Main Rd**
- 46th Main Rd**
- 47th Main Rd**
- 48th Main Rd**
- 49th Main Rd**
- 50th Main Rd**

OFC/Pole/2022-23/W0107/720 10-2022-729 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

EXECUTIVE ENGINEER
OFC CELL
BENGALURU