



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/755/2022-23

Date: 09-11-2022

Permission for Regularization of Poles
(already installed)

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization of poles (already installed).

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 06-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-755, Date: 21-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 25-10-2022.

*_*_*_*

With reference to your application for the regularization of poles already installed, we have pleasure to inform you that permission has been accorded for regularization of the poles installed details of which are as mentioned below.

SL No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permis sion Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/6801/W- 174/146	W0335	house	12.924014894 476011- 77.650321125 9842	6801	17/12/2018
2	EE/ OFC/pole/202 2-23/6801/W- 174/147	W0335	house	12.923784839 309551- 77.650369405 74647	6801	17/12/2018
3	EE/ OFC/pole/202 2-23/6801/W- 174/148	W0335	house	12.923471127 377317- 77.650401592 25465	6801	17/12/2018
4	EE/ OFC/pole/202 2-23/6801/W- 174/149	W0360	house	12.922498617 882697- 77.650063633 91878	6801	17/12/2018
5	EE/ OFC/pole/202 2-23/6801/W- 174/150	W0428	house	12.921113046 738222- 77.651957273 48328	6801	17/12/2018

No: EE/OFC/PR/755/2022-23, Dt: 09-11-2022

Executive Engineer (OFC), BBMP

6	EE/ OFC/pole/202 2-23/6801/W- 174/151	W0428	house	12.921034617 953- 77.652595639 22884	6801	17/12/2018
7	EE/ OFC/pole/202 2-23/6801/W- 174/152	W0428	house	12.920961417 731235- 77.653545141 2201	6801	17/12/2018
8	EE/ OFC/pole/202 2-23/6801/W- 174/153	W0419	house	12.920642473 657418- 77.653582692 14632	6801	17/12/2018
9	EE/ OFC/pole/202 2-23/6801/W- 174/154	W0430	house	12.920449015 578107- 77.653577327 72829	6801	17/12/2018
10	EE/ OFC/pole/202 2-23/6801/W- 174/155	W0430	house	12.920464701 37391- 77.654049396 51489	6801	17/12/2018
11	EE/ OFC/pole/202 2-23/6801/W- 174/156	W0430	house	12.920428101 182182- 77.653271555 90059	6801	17/12/2018
12	EE/ OFC/pole/202 2-23/6801/W- 174/157	W0430	house	12.920412415 38409- 77.652896046 6385	6801	17/12/20
13	EE/ OFC/pole/202 2-23/6801/W- 174/158	W0430	house	12.920386272 385079- 77.652541995 04854	6801	17/12/2018
14	EE/ OFC/pole/202 2-23/6801/W- 174/159	W0413	house	12.920150985 27081- 77.652112841 60614	6801	17/12/2018
15	EE/ OFC/pole/202 2-23/6801/W- 174/160	W0432	house	12.920020270 111571- 77.652257680 89296	6801	17/12/2018
16	EE/ OFC/pole/202 2-23/6801/W- 174/161	W0432	house	12.920041184 541642- 77.652440071 10597	6801	17/12/2018
17	EE/ OFC/pole/202 2-23/6801/W- 174/162	W0432	house	12.920077784 79007- 77.652826309 20412	6801	17/12/2018
18	EE/ OFC/pole/202 2-23/6801/W- 174/163	W0432	house	12.920093470 60918- 77.653314471 24483	6801	17/12/2018
19	EE/ OFC/pole/202 2-23/6801/W- 174/164	W0432	house	12.920130070 849938- 77.653861641 88385	6801	17/12/2018
20	EE/ OFC/pole/202 2-23/6801/W- 174/165	W0432	house	12.920150985 27081- 77.654124498 36732	6801	17/12/2018

01	No of Poles	20
02	Ward No	174
03	Zone Name	Bommanahalli Zone

The locational details of poles are also given in the map enclosed with this permission letter.

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do the same at its own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got

- executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at its own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
 12. The corporation shall not be responsible for any damage to poles and resultant losses, if any during performance of official duties by any employee of corporation.
 13. **Any dispute** arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. If any dispute arise it will be settled as per the MOU.
 14. Operational and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operational and maintenance activities.
 15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
 16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
 17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
 18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
 19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
 20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
 21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
 22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)


24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Bommanahalli Zone**) for information.
4. Copy to Zonal Chief Engineer (**Bommanahalli Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Bommanahalli Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**H.S.R Layout Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

755
 केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP
 शाखा/ Branch BCC Extension

दिनांक/ Date 25 10 20 22

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
 बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.
12 11 13 2000010

नाम/Name Commissioner BBMP
 टेलिफोन / मोबाइल नं.
 Tel No. / Mobile No.

राशि/Amount ₹ 92,148/- पै/P. 00

राशि शब्दों में Ninety Two Thousand one
 Rupees in words Hundred and Fifty Eight only

चेक नं./ दिनांक तथा बैंक व शाखा का नाम Cheque No./Date of Bank & Branch	₹	पै/P.
<u>25693 BCC</u>	<u>92,148.00</u>	
<u>Chalis BCC</u>		
<u>₹ 92,148.00</u>		

अधिकारी / रोकाईया PC
 Officer / Cashier/SWO
 बैंक टॉल फ्री 24 घंटे कॉल सेंटर
 Canara Bank Toll Free No.
 MAHABANGALURU
 BENGALURU

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-755 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-755

With reference to your Demand Note bearing Pole-OFC-10-2022-755 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1703 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-755	20	92148	206313	16560	92148
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



755

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206313

dated ^{19/10/2022}

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-755 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-755

With reference to your Demand Note bearing Pole-OFC-10-2022-755 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1703

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-755	20	92148	206313	16560	92148
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206313

dated 19/10/2022

PAYMENT REFERENCE

ISSUING BRANCH - Centralised Collection and Payment Hub (CCPH)

Valid Until: 18/01/2023

DATE 19 10 2022
दिनांक D 9 D 1 M 0 M 2 Y 0 Y 2 Y 2 Y

PURCHASER NAME - JIO.DIGITAL FIBRE PVT.LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर

RUPEES Ninety Two Thousand One Hundred Forty Eight Only

रुपये

अदा करें ₹ 92,148.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206313

Client Reference 4200009020_9

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

[Signature]
557124200
Authorised Signatory

[Signature]
Rudresha B
2678
Please sign above

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-755 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-755

With reference to your Demand Note bearing Pole-OFC-10-2022-755 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1703 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-755	20	92148	206313	16560	92148
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206313

dated 19/10/2022

PAYMENT REFERENCE

ISSUING BRANCH - Centralised Collection and Payment Hub (CCPH)

Valid Until: 18012023

DATE 19 10 2022
दिनांक

PURCHASER NAME - JIO.DIGITAL FIBRE PVT.LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES Ninety Two Thousand One Hundred Forty Eight Only

रुपये

₹ 92,148.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206313

Client Reference 4200009020 9

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

[Signature]
Authorised Signatory

[Signature]
Authorised Signatory

[Signature]
Please Sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-755

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-755

General Information

Segment ID

OFC/Pole/2022-23/W0402/746

Street ID

86576

Street Name

NA

Zone

Bommanahalli

Ward No.

174

Ward Name

HSR Layout

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

06/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

ofc laying

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

20

No.Junction Box

20




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	21/05/2022

Date : 21/10/2022

Time : 04:18:19

20221021041819





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-755

Date: 21/10/2022

Demand Notice


GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0




Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-755, dated : 06/05/2022

Details of Poles added on BBMP GIS Map (Pole Id:-OFC/Pole/2022-23/W0402/746)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/6801/W- 174/146	W0335	house	12.924014894 476011- 77.650321125 9842	6801	17/12/2018
2	EE/ OFC/pole/202 2-23/6801/W- 174/147	W0335 *	house	12.923784839 309551- 77.650369405 74647	6801	17/12/2018
3	EE/ OFC/pole/202 2-23/6801/W- 174/148	W0335	house	12.923471127 377317- 77.650401592 25465	6801	17/12/2018
4	EE/ OFC/pole/202 2-23/6801/W- 174/149	W0360	house	12.922498617 882697- 77.650063633 91878	6801	17/12/2018
5	EE/ OFC/pole/202 2-23/6801/W- 174/150	W0428	house	12.921113046 738222- 77.651957273 48328	6801	17/12/2018

6	EE/ OFC/pole/202 2-23/6801/W- 174/151	W0428	house	12.921034617 953- 77.652595639 22884	6801	17/12/2018
7	EE/ OFC/pole/202 2-23/6801/W- 174/152	W0428	house	12.920961417 731235- 77.653545141 2201	6801	17/12/2018
8	EE/ OFC/pole/202 2-23/6801/W- 174/153	W0419	house	12.920642473 657418- 77.653582692 14632	6801	17/12/2018
9	EE/ OFC/pole/202 2-23/6801/W- 174/154	W0430	house	12.920449015 578107- 77.653577327 72829	6801	17/12/2018
10	EE/ OFC/pole/202 2-23/6801/W- 174/155	W0430	house	12.920464701 37391- 77.654049396 51489	6801	17/12/2018
11	EE/ OFC/pole/202 2-23/6801/W- 174/156	W0430	house	12.920428101 182182- 77.653271555 90059	6801	17/12/2018
12	EE/ OFC/pole/202 2-23/6801/W- 174/157	W0430	house	12.920412415 38409- 77.652896046 6385	6801	17/12/2018
13	EE/ OFC/pole/202 2-23/6801/W- 174/158	W0430	house	12.920386272 385079- 77.652541995 04854	6801	17/12/2018
14	EE/ OFC/pole/202 2-23/6801/W- 174/159	W0413	house	12.920150985 27081- 77.652112841 60614	6801	17/12/2018
15	EE/ OFC/pole/202 2-23/6801/W- 174/160	W0432	house	12.920020270 111571- 77.652257680 89296	6801	17/12/2018
16	EE/ OFC/pole/202 2-23/6801/W- 174/161	W0432	house	12.920041184 541642- 77.652440071 10597	6801	17/12/2018
17	EE/ OFC/pole/202 2-23/6801/W- 174/162	W0432	house	12.920077784 79007- 77.652826309 20412	6801	17/12/2018
18	EE/ OFC/pole/202 2-23/6801/W- 174/163	W0432	house	12.920093470 60918- 77.653314471 24483	6801	17/12/2018
19	EE/ OFC/pole/202 2-23/6801/W- 174/164	W0432	house	12.920130070 849938- 77.653861641 88385	6801	17/12/2018
20	EE/ OFC/pole/202 2-23/6801/W- 174/165	W0432	house	12.920150985 27081- 77.654124498 36732	6801	17/12/2018



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 20


Pole Charges @ Rs 1500/- Pole	30,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	147.8
Junction Box Charges @ Rs 3000/- Pole	60,000	Total (C)	147.8
Supervision Charge @ Rs 100/- Pole	2,000		
Sub Total (A)	92,000	GST @ 18% (B)	16,560
Grand Total (A + B + C)	1,08,707.8		

Total Amount Payable Rs: 1,08,708 In words (Rupees One Lakh Eight Thousand Seven Hundred and Eight Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-755

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

BABU VEERABHADRE@RIL.COM

OFC/Pole/2022-23/W0154/802 10-2022-811 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

Pole Details

Map showing road cutting locations in Bengaluru. Markers include Zaid Granite, IndianOil Petrol and CNG Station, Agara Bus stop, Sri Jagannatha Swami Temple, To Be Continued Sko Lounge, HSR Layout Police Station, Printo - HSR Layout - Custom T..., and DoubleTree Suites by Hilton Hotel Bangalore. Roads shown include 1st C Main Rd, 2nd Main Rd, 5th Main Rd, 6th Cross Rd, 7th Cross Rd, 8th Cross Rd, 9th Cross Rd, 28th Main Rd, 29th Main Rd, and 31st Main Rd.

OFC/Pole/2022-23/W0018/771 10-2022-781 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

[Signature]
 ASSISTANT EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU

[Signature]
 EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU