



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/770/2022-23

Date: 15-10-2022

29

Permission for Regularization for Poles

To,

M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 07-05-2022
 - 3) Fee Demand Note letter No: 10-2022-770, Date: **14-05-2022**.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **12-10-2022**.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Hanumantha Gowda Main Road via 15th Cross, 14th Cross up to Hanumantha Gowda Main Road.	24 Poles
02	From Hanumantha Gowda Main Road via 13th Cross	
03	From Hanumantha Gowda Main Road via Street ID No-W0779 up to W0672.	
04	From 13th Cross Road via Street ID No-W0078	
05	From 13th Cross Road via Street ID No-W0767	
06	From Hanumantha Gowda Main Road via Street ID No-W0763, W761 up to Hanumantha Gowda Main Road.	
07	From Hanumantha Gowda Main Road via Street ID No-W0759	
08	From Hanumantha Gowda Main Road via Street ID No-W0749	
09	From Hanumantha Gowda Main Road via Street ID No-W0751	
10	From Hanumantha Gowda Main Road via 4th Cross, Street ID No-W0676 , for total No of 24 Poles , in Ward No-12, Dasarahalli Zone .	
Ref: As per drawing enclosed & demand note GIS co-ordinates.		

No: EE/OFC/PR/770/2022-23, Dt: 15-10-2022

Executive Engineer (OFC), BBMP

AB

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Dasarahalli** Zone) for information.
4. Copy to Zonal Chief Engineer (**Dasarahalli** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Dasarahalli** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Shettihalli** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

10-2022-770
Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP
शाखा/ Branch: SEC Extension

दिनांक/ Date 18 10 2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000010

नाम/Name Com. Officer Prop

टेलिफोन / मोबाइल नं. _____ पै/P.

राशि / Amount 1 20 577.00/-

राशि शब्दों में
Rupees in words One lakh Ten Thousand Five hundred Seventy Seven Rupees

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date / Name of Bank & Branch	₹	पै/P.
<u>20594201/10/22</u>	<u>1 20 577.00</u>	<u>00</u>

EXCISE
18/10/2022

अधिकारी / रोकडिया OF
BRUNAL BANGALURU
केनरा बैंक टोल फ्री 24x7 कॉल सेंटर
Canara Bank Toll Free No.
BALIKE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-770 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-770

With reference to your Demand Note bearing Pole-OFC-10-2022-770 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0143 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-770	24	110577	205942	19872	110577
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.





780

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205942

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasathanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-770 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-770

With reference to your Demand Note bearing Pole-OFC-10-2022-770 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0143

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-770	24	110577	205942	19872	110577
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

770

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205942

01/10/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31/12/2022

DATE 01 10 2022
दिनांक 01 10 2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर

RUPEES: One Lac Ten Thousand Five Hundred Seventy Seven Only

रुपये

अदा करें

₹ 110,577.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205942

Client Reference 4200008085_125

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

[Signature]
Sd/- 24/08/22
Authorised Signatory

[Signature]
Authorised Signatory

Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-770

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-770

General Information

Segment ID

OFC/Pole/2022-23/W0779/762

Street ID

51977

Street Name

NA

Zone

Dasarahalli

Ward No.

12

Ward Name

Shettihalli

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

07/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

POLE INSTALLATION

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

24

No.Junction Box

24




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	13/05/2022

Date : 14/05/2022

Time : 12:41:45

20220514124145





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-770

Date: 14/05/2022

Demand Notice**GST No.: 29AAALBI608FIZK****To**

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private,Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-770, dated : 07/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0779/762)




Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/3941/W- 12/93	W0749	Hanumanthe Gowder Main Rd, Chikkasandra, Jalahalli West, Bengaluru	13.066707437 171791- 77.505095601 08186	3941	03/01/2022
2	EE/ OFC/pole/202 2-23/3941/W- 12/94	W0751	Hanumanthe Gowder Main Rd, Chikkasandra, Jalahalli West, Bengaluru	13.066796270 9932- 77.505438923 83577	3941	03/01/2022
3	EE/ OFC/pole/202 2-23/3941/W- 12/95	W0753	Hanumanthe Gowder Main Rd, Chikkasandra, Jalahalli West, Bengaluru	13.066796270 9932- 77.505910992 62238	3941	03/01/2022

4	EE/ OFC/pole/202 2-23/3941/W- 12/96	W0753	Hanumanthe Gowder Main Rd, Chikkasandra, Jalahalli West, Bengaluru	13.067407655 838126- 77.505851984 02406	3941	03/01/2022
5	EE/ OFC/pole/202 2-23/3941/W- 12/97	W0676	Hanumanthe Gowder Main Rd, Chikkasandra, Jalahalli West, Bengaluru	13.067904078 316245- 77.505970001 22072	3941	03/01/2022
6	EE/ OFC/pole/202 2-23/3941/W- 12/98	W0759	Hanumanthe Gowder Main Rd, Chikkasandra, Jalahalli West, Bengaluru	13.066916457 877163- 77.506206035 61403	3941	03/01/2022
7	EE/ OFC/pole/202 2-23/3941/W- 12/99	W0761	Hanumanthe Gowder Main Rd, Chikkasandra, Jalahalli West, Bengaluru	13.067057546 753233- 77.506511807 44173	3941	03/01/2022
8	EE/ OFC/pole/202 2-23/3941/W- 12/100	W0763,W076 1	Hanumanthe Gowder Main Rd, Chikkasandra, Jalahalli West, Bengaluru	13.067318822 236736- 77.506501078 60567	3941	03/01/2022
9	EE/ OFC/pole/202 2-23/3941/W- 12/101	W0771	Hanumanthe Gowder Main Rd, Chikkasandra, Jalahalli West, Bengaluru	13.067517391 419242- 77.507944107 05568	3941	03/01/2022
10	EE/ OFC/pole/202 2-23/3941/W- 12/102	W0771,W068 0	Hanumanthe Gowder Main Rd, Chikkasandra, Jalahalli West, Bengaluru	13.067768215 421454- 77.507933378 21962	3941	03/01/2022
11	EE/ OFC/pole/202 2-23/3941/W- 12/103	W0680	Hanumanthe Gowder Main Rd, Chikkasandra, Jalahalli West, Bengaluru	13.067710734 943459- 77.507686614 99025	3941	03/01/2022
12	EE/ OFC/pole/202 2-23/3941/W- 12/104	W0771,W067 8	Hanumanthe Gowder Main Rd, Chikkasandra, Jalahalli West, Bengaluru	13.068060843 10192- 77.507933378 21962	3941	03/01/2022

13	EE/ OFC/pole/202 2-23/3941/W- 12/105	W0678	Hanumanthe Gowder Main Rd, Chikkasandra, Jalahalli West, Bengaluru	13.068008588 184417- 77.507665157 31813	3941	03/01/2022
14	EE/ OFC/pole/202 2-23/3941/W- 12/106	W0771	Hanumanthe Gowder Main Rd, Chikkasandra, Jalahalli West, Bengaluru	13.068353470 435465- 77.507917284 96553	3941	03/01/2022
15	EE/ OFC/pole/202 2-23/3941/W- 12/107	W0775	Hanumanthe Gowder Main Rd, Chikkasandra, Jalahalli West, Bengaluru	13.067538293 429157- 77.508212327 95717	3941	03/01/2022
16	EE/ OFC/pole/202 2-23/3941/W- 12/108	W0775	Hanumanthe Gowder Main Rd, Chikkasandra, Jalahalli West, Bengaluru	13.067956333 255871- 77.508212327 95717	3941	03/01/2022
17	EE/ OFC/pole/202 2-23/3941/W- 12/109	W0775	Hanumanthe Gowder Main Rd, Chikkasandra, Jalahalli West, Bengaluru	13.068306441 065973- 77.508217692 3752	3941	03/01/2022
18	EE/ OFC/pole/202 2-23/3941/W- 12/110	W0674	Hanumanthe Gowder Main Rd, Chikkasandra, Jalahalli West, Bengaluru	13.068395274 311955- 77.508416175 8423	3941	03/01/2022
19	EE/ OFC/pole/202 2-23/3941/W- 12/111	W0777	Hanumanthe Gowder Main Rd, Chikkasandra, Jalahalli West, Bengaluru	13.068233284 251171- 77.508502006 53076	3941	03/01/2022
20	EE/ OFC/pole/202 2-23/3941/W- 12/112	W0777	Hanumanthe Gowder Main Rd, Chikkasandra, Jalahalli West, Bengaluru	13.067940656 775137- 77.508507370 9488	3941	03/01/2022
21	EE/ OFC/pole/202 2-23/3941/W- 12/113	W0777	Hanumanthe Gowder Main Rd, Chikkasandra, Jalahalli West, Bengaluru	13.067580097 443697- 77.508507370 9488	3941	03/01/2022

22	EE/ OFC/pole/202 2-23/3941/W- 12/114	W0779	Hanumanthe Gowder Main Rd, Chikkasandra, Jalahalli West, Bengaluru	13.067606224 94917- 77.508802413 94044	3941	03/01/2022
23	EE/ OFC/pole/202 2-23/3941/W- 12/115	W0779	Hanumanthe Gowder Main Rd, Chikkasandra, Jalahalli West, Bengaluru	13.068055617 610662- 77.508813142 7765	3941	03/01/2022
24	EE/ OFC/pole/202 2-23/3941/W- 12/116	W0779	Hanumanthe Gowder Main Rd, Chikkasandra, Jalahalli West, Bengaluru	13.068421401 731134- 77.508829236 03059	3941	03/01/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner, BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 24

Pole Charges @ Rs 1500/- Pole	36,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	177.36
Junction Box Charges @ Rs 3000/- Pole	72,000	Total (C)	177.36
Supervision Charge @ Rs 100/- Pole	2,400		
Sub Total (A)	110,400	GST @ 18% (B)	19,872
Grand Total (A + B + C)	130,449.36		

Total Amount Payable Rs: 130,449 In words (Rupees One Lakh Thirty Thousand Four Hundred and Forty-Nine Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-770

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-770 1/2 View/Submit @RIL.COM

OFC/Pole/2022-23/W0018/771 10-2022-781 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

Pole Details

10-2022-770



OFC/Pole/2022-23/W0026/743 10-2022-751 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

EXECUTIVE ENGINEER
 OFC CELL
 BANGALURU