



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell), 3<sup>rd</sup>Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/779/2022-23

Date: 21-10-2022

**285**  
**Permission for Regularization for Poles**

To,  
M/s. Jio Digital Fibre Private Limited,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 07-05-2022
  - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
  - 4) Fee Demand Note letter No: 10-2022-779, Date: **17-10-2022**.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **21-10-2022**.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Street ID No-W0144 via 1st Main Road up to Street ID No-I0041.	<b>36 Poles</b>
02	From 1st Main Road via Street ID No-W0082, W0084 up to SWD.	
03	From 1st Main Road via Street ID No-W0144, W0109, W0113, W0117, W0124, W0098 up to W0119.	
04	From Street ID No-W0109 via W0144 up to W0121.	
05	From Street ID No-W0121 via W0146 up to W0109.	
06	From Street ID No-W0117 via W0119, W0098, W0113 up to W0117.	
07	From Street ID No-W0109 via W0146, W0081 for a length of 105.76 Mtr.	
08	From Street ID No-W0084 via W0098, W0083 up to SWD.	
09	From Street ID No-W0083 via W0047 up to SWD.	
10	From Street ID No-W0144 via 1st Main Road for total No of <b>36 Poles</b> , in <b>Ward No-163, South Zone.</b> Ref: As per drawing enclosed & demand note GIS co-ordinates	

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for Regularization of Poles**

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.



12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Basavanagudi** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Giri Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.





# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-779 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-779

With reference to your Demand Note bearing Pole-OFC-10-2022-779 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0919

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-779	36	165866	206156	29808	165866
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

*Ab.*

Authorized Signatory.



*S. J. K.*

779

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206156**

18/10/2022  
dated

**PAYMENT REFERENCE**

---

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-779 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-779

With reference to your Demand Note bearing Pole-OFC-10-2022-779, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0919.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-779	36	165866	206156	29808	165866
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

*Ab.*

Authorized Signatory.





MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206156**  
as per details mentioned below.

18/10/2022  
dated

**PAYMENT REFERENCE**

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 8 1 0 2 0 2 2  
दिनांक

ON DEMAND PAY. COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर  
RUPEES One Lac Sixty Five Thousand Eight Hundred Sixty Six Only

रुपये

अदा करें ₹ 165,866.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206156

Client Reference 4200008920\_20

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd

*[Signature]*  
5818125004  
Authorised Signatory

*[Signature]*  
Rudresha B  
No. 26187  
Please sign above

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-779 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-779

With reference to your Demand Note bearing Pole-OFC-10-2022-779 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0919 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-779	36	165866	206156	29808	165866
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206156**  
as per details mentioned below.

18/10/2022  
dated

**PAYMENT REFERENCE**

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17/01/2023

DATE 18/10/2022  
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर  
RUPEES One Lac Sixty Five Thousand Eight Hundred Sixty Six Only  
रुपये

अदा करें

₹ 165,866.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206156

Client Reference 4200008920\_20

For Axis Bank Ltd  
Authorized Signatory  
Rudresha B  
26/10/22

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

Please sign above





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-779

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-779

General Information

Segment ID

OFC/Pole/2022-23/W0121/771

Street ID

31346

Street Name

NA

Zone

South

Ward No.

163

Ward Name

Katriguppe

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5 Rasta, Ambawadi, Ahmedabad, Gujarat, India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

07/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ locn, Palace Cross Road, Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

36

No.Junction Box

36




**Status of My Application**

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	21/05/2022

Date : 17/10/2022

Time : 07:55:03

20221017075503





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-779

Date: 17/10/2022

**Demand Notice**  
**GST No.: 29AALBI608FIZK**

**To**

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited


GST No.: 29AAECJ4213B1Z0

**Sub:-** Permission for Poles(Regularization)

**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).  
2)Your request letter No. : 10-2022-779, dated : 07/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0121/771)



Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/3182/W- 163/175	W0098,W012 1	W0121	12.932793432 085438- 77.551154494 2856	3182	07/08/2021
2	EE/ OFC/pole/202 2-23/3182/W- 163/176	W0121,W012 5	W0125	12.932422219 6541- 77.550784349 44154	3182	07/08/2021
3	EE/ OFC/pole/202 2-23/3182/W- 163/177	W0121	W0125	12.932009179 82083- 77.550306916 23689	3182	07/08/2021
4	EE/ OFC/pole/202 2-23/3182/W- 163/178	W0098,W011 9	W0119	12.933018250 613355- 77.550848722 4579	3182	07/08/2021
5	EE/ OFC/pole/202 2-23/3182/W- 163/179	W0119	W0119	12.932793432 085438- 77.550607323 64656	3182	07/08/2021



6	EE/ OFC/pole/202 2-23/3182/W- 163/180	W0119	W0119	12.932354251 120941- 77.550167441 36812	3182	07/08/2021
7	EE/ OFC/pole/202 2-23/3182/W- 163/181	W0117,W011 9	W0119	12.932024864 89028- 77.549829483 03224	3182	07/08/2021
8	EE/ OFC/pole/202 2-23/3182/W- 163/182	W0146,W012 1	W0121	12.931580454 207468- 77.549883127 21254	3182	07/08/2021
9	EE/ OFC/pole/202 2-23/3182/W- 163/183	W0146,W011 3	W0113	12.932082376 80316- 77.549330592 15547	3182	07/08/2021
10	EE/ OFC/pole/202 2-23/3182/W- 163/184	W0146,W008 1	W0081	12.932354251 120941- 77.549014091 4917	3182	07/08/2021
11	EE/ OFC/pole/202 2-23/3182/W- 163/185	W0113,W011 7	W0117	12.932349022 77146- 77.549588084 2209	3182	07/08/2021
12	EE/ OFC/pole/202 2-23/3182/W- 163/186	W0081	W0081	12.932615668 45483- 77.549303770 06532	3182	07/08/2021
13	EE/ OFC/pole/202 2-23/3182/W- 163/187	W0081	W0081	12.933086218 965629- 77.549813389 77815	3182	07/08/2021
14	EE/ OFC/pole/202 2-23/3182/W- 163/188	W0081	W0081	12.933399918 813143- 77.550129890 44191	3182	07/08/2021
15	EE/ OFC/pole/202 2-23/3182/W- 163/189	W0082,W008 1	W0081	12.933028707 28414- 77.549711465 83557	3182	07/08/2021
16	EE/ OFC/pole/202 2-23/3182/W- 163/190	W0098,W008 1	W0098	12.933546311 940354- 77.550333738 32704	3182	07/08/2021
17	EE/ OFC/pole/202 2-23/3182/W- 163/191	W0081	W0081	12.933750216 510093- 77.550526857 37611	3182	07/08/2021
18	EE/ OFC/pole/202 2-23/3182/W- 163/192	W0081	W0081	12.933980262 491264- 77.550784349 44154	3182	07/08/2021
19	EE/ OFC/pole/202 2-23/3182/W- 163/193	W0081	W0081	12.934424668 899652- 77.550950646 40045	3182	07/08/2021
20	EE/ OFC/pole/202 2-23/3182/W- 163/194	W0081	W0081	12.934730524 614949- 77.551048547 0295	3182	07/08/2021
21	EE/ OFC/pole/202 2-23/3182/W- 163/195	I0040,W0045	W0045	12.935559208 72841- 77.551299333 5724	3182	07/08/2021

22	EE/ OFC/pole/202 2-23/3182/W- 163/196	10040,W0047	W0047	12.935386675 354385- 77.551685571 67055	3182	07/08/2021
23	EE/ OFC/pole/202 2-23/3182/W- 163/197	W0088,W004 7	W0047	12.934748823 662934- 77.551331520 08058	3182	07/08/2021
24	EE/ OFC/pole/202 2-23/3182/W- 163/198	W0088,W004 9	W0049	12.934539691 605808- 77.551825046 5393	3182	07/08/2021
25	EE/ OFC/pole/202 2-23/3182/W- 163/199	W0088,W002 5	W0049	12.934252134 740996- 77.552618980 40773	3182	07/08/2021
26	EE/ OFC/pole/202 2-23/3182/W- 163/200	W0088,W009 9	W0099	12.934048230 581473- 77.553112506 86647	3182	07/08/2021
27	EE/ OFC/pole/202 2-23/3182/W- 163/201	W0090,W009 9	W0099	12.933792043 067895- 77.553021311 75995	3182	07/08/2021
28	EE/ OFC/pole/202 2-23/3182/W- 163/202	W0090,W009 1	W0091	12.933922751 01585- 77.552667260 16998	3182	07/08/2021
29	EE/ OFC/pole/202 2-23/3182/W- 163/203	W0098,W008 7	W0087	12.932678408 574208- 77.551631927 49025	3182	07/08/2021
30	EE/ OFC/pole/202 2-23/3182/W- 163/204	W0098,W008 3,W0113	W0113	12.933277053 086528- 77.550612688 06459	3182	07/08/2021
31	EE/ OFC/pole/202 2-23/3182/W- 163/205	W0083,W004 7	W0047	12.933577681 885001- 77.550988197 32667	3182	07/08/2021
32	EE/ OFC/pole/202 2-23/3182/W- 163/206	W0094,W008 3	W0083	12.933543697 778113- 77.551347613 33467	3182	07/08/2021
33	EE/ OFC/pole/202 2-23/3182/W- 163/207	W0083	W0083	12.934001175 751769- 77.551508545 87556	3182	07/08/2021
34	EE/ OFC/pole/202 2-23/3182/W- 163/208	W0083	W0083	12.934314874 448862- 77.551623880 8632	3182	07/08/2021
35	EE/ OFC/pole/202 2-23/3182/W- 163/209	W0090	W0090	12.934241678 121483- 77.551790177 82213	3182	07/08/2021
36	EE/ OFC/pole/202 2-23/3182/W- 163/210	W0090	W0090	12.934137111 902263- 77.552098631 85884	3182	07/08/2021



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No.of Poles 36**


Pole Charges @ Rs 1500/- Pole	54,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	266.04
Junction Box Charges @ Rs 3000/- Pole	1,08,000	Total (C)	266.04
Supervision Charge @ Rs 100/- Pole	3,600		
Sub Total (A)	1,65,600	GST @ 18% (B)	29,808
Grand Total (A + B + C)	1,95,674.04		

**Total Amount Payable Rs: 1,95,674 In words (Rupees One Lakh Ninety-Five Thousand Six Hundred and seventy-Four Only)**

**Note:**The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-779

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



# BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-779

1/2

@RIL.COM

OFC/Pole/2022-23/W0019/777

10-2022-795

Pending

ceofc01(ceofc01)

Pole Work Created

[Demand Notice](#)

[Permission Letter](#)

[View/Submit](#)

## Pole Details

10-2022-779



OFC/Pole/2022-23/W1437/756

10-2022-764

Pending

ceofc01(ceofc01)

OFC Work Created

[Demand Notice](#)

[Permission Letter](#)

[View/Submit](#)

EXECUTIVE ENGINEER  
 OFC CELL  
 BRIHAT BENGALURU MAHANAGARA PALIKE  
 BENGALURU