

#### BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building, N.R. Square, Bangalore -560002

No: EE/OFC/PR/7846/2022-23

Date: 01-12-2022

334

# Permission for laying of Optical Fiber Cable

To,

## M/s. Jio Digital Fibre Private Limited,

RMZ ICON, No-51, Palace Road Cross, Vasanth Nagar, Bengaluru-52. Sir,

Permission for laying of OFC by HDD Method-regarding Sub:-

Ref:-

1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.

- 2) M/s. Jio Digital Fibre Private Limited online application Dated: 07-06-2022.
- 3) Opinion obtained Online from Assistant Executive Engineer -Horamavu Sub Division, Mahadevapura Zone on Dated: 05-11-2022.
- 4) Approved by Chief Engineer (OFC-Cell) on 07-11-2022 (Online).
- 5) Fee Demand Note letter No: 04-2022-7846, Date: 07-11-2022.
- 6) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD on: 25-11-2022.

\*\_\*\_\*

With reference to your application for permission, we have pleasure to inform you that permission has been given for laying of OFC cables by HDD method on roads mentioned below subject to the terms and conditions of MOU and the conditions mentioned below:

Sl No	Name of the Road and Route	Length in Mtr
01	Permission for laying of OFC by HDD Method from T.C Palya Main Road on Street ID No-W2381 up to Road end.	60.21 M
02	From T.C Palya Main Road on Street ID No-W2377 up to Road end.	48.39 M
03	From T.C Palya Main Road on Street ID No-W2375 up to Road end.	41.4 M
04	From T.C Palya Main Road on Street ID No-W2375 up to W2066	65.46 M
05	From T.C Palya Main Road on Street ID No-W2371 up to Road end.	37.65 M
06	From T.C Palya Main Road on Street ID No-W2369 up to Road end.	36.1 M
07	From Street ID No-W2357 on W2046 up to W2050.	185.45 M
08	From Street ID No-W2050 on W2339 up to W2056.	48.89 M

No: EE/OFC/PR/7846/2022-23, Dt: 01-12-2022

		Zone				
No of Pits-02, No of Manhole-10 and No of Ducts 3, in Ward No-25, Mahadevapura Zone Ref: As per drawing enclosed.						
13	From Street ID No-W2064 on W2341, W2062 up to W2064.	133.71 M				
12	From Street ID No-W2343 on / w2353, W2351, W2050 up to W2343.	207.36 M				
11	From Street ID No-W2050 on W2323 up to Road end.	31.09 M				
10	From Street ID No-W2050 on W2337 up to W2056.	48.04 M				
09	From Street ID No-W2050 on W2337 up to Road end.	28.28 M				

The work shall be strictly taken up and completed between 01-12-2022 to 30-01-2023 and in line with conditions cited below:

### **Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

# Conditions for HDD Method OFC laying

- 1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
- 2. The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.
- 3. Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.
- 4. Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.
- 5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
- 6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. PSR(G)/5870/2019-20, Dated : 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.

No: EE/OFC/PR/7846/2022-23, Dt: 01-12-2022

Executive Engineer (OFC), BBMP

- 7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
- 8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
- 9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.
- 10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
- 11. Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated/destroyed.
- 12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
- 13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCOM / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
- 14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
- 15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
- 16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
- 17. The Agency should not cause any inconvenience to public while executing the work.

Executive Engineer (OFC), BBMP

No: EE/OFC/PR/7846/2022-23, Dt: 01-12-2022

- 18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
- 19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
- 20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

## Copy to:-

- 1. Copy to the Special Commissioner (Project) for kind information.
- 2. Copy to the Zonal Additional/Joint Commissioner (Mahadevapura Zone) for information.
- 3. Copy to Zonal Chief Engineer (**Mahadevapura** Zone) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
- 4. Copy to the Chief Engineer (Road Infrastructure) for information.
- 5. Copy to the Concerned Executive Engineer of (K.R Pura Division) for information.
- 6. Copy to the Concerned Assistant Executive Engineer of (Horamavu Sub Division) for information.
- 7. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
- 8. Office Copy

No: EE/OFC/PR/7846/2022-23, Dt: 01-12-2022

Executive Engineer (OFC), BBMP

510.

The state of the s
7846 A
र्रत्नक क्राइ०र्स्ट केनरा वैक Canara Bank
grade despite that the first the same of t
हा अर्थ / आखा / Branch BCC Exercise ( PAY IN SLIP
ध्रुताक / Date 25112022
ಉಖ್ಯಾಚಾಖ್ಯಾಓಡಿ/ನಉ/ಆಖ್ಯಾಅಸ್ಕಾತಸಾ ಖಾತೆ ಸಂಖ್ಯೆ / ಕ್ರೆಡಿಟ್ ಕಾರ್ಡ್ ಸಂ.
बचत/चाल खाता/ओडी/सीसी/आरडी/टीएल/डीएल खाता सं./क्रेडिट कार्ड सं. SR/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
84011320000
<b>あれの/नाम/Name () ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )</b>
ದೂರವಾಣಿ/ಮೊಬೈಲ್ ಸಂ./
टेलिफोन/ मोबाईल न Tel No. /Mobile No.
ಮೊತ್ರ राशि /Amount
to egoneticht land southfrom Thomand
राशि शब्दों में Rupees in words we hundred क्यांकिक कर कार्य
सेन रंग्ये ( विकारन कि वह रास कार्यका किया । इस विकार के किया किया किया किया किया किया किया किया
चेक ने निस्ताह की मैंने क्याचा का नाम Cheque No /Date / Name pa Batts & Branch
209060 08231122 8183, 968,00
0009 Stot 230 722 48 600 00
6 Pol /
EXECUTIVE ENGINEER B. S70.00
ಅಧಿಕಾರಿ / ನಗದು ಗುಮರ್ಡಿ ದಿಗ್ರರ   ಕನರಾ ಬ್ಯಾಂಕ್ ಶಾಲ್ಡಿಕುತ್ತ ಕರೆ ಕೇಂದ್ರ
केनरा बैंक टॉल फ्रा न
PLUMATO BENGALITATI MAHAMAGARAPPAPAP KE

DENGALON

#### JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/

04-2022-7846

24-Nov-22

The Chief Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4th floor Annex Building, N R Square Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note

CE-OFC-04-2022-7846

With reference to your Demand Note bearing

CE-OFC-04-2022-7846 ,Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards

payment to get permission for laying OFC on

BGLR1484

by HDD method:

Application No.	Length in Mtr	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No.for Laying⋑ ervision	ISecurity Deposit I	DD No. for Security Deposit	GST (through RCM) Rs.	Total Amount
04-2022-7846	972.03	3	813968	209960 Dated 23-11-22	48602	209951 Dated : 23-11-22	122476	862570

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for IIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.





as per details mentioned below.

MAIL TO

COMMISSIONER BBMP BANGALORE

-BY ORDER OF -

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.

209960

23/11/2022 dated

PAYMENT REFERENCE



MAIL TO -

COMMISSIONER BBMP BANGALORE

We are pleased to send to you Demand Draft No.

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD THANE

Thane-400701

209951

23/11/2022 dated

as per details mentioned below.

PAYMENT REFERENCE

#### JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/

04-2022-7846

/nn

Date:

24-Nov-22

The Chief Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4<sup>th</sup> floor Annex Building, N R Square Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note

CE-OFC-04-2022-7846

With reference to your Demand Note bearing

CE-OFC-04-2022-7846

**BGLR1484** 

,Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards

payment to get permission for laying OFC on

by HDD method:

 Application No.	Length in Mtr	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No.for Laying⋑ —ervision—	l Security Denosit I	DD No. for Security —Deposit	, v.	Total Amount
04-2022-7846	972.03	3	<b>813</b> 968	209960 Dated 23-11-22	48602	209951 Dated : 23-11-22	122476	862570

Request you to kindly issue permission letter for the same.

Thanking you,


Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

**Authorized Signatory.** 

Θ

Θ



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE


Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

209960

23/11/2022 dated

PAYMENT REFERENCE



Centralised Collections & Payment Hub

Mumbai.



507846

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

23/11/2022


We are pleased to send to you Demand Draft No.

209951

dated

as per details mentioned below.

**PAYMENT REFERENCE** 



# BBMP ENGINEERING DEPARTMENT **OFC Form**

Application No. :04-2022-7846

PR Number(To be Assigned by AE/JE- CE-OFC-04-2022-7846 OFC, BBMP)

**General Information** 

Segment ID

OFC/2022-23/Z6-1114/W25-114/7846

Street ID 11757

NA

Zone

Mahadevapura

Ward No.

Organization

M/s. Jio Digi

Pin Code

08035485012

Vat Reg No.

0

25

**Ward Name** 

**Street Name** 

Horamavu

Service Provider Category

relecom

Year of Incorporation

2009-10

**Registered Office Address** 

101, Saffron, Nr Centra Point, Panchwati 5 380006 Rasta, Ambawadi, Ahmedabad, Gujarat,

India

Official Phone No.

9845117017

Previous Relevant Exp.

10

Official Phone No.

www.jio.com

**Penalized Details** 

No

**GST** 

29AAECJ4213B1Z0

**Turnover for Last 3 Years** 

60

**Application Submission Date** 07/06/2022

.lame of the Authorized Person

Babu Veerabhadre

Designation

AHMJ08610A

**DGM** 

**Email ID** 

babu.veerabhadre@ril.com

**Local Address** 

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

**Purpose** 

OFC Paying

Phone No.

9845117017

Mobile No.

**Attachments** 

9845117017

**OFC/Cable Related Information** 

Laying **OFC** 

Total No.of Pits(Points marked on map) Laying Method

2

HDD

**Likely Date of Commencement** 

Total Length (m)

No. of Cables


972.03

3

**No.of Ducts** 

No. of Manhole

10



#### **Jeclaration**

I hereby accept the following terms and conditions specified by BBMP

Maintenance of the cable and road for next 2 yea Refundable Security Deposit (Rs. 150/Mtr.) will be kept with

BBMP.

Security deposit will be refunded after 2 years after field verification from BBMP

BBMP will retain the security deposit ,if service provider fails to maintain the OFC road cut portions for 2 years

### **Status of My Application**

Approver Name	Designation	Date	
ceofc01(ceofc01)	r ef	03/11/2022	
aem2501(aem2501)	AE	03/11/2022	
aeem01(aeem01)	AEE	05/11/2022	·
ceofc01(ceofc01)	CE	07/11/2022	
ceofc01(ceofc01)	CE	07/11/2022	


Yes

20221108025959

Date: 08/11/2022

Time: 02:59:59

No: 04-2022-7846



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore - 560002

No.: CE-OFC-04-2022-7846

Date: 07/11/2022

# **Demand Notice**

**GST No.: 29AAALBI608FIZK** 

To

∡abu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission to lay OFC by HDD Method regarding

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 04-2022-7846, dated: 07/06/2022


As per requisition shown in below table for laying of OFC by HDD method to a length of 972.03 mtr. has been approved by the competent authority.

Details of Segments drawn on BBMP GIS Map

(Segment Id:-OFC/2022-23/Z6-1114/W25-114/7846)

Sr No.	Segment Leneth (mts)	From Landmark	To Landmark	Start Coordinates	End Coordinates	Passing Through
1	133.71	House	House	13.019111- 77.669538	13.019340- 77.669639	BGLR1484
2	48.04	House	House	13.020200- 77.669887	13.019807- 77.669705	BGLR1484
3	48.89	House	House	13.019967- 77.670537	13.019561- 77.670363	BGLR1484
4	28.28	House	House	13.020057- 77.670270	13.019820- 77.670175	BGLR1484
5	31.09	House	House	13.020319- 77.669503	13.020061- 77.669392	BGLR1484
6	207.36	House	House	13.019902- 77.670832	13.019847- 77.671008	BGLR1484
7	185.45	House	House	13.019798- 77.671704	13.019895- 77.671630	BGLR1484

8	60.21	Shop	House	13.018609- 77.671353	13.018538- 77.671420	BGLR1484
9	<u>48.3</u> 9	House	House	13.018418- 77.671200	13.018026- 77.671394	BGLR1484
10	41.4	Shop	House	13.018294- 77.671091	13.018228- 77.671141	BGLR1484
11	65.46	House	Shop	13.018431- 77.670882	13.018164- 77.671046	BGLR1484
12	37.65	House	Shop	13.018137- 77.670855	13.017845- 77.671031	BGLR1484
13	36.1	House	House	13.018046- 77.670708	13.017770- 77.670883	BGLR1484



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Banglore" within seven(7) days. Then only your request can be processed further.

# Length of OFC proposed 972.03 Mtrs.

Laying Charge @ 600/- Mtr 5,83,218.00	Road Restoration Charges Rs. 10000/ (Pits+ Manholes) or Rs.130/ Per Mtr, Whichever is higher	1,26,363.90	
--	--	-------------	--

Supervision Charge @ 100/- Mtr	97,203.00	Cess Amount @ 7.39/- Mtr	7,183.30
Sub Total (A)	6,80,421.00	Security Deposit @ Rs.50/- Mtr	48,601.50
GST @ 18% (B)	1,22,475.78	Total (C)	1,82,149.00
Grand Total (A + B + C)	9,85,046.00		

Total Amount Payable Rs: 9,85,046.00 In words (Rupees Nine Lakh Eighty-Five Thousand and Forty-Six Only)

**Note:** The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself so as to make the road motorable for moving traffic. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded with all applicable necessary conditions within 7 days after the Reciept of Demand Draft from Nationalized Banks, for the above mentioned amount to this office

Yours faithfully,

Executive Engineer (OFC-Cell)

Bruhat Bangalore Mahanagara Palike

Copy to

No.: 04-2022-7846

- 1. Copy submitted to Commissioner-for-kind information.
- 2. Copy submitted to Special Commissioner (Project) for kind information.
  - . Copy submitted to CAO for information.
- 4. Copy to Office file.

