

BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building, N.R. Square, Bangalore -560002

No: EE/OFC/PR/7866/2022-23

Date: 01-12-2022

307

Permission for laying of Optical Fiber Cable

To,

M/s. Jio Digital Fibre Private Limited,

RMZ ICON, No-51, Palace Road Cross,

Vasanth Nagar, Bengaluru-52.

Sir,

<u>Sub</u>:- Permission for laying of O F C by HDD Method-regarding

Ref :- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.

- 2) M/s. Jio Digital Fibre Private Limited online application Dated: 08-06-2022.
- 3) Opinion obtained Online from Assistant Executive Engineer -Horamavu Sub Division, Mahadevapura Zone on Dated: 10-11-2022.
- 4) Approved by Chief Engineer (OFC-Cell) on 10-11-2022 (Online).
- 5) Fee Demand Note letter No: 04-2022-7866, Date: 10-11-2022.
- 6) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD on: 25-11-2022.

*_*_*

With reference to your application for permission, we have pleasure to inform you that permission has been given for laying of OFC cables by HDD method on roads mentioned below subject to the terms and conditions of MOU and the conditions mentioned below:

SI No	Name of the Road and Route	Length in Mtr		
01	Permission for laying of OFC by HDD Method from 2nd Main Road on 8th Cross Road, Street ID No-W0422, W0601 up to 2nd Main Road.	488.24 M		
02	From 2nd Main Road on 7th Cross Road up to Street ID No-W0422.	95.31 M		
03	From 2nd Main Road on 6th Cross Road up to Street ID No-W0422.			
04	From 2nd Main Road on Street ID No-W0593 up to Street ID No-W0422.	97.65 M		
05	From 2nd Main Road on Street ID No-W0595 up to Street ID No-W0422.	98.89 M		
06	From 2nd Main Road on Street ID No-W0597 up to Street ID No-W0422.	96.49 M		
07	From 2nd Main Road on Street ID No-W0599.	22.09 M		

No: EE/OFC/PR/7866/2022-23, Dt: 01-12-2022

Executive Engineer (OFC), BBMP

	Total	1995.14 Mtr		
	of Pits-05, No of Manhole-20 and No of Ducts 3, in Ward No-25, Mahadevapura As per drawing enclosed.	Zone		
11	From Street ID No-W0581 on 2nd Main Road, Street ID No-W0400 up to 1st Main Road.	666.17 M		
10	From 2nd Main Road on 10th Cross Road, W0422, W0577 up to Road end.	188.48 M		
09	From 10th Cross Road on 2nd Main Road, W0581 up to W0422.			
08	From Street ID No-W0422 on W0599.	9.88 M		

The work shall be strictly taken up and completed between 01-12-2022 to 30-01-2023 and in line with conditions cited below:

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for HDD Method OFC laying

- 1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
- 2. The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.
- 3. Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.
- 4. Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.
- 5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
- 6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. PSR(G)/5870/2019-20, Dated : 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.

Executive Engineer (OFC), BBMP

No: EE/OFC/PR/7866/2022-23, Dt: 01-12-2022

- 7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
- 8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
- 9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.
- 10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
- 11. Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated/destroyed.
- 12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
- 13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCOM / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
- 14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
- 15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
- 16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
- 17. The Agency should not cause any inconvenience to public while executing the work.

Executive Engineer (OFC), BBMP

No: EE/OFC/PR/7866/2022-23, Dt: 01-12-2022

- 18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
- 19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
- 20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

Copy to:-

- 1. Copy to the Special Commissioner (Project) for kind information.
- 2. Copy to the Zonal Additional/Joint Commissioner (Mahadevapura Zone) for information.
- 3. Copy to Zonal Chief Engineer (Mahadevapura Zone) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
- 4. Copy to the Chief Engineer (Road Infrastructure) for information.
- 5. Copy to the Concerned Executive Engineer of (K.R Pura Division) for information.
- 6. Copy to the Concerned Assistant Executive Engineer of (Horamavu Sub Division) for information.
- 7. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
- 8. Office Copy

Executive Engineer (OFC), BBMP

Sio

+866 इंत्रेक क्षानुरा बैंक Canara Bank

15 was a surpress absorbed
ত্ত এই/ স্বাহল্য / Branch PSC স্থিতি স্থাপি / DEPOSIT / PAY IN SLIP
ದಿನಾಂಕ/दिनांक/Date 25112022
ಉಖ್ಯಾಚಾಖ್ಯಾಓಡಿ/ನಉ/ಆಖ್ಯಾಅಸ್ಕಾತಸಾ ಖಾತೆ ಸಂಖ್ಯೆ , ಕ್ರಿಡಿಟ್ ಕಾರ್ಡ್ ಸಂ.
बचत/चालू खाता/ओडी/सीसी/आरडी/टीएल/डीएल खाँता सं./क्रेडिट कार्ड सं.
SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
0-01132000010
ಹಸರು/नाम/Name Coomen X Onex, BBHP
ಧ್ಯೂರವಾಣಿ/ಮೊಬೈಲ್ ಸಂ./
टेलिफोन/मोबाइँल न Tel No./Mobile No. इं./चै/ह
ಮೊತ್ರ पशि /Amount 7 % 30 46 7- 00 ਹਨ। ਦੁਵਰਸੰਦਰ /
THE THAT I SELECTION / SEVENTY I how and
Rupees in words
संग राज्य / विक्रिकेन व्यक्त कार्य कार्या करेंके रें
पक्त न / दिनाक प्रथा कर वेद्याखा का नाम
Cheque No./Date / Name of Bask & Branch
209964 01/22/11/22/12/12/12/12/12/12/12/12/12/12
D09955 D123 102 94.487.00
EXECUTIVE LARGINITE TO 167.00
ಅಧಿಕಾರಿ/ನಗದು ಗುಮಿಕ್-೧ಎರಡಿ[] ಕೆನ್ನೂ ಬ್ಯಾಂಕ್ ಶಲ್ತರಹಿತ ಕರೆ ಕೇಂದ್ರ
ಅಧಿಕಾರಿ/ ನಗದು ಗುಪ್ರಿಕ್ಸ್ ಎರ್ಟ್ಟ್ ಕೆನ್ನಾ ಬ್ಯಾಂಕ್ ಪಲ್ಲರಹಿತ ಕರೆ ಕೇಂದ್ರ
BRUHATIO CATEAU BEN MAHANAGABATARENE
Officer/Cashier/SWO 1800 475 0018

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/

04-2022-7866

/DD

Date:

24-Nov-22

The Chief Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4th floor Annex Building, N R Square Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note

CE-OFC-04-2022-7866

With reference to your Demand Note bearing

CE-OFC-04-2022-7866

.Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards

payment to get permission for laying OFC on

BGLR1462

by HDD method:

Application No.	Length in Mtr	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No.for Laying⋑ ervision	I Security Denosit I	DD No. for Security Deposit	GST (through RCM) Rs.	Total Amount
04-2022-7866	1995.14	3	1670710	209964 Dated 23-11-22	99757	209955 Dated : 23-11-22	251388	1770467

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.

2012



MAIL TO-

COMMISSIONER BBMP BANGALORE

BY ORDER OF -

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

209964

23/11/2022 dated



MAIL TO ---

COMMISSIONER BBMP BANGALORE

-BY ORDER OF -

JIO DIĜITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

209955

23/11/2022 dated

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/

04-2022-7866

/DD

Date:

24-Nov-22

The Chief Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4th floor Annex Building, N R Square Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note

CE-OFC-04-2022-7866

With reference to your Demand Note bearing

CE-OFC-04-2022-7866

,Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards

payment to get permission for laying OFC on

BGLR1462

by HDD method:

Application No.	Length in Mtr	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No.for Laying⋑ ervision	Security Denocit	DD No. for Security Deposit	GST (through RCM) Rs.	Total Amount
04-2022-7866	1995.14	3	1670710	209964 Dated 23-11-22	99757	209955 Dated : 23-11-22	251388	1770467

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.

6

•

Us 7866

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF


JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

209964

23/11/2022 dated



50 7866

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF-


JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft_No. as per details mentioned below.

209955

23/11/2022 dated



BBMP ENGINEERING DEPARTMENT **OFC Form**

Application No. :04-2022-7866

PR Number(To be Assigned by AE/JE- CE-OFC-04-2022-7866 OFC, BBMP)

General Information

Seament ID

OFC/2022-23/Z6-1118/W25-116/7866

Street ID

12457

25

Street Name

Zone

Mahadevapura

Ward No.

Organization

M/s. Jio Digital

08035485012

Vat Reg No

Ward Name

Horamavu

Service Provider Category

Telecom

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5 3800 Rasta, Ambawadi, Ahmedabad, Gujarat,

Official Phone No.

9845117017

Previous Relevant Exp.

10

Official Phone No.

www.jio.com

Penalized Details

No

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

Application Submission Date 08/06/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

AHMJ08610A

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

Purpose

OFC Cable Laying

Phone No.

9845117017

Mobile No.

Attachments

9845117017

OFC/Cable Related Information

Laying **OFC**

Total No. of Pits(Points marked on map) Laying Method

5

HDD

Likely Date of Commencement

Total Length (m)


No. of Cables

No.of Ducts

No. of Manhole

3

20



Declaration

I hereby accept the following terms and conditions specified by BBMP

Maintenance of the cable and road for next 2 years

Refundable Security Deposit (Rs. 150/Mtr.) will be kept BBMP.

Security deposit will be refunded after 2 years, after field verification from BBMP

BBMP will retain the security deposit, if service provider fails to maintain the OFC road cut portions for 2 years

Status of My Application

Approver Name	Designation)	Date
ceofc01(ceofc01)	CE L	04/11/2022
aem2501(aem2501)	C AE	08/11/2022
aeem01(aeem01)	AEE	10/11/2022
ceofc01(ceofc01)	CE	10/11/2022
ceofc01(ceofc01)	CE	10/11/2022


Э

Date: 11/11/2022

Time: 02:42:42

20221111024242

No: 04-2022-7866



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore - 560002

No.: CE-OFC-04-2022-7866

Date: 10/11/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission to lay OFC by HDD Method regarding

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No.: 04-2022-7866, dated : 08/06/2022


As per requisition shown in below table for laying of OFG by HDD method to a length of 1995.14 mtr. has been approved by the competent authority.

Details of Segments drawn on BBMP GIS Map

(Segment Id:-OFC/2022-23/Z6-1118/W25-116/7866)

Sr No.	Segment Length (mts)	From Landmark ©	To Landmark	Start Coordinates	End Coordinates	Passing Through
1	188.48	home	house	13.052420- 77.639979	13.051459- 77.639989	BGLR1462
2	√133.67	home	house	13.052436- 77.640000	13.052447- 77.640274	BGLR1492
3	666.17	home	house	13.052436- 77.640333	13.052452- 77.640654	BGLR1462
4	488.24	home	house	13.052394- 77.640638	13.051469- 77.640633	BGLR1462
5	95.31	home	house	13.052410- 77.640987	13.051553- 77.640998	BGLR1462
6	98.27	home	house	13.052431- 77.641368	13.051548- 77.641400	BGLR1462
7	97.65	home	house	13.052436- 77.641786	13.051558- 77.641808	BGLR1462

8	98.89	home	house	13.052462- 77.642269	13.051574- 77.642312	BGLR1462
9	96.49	home	house	13.052462- 77.642661	13.051595- 77.642682	BGLR1462
10	L22.09	home	house	13.052305- 77.642988	13.052504- 77.642983	BGLR1462
11	9.88	home	house	13.051705- 77.642999	13.051616- 77.642999	BGLR1462



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Banglore" within seven(7) days. Then only your request can be processed further.

Length of OFC proposed 1995.14 Mtrs.

Laying Charge @ 600/- Mtr	11,97,084.00	Road Restoration Charges Rs. 10000/ (Pits+ Manholes) or Rs.130/ Per Mtr, Whichever is higher	2,59,368.20
Supervision Charge @ 100/- Mtr	1,99,514.00	Cess Amount @ 7.39/- Mtr	14,744.08
Sub Total (A)	13,96,598.00	Security Deposit @ Rs.50/- Mtr	99,757.00
GST @ 18% (B)	2,51,387.64	Total (C)	3,73,869.00

20,21,855.00

Total Amount Payable Rs: 20,21,855.00 In words (Rupees Twenty Lakh Twenty-One Thousand Eight Hundred and Fifty-Five Only)

<u>Note:</u> The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself so as to make the road motorable for moving traffic. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded with all applicable, necessary conditions within 7 days after the Reciept of Demand Draft from Nationalized Banks, for the above mentioned amount to this office

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 04-2022-7866

- 1. Copy submitted to Commissioner for kind information
- 2. Copy submitted to Special Commissioner (Project) for kind information.
- 3. Copy submitted to CAO for information.
- 4. Copy to Office file.

