

BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building, N.R. Square, Bangalore -560002

No: EE/OFC/PR/7889/2022-23

531

Date: 04-01-2023

Permission for laying of Optical Fiber Cable

To,

M/s. Jio Digital Fibre Private Limited,

RMZ ICON, No-51, Palace Road Cross,

Vasanth Nagar, Bengaluru-52.

Sir,

<u>Sub</u>:- Permission for laying of O F C by HDD Method-regarding

Ref: 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.

- 2) M/s. Jio Digital Fibre Private Limited online application Dated: 08-06-2022.
- 3) Opinion obtained Online from Assistant Executive Engineer Byatarayanapura Sub Division, Yelahanka Zone on Dated: 17-12-2022.
- 4) Approved by Chief Engineer (OFC-Cell) on 17-12-2022 (Online).
- 5) Fee Demand Note letter No: 04-2022-7889, Date: 17-12-2022.
- 6) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD on: 30-12-2022.

*_*_*

With reference to your application for permission, we have pleasure to inform you that permission has been given for laying of OFC cables by HDD method on roads mentioned below subject to the terms and conditions of MOU and the conditions mentioned below:

Sl No	Name of the Road and Route							
01	Permission for laying of OFC by HDD Method from Sampigehalli Road on Street ID No-W0824.							
02	From Chokkanahalli Main Road on Agrahara Main Road, Street ID No-W0692 up to W1239.	547.22 M						
03	From Chokkanahalli Main Road Street ID No-W1527, W1537 up to W1239.	515.17 M						
04	From Chokkanahalli Main Road on Street ID No-W1539, W0814 up to W1527.	189.5 M						
05	From Street ID No-W1527 on W1537.	105.47 M						
06	From Street ID No-W1241 on W0692, W1239.	110.5 M						
07	From Street ID No-W0692 on W1245.	96.45 M						
08	In Street ID No-W1241 on W0692, W1243.	152.93 M						
09	From Agrahara Main Road on Street ID No-W0804 up to W1457.	70.89 M						
	of Pits-06, No of Manhole-18 and No of Ducts 3, in Ward No-05, Yelahanka Zone As per drawing enclosed.	e						
	T. (1)	1070 OF MAL.						

No: EE/OFC/PR/7889/2022-23, Dt: 04-01-2023

Executive Engineer (OFC), BBMP

Ab

The work shall be strictly taken up and completed between <u>04-01-2023</u> to <u>05-03-2023</u> and in line with conditions cited below:

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for HDD Method OFC laying

- 1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
- 2. The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.
- 3. Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.
- 4. Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.
- 5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
- 6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. PSR(G)/5870/2019-20, Dated : 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.
- 7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
- 8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
- 9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.

No: EE/OFC/PR/7889/2022-23, Dt: 04-01-2023

Executive Engineer (OFC), BBMP

- 10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
- 11. Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated/destroyed.
- 12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
- 13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCOM / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
- 14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
- 15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
- 16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
- 17. The Agency should not cause any inconvenience to public while executing the work.
- 18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
- 19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
- 20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

Executive Engineer (OFC), BBMP

No: EE/OFC/PR/7889/2022-23, Dt: 04-01-2023

Copy to:-

- 1. Copy to the Special Commissioner (Project) for kind information.
- 2. Copy to the Zonal Additional/Joint Commissioner (Yelahanka Zone) for information.
- 3. Copy to Zonal Chief Engineer (Yelahanka Zone) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
- 4. Copy to the Chief Engineer (Road Infrastructure) for information.
- 5. Copy to the Concerned Executive Engineer of (Byatarayanapura Division) for information.
- 6. Copy to the Concerned Assistant Executive Engineer of (Byatarayanapura Sub Division) for information.
- 7. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
- 8. Office Copy

Executive Engineer (OFC), BBMP

1080
310 7889
काल के A Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP
शाखा/ Branch— BCC 13 RTCADION)
दिनांक/ Date 30122
SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
SB/CA/OD/CC/RD/TL/DL Δ C. No. 7 cleans and Δ and
8401132000 <u>010</u>
नाम/Name Commissioner, BBMP
ने निर्माणकारिक ने न
टेलिफोन / मोबाइल नं Tel No. /Mobile No. ₹ /पै/P
राशि /Amount 6, 59, 464/
राशि शब्दों में ८९ - १०० कि किसी Nove न
Rupees in words
and BUC HUDGET
चेक नं. / दिनाक न्यूया ने स्वार्धिक के प्रमाणिक के स्वर्धिक के स्वर्धिक के स्वर्धिक के स्वर्धिक विशेषिक के स्वर्धिक विशेष्टिक के स्वर्धिक क
2 15 43 43 12 12 22 05 6 5 9 6 1 · 00
21/308 pt m 71/1/22+ 9 3, 503, 20
2 Soport Roport
EXECUTIVE MONEY OF 100
ि है M. Q. D. प्रिक्त टोल फ्री 24 घंटे कॉल सेंटर
(1) A Rapid Proposition of the Constant of the
Officer/Cashier SWO 1100 1800 425 0018
Officer/Cashier/SWOC/L-11800-1800-423-00-18

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/

04-2022-7889

Date:

28-Dec-22

The Executive Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4th floor Annex Building, N R Square Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note

CE-OFC-04-2022-7889

With reference to your Demand Note bearing

payment to get permission for laying OFC on

CE-OFC-04-2022-7889

,Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards

BGLR1337

by HDD method:

Application No.	Length in Mtr	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No.for Laying⋑ ervision	I Security Denosit I	DD No. for Security Deposit	GST (through RCM) Rs.	Total Amount
04-2022-7889	1870.05	3	1565961	211247 Dated 27-12-22	93503	211308 Dated : 27-12-22	235626	1659464

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

501-N



- MAIL TO ----

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

211247

27/12/2022 dated

PAYMENT REFERENCE



MAIL TO -

COMMISSIONER BBMP BANGALORE

BY ORDER OF —

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD,THANE

50 7889

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

211308

27/12/2022 dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

Io.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/

04-2022-7889

/DD

Date:

28-Dec-22

The Executive Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4th floor Annex Building, N R Square Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note

CE-OFC-04-2022-7889

With reference to your Demand Note bearing

CE-OFC-04-2022-7889

,Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards

payment to get permission for laying OFC on

BGLR1337

by HDD method:

Application No.	Length in Mtr	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No.for Laying⋑ ervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.	Total Amount
04-2022-7889	1870.05	3	1565961	211247 Dated 27-12-22	93503	211308 Dated : 27-12-22	235626	1659464

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD,THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

211247

27/12/2022 dated

PAYMENT REFERENCE

AXIS BANK LTD
IFS CODE - UTIB0000274

ISSUING BRANCH

13301NG BRANCH

- Centralised Collection and Payment Hub (CCPH)
DAT

Valid Until:26032023

CPH)
DATE 2D 7D M 2M 2Y 0 Y 2 Y 2
दिनांक

ON DEMAND PAY

COMMISSIONER BBMP BANGALORE

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES Fifteen Lacs Sixty Five Thousand Nine Hundred Sixty One Only

रुपये

UTILITY FORMS PVT. LTD. MUMBAI/ CTS-2010

भरा को दि

1,565,961.00

For Axis Bank Ltd

DD Sr. No

211247

Client Reference

4200013872 81

Payable at par at all Branches of AXIS Bank Ltd.

Under CMS Arrangement Centralised Collections & Payment Hub Mumbai.

CODE NO.

Authorised Signatory

Authorised Signatory

Ray Single Please along book

MAIL TO:

COMMISSIONER BBMP BANGALORE

BY ORDER OF

50 7889

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

211308

27/12/2022 dated

PAYMENT REFERENCE

AXIS BANK LTD ISSUING BRANCH

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

•

- Centralised Collection and Payment Hub (CCPH)

Valid Until:26032023

DATE 20 70 1 M 2 PY PY PY

ON DEMAND PAY

COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

पर Ninety Three Thousand Five Hundred Three Only

RUPEES

.

रुपये

93,503.00

For Axis Bank Ltd

DD Sr. No

211308

Client Reference

4200013872 140

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Authorised Signatory

Authorised Signatory

Please sign abover

BBMP ENGINEERING DEPARTMENT **OFC Form**

Application No. :04-2022-7889

PR Number(To be Assigned by AE/JE- CE-OFC-04-2022-7889 OFC, BBMP)

General Information

Segment ID

OFC/2022-23/Z7-681/W5-88/7889

Street ID

59951

Street Name

Zone

Yelahanka

Ward No.

Ward Name

Jakkuru

Service Provider Category

Telecom

Organization Year of Incorporation M/s. Jio Dig

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5 38000 Rasta, Ambawadi, Ahmedabad, Gujarat,

India

Official Phone No.

9845117017

Previous Relevant Exp.

10

Official Phone No.

www.jio.com

Penalized Details

No

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

Name of the Authorized Person

Babu Veerabhadre

Designation DGM

AHMJ08610A

08035485012

Vat Reg No.

Email ID

08/06/2022

babu.veerabhadre@ril.com

Application Submission Date

Local Address

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

Purpose

QFC Laying

Phone No.

9845117017

Mobile No.

Attachments

9845117017

OFC/Cable Related Information

Laying

OFC

Total No.of Pits(Points marked on map) Laying Method

HDD

Likely Date of Commencement

Total Length (m)


No. of Cables

No.of Ducts

No. of Manhole

3

18



Declaration

I hereby accept the following terms and conditions specified by

Maintenance of the cable and road for next 2 years

Refundable Security Deposit (Rs. 150/Mtr.) will be kep BBMP.

Security deposit will be refunded after 2 years after-field-verification from BBMP

BBMP will retain the security deposit, if service provider fails to maintain the OFC road cut portions for 2 years

Status of My Application


Approver Name	Designation	Date
ceofc01(ceofc01)	E-CE	11/11/2022
aey501(aey501)	AE	15/11/2022
aeey03(aeey03)	AEE	17/12/2022
ceofc01(ceofc01)	CE	17/12/2022
ceofc01(ceofc01)	CE	19/12/2022

Date: 19/12/2022

Time: 12:16:47

20221219121647

No: 04-2022-7889



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore - 560002

No.: CE-OFC-04-2022-7889

Date: 17/12/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission to lay OFC by HDD Method regarding

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No.: 04-2022-7889, dated: 08/06/2022


As per requisition shown in below table for laying of OFC by HDD method to a length of 1870.05 mtr. has been approved by the competent authority.

Details of Segments drawn on BBMP GIS Map

(Segment Id:-OFC/2022-23/Z7-681/W5-88/7889)

Sr No.	Segment Length (mts)	From Landmark	To Landmark ੇ	Start Coordinates	End Coordinates	Passing Through
1	e152.93	W0692	W1241	13.087797- 77.619744	13.087253- 77.619760	FSA1337
2	— 96.45	W0692	W1245	13.087227- 77.619846	13.086360- 77.619857	FSA1337
3	110.5	W0692	W1241	13.087264- 77.619728	13,087243- 77.619449	FSA1337
4	_366.48	W0802	W0951	13.087253- 77.619422	13.087243- 77.618682	FSA1337
5	180.74	W0812	W0951	13.084756- 77.618076	13.083131- 77.618038	FSA1337
6,	70.89	W0804	W1457	13.085085- 77.618065	13.085090- 77.617410	FSA1337
7	_515.17	W0814	W1239	13.083105- 77.621219	13.085937- 77.621284	FSA1337

8	189.5	W0814	W1527	13.083606- 77.621251	13.083575- 77.622474	FSA1337
9 .	81.92	W0824	W1477	13.082151- 77.617912	13.082154- 77.618668	FSA1337
10		W1537	W1533	13.085934- 77.621289	13.085952- 77.622263	FSA1337



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Banglore" within seven(7) days. Then only your request can be processed further.

Length of OFC proposed 1870.05 Mtrs.

Laying Charge @ 600/- Mtr	11,22,030.00	Road Restoration Charges Rs. 10000/ (Pits+ Manholes) or Rs.130/ Per Mtr, Whichever is higher	2,43,106.50
Supervision Charge @ 100/- Mtr	1,87,005.00	Cess Amount @ 7.39/- Mtr	13,819.67
Sub Total (A)	13,09,035.00	Security Deposit @ Rs.50/- Mtr	93,502.50
GST @ 18% (B)	2,35,626.30	Total (C)	3,50,428.67
Grand Total (A + B + C)	1895089.97	`	

Total Amount Payable Rs: 1895089.97 In words (Rupees eighteen Lakh ninety five Thousand eighty nine rupees and ninety seven paisa only.)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself so as to make the road motorable for moving traffic. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded with all applicable, necessary conditions within 7 days after the Reciept of Demand Draft from Nationalized Banks, for the above mentioned amount to this office

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

No.: 04-2022-7889


Copy to

1. Copy submitted to Commissioner for kind information

2. Copy submitted to Special Commissioner (Project) for kind information.

3. Copy submitted to CAO for information

4. Copy to Office file.



Q bbmp.oasisweb.in/RoadHistory/HomeSP.aspx 04-2022-7889 2/2 RIL COM **BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)** My Applicatio Mv Application OFC Details 04-2022-7889 Jakkur Lake Bangalore Horse Community Garden Riding School ಲಿಂಗಳೂಗು ಕುದುರೆ ಓಡಿಸುವ ಜಕ್ಕೂರು ಲೇಕ್ ಕಮ್ಯುನಿಟಿ... Indira Gandhi Gro Of Institutio... ම MIMS Residency Apartments In... ಗೂವ್ ಆಪ್ Pyramid Bilberry Golden The HDFC එන්ව School, Bengaluru Shright Enclave ಎಚ್ಚಿಎಫ್ಡಿ ಸ್ಕೂಲ್ 3565 BA Karnataka Public School ಕರ್ನಾಟಕ ಪಬ್ಲಿಕ್ ಶಾಲೆ NR Windgates Jakkur Lake CARS24 Hub - Buy Used Cars in Jakkur... Elegant Embassy North TMR Orchids 4 Aakruthi Ultime Seriost aceta DS-MAX SPARKNEST BHK Luxury Villas ಆಕೃತಿ ಅಲ್ಲಿಮಾ ಡಿಎಸ್ ಮ್ಯಾಕ್, ಸ್ಟಾರ್ಕ್ ನೆಸ್ಟ್ provident too Jakkur Lake -Jakkur Main Gate 🗘 good homes Manjunatha Apartment St NAVANAAM Nakshatra Celestia LAVENDER :ur Rd ಜಿಕ್ಕೂರು... ನೆಲೆಸ್ಟಿಯಾ PENUSILA ಲ್ಯಾವೆಂಡಂ #TooGoodHomes Convention Center CLC BLOCKS of Ltd. 2 BHK Flats near. Sampigehalli Milk Dairy నంపిగినల్లి మల్కా గృర్ ಕನ್ನೆನ್ನನ್. YuVe Champio Greenfield Public School VIRCYOR High Leaflet | Powered by Esn | & GoogleMap contributors 23/Z3-Demand. Permission Wigner Submit EXECUTIVE ENGINEER OFC CELL BRUHAT BENGALURU MAHANAGARA PALIKE COUHAT BENGALURU MAHANAGARA PALIKE DENCAL LIDIT 12:17 BENGALURU