

BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building, N.R. Square, Bangalore -560002

No: EE/OFC/PR/7890/2022-23

Date: 04-01-2023

Permission for laying of Optical Fiber Cable

To,

M/s. Jio Digital Fibre Private Limited,

RMZ ICON, No-51, Palace Road Cross,

Vasanth Nagar, Bengaluru-52.

Sir,

<u>Sub</u>:- Permission for laying of O F C by HDD Method-regarding

<u>Ref:</u> 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.

- 2) M/s. Jio Digital Fibre Private Limited online application Dated: 08-06-2022.
- 3) Opinion obtained Online from Assistant Executive Engineer Byatarayanapura Sub Division, Yelahanka Zone on Dated: 17-12-2022.
- 4) Approved by Chief Engineer (OFC-Cell) on 17-12-2022 (Online).
- 5) Fee Demand Note letter No: 04-2022-7890, Date: 17-12-2022.
- 6) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD on: 30-12-2022.

*_*_*

With reference to your application for permission, we have pleasure to inform you that permission has been given for laying of OFC cables by HDD method on roads mentioned below subject to the terms and conditions of MOU and the conditions mentioned below:

Sl No	Name of the Road and Route	Length in Mtr				
01	Permission for laying of OFC by HDD Method from Chokkanahalli Main Road on Dr. Ambedkar Road.	568.93 M				
02	From Dr. Ambedkar Road on Street ID No-W0880 up to Road end.	178.88 M				
03	From Dr. Ambedkar Road on Street ID No-W0696 up to Road end.	109.27 M				
04	From Dr. Ambedkar Road on Street ID No-W0858.	132.3 M				
No of Pits-02, No of Manhole-10 and No of Ducts 3, in Ward No-05, Yelahanka						
	Zone.					
Ref: As per drawing enclosed. Total						

The work shall be strictly taken up and completed between 04-01-2023 to 05-03-2023 and in line with conditions cited below:

No: EE/OFC/PR/7890/2022-23, Dt: 04-01-2023



Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for HDD Method OFC laying

- 1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
- 2. The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.
- 3. Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.
- 4. Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.
- 5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
- 6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. PSR(G)/5870/2019-20, Dated: 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.
- 7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
- 8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
- 9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.

- 10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
- 11. Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated/destroyed.
- 12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
- 13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCOM / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
- 14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
- 15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
- 16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
- 17. The Agency should not cause any inconvenience to public while executing the work.
- 18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
- 19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
- 20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

Copy to:-

- 1. Copy to the Special Commissioner (Project) for kind information.
- 2. Copy to the Zonal Additional/Joint Commissioner (Yelahanka Zone) for information.
- 3. Copy to Zonal Chief Engineer (Yelahanka Zone) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
- 4. Copy to the Chief Engineer (Road Infrastructure) for information.
- 5. Copy to the Concerned Executive Engineer of (Byatarayanapura Division) for information.
- 6. Copy to the Concerned Assistant Executive Engineer of (Byatarayanapura Sub Division) for information.
- 7. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
- 8. Office Copy

							-	
Ji0		789	10					
केनरा वैक 📣 Canara	Bank	जमा पर्च	f/DI	EPOSI	T / P/	AY IN	SLIP	
शाखा/ Branch	BCC	EX	100	<u>کې ژ</u>	<u>٥٥</u>			
दिनांक/ Da	ite 3	0 1	0	2 6	0	2	2	
SB/CA/OD/CC/RI								
बचत / चालू खाता / ओडी	/ सीसी / आर	डी / टीएल	ा/ <mark>ड़ी</mark> ए	ल् खा	ा मं. /	केड्टिट व	<u>गर्ड सं.</u>	
444	13	44	4	41		Y		
नाम/Name	ბორ	18	10	nes	ς (BB	M)
टेलिफोन / मोबाइल	नं						7	
Tel No./Mobile N			_ ₹			t	/P.	
राशि /Amou राशि शब्दों में	int	8,7	7,	46	6.	\perp	<u>60</u> 1	•
Rupees in words	Eight	lat	th_	Se	rent	4	<u>Seve</u>	ŋ
W. a. (a. 11 .	me-/	greet	col	3sc	yty.	CIZ	con	h
energie No./Date Name	A PUNTE e ciribani &	和 Bancin	तूर-	2	₹		पै/P	U
引度69 Ot. a		12	8,	2/8	149	17.	n01-	
211309 09:1	M22	123_		49	, u	69.	001-	
			-20		1_			
B.B.MEREB!	ange	Tetal)	64	7117	196	6.	00[
अधिकारी ANGA	UKE 1	केत्रा वै	ह टोर	न फ्री 2	4 घंटे	कॉल	सेंटर	
BRUHARTSTEA	цат Т			ank T			<u>f</u> o.	
Officer/Cashier/			180	0425	001	8.11/	L-	
<u>.</u>	BENGAL	_UHU						

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/

04-2022-7890

/DD

Date:

28-Dec-22

The Executive Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4th floor Annex Building, N R Square Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note

CE-OFC-04-2022-7890

With reference to your Demand Note bearing

CE-OFC-04-2022-7890

Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards the

payment to get permission for laying OFC on

BGLR1337

by HDD method:

Application No.	Length in Mtr	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No.for Laying⋑ ervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.	Total Amount
04-2022-7890	989.38	3	828497	211249 Dated 27-12-22	49469	211309 Dated : 27-12-22	124662	877966

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.

50A

38/12



MAIL TO -

COMMISSIONER BBMP BANGALORE

15 7890

-BY ORDER OF-

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

211249

27/12/2022 ated

PAYMENT REFERENCE

MAIL TO ---

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

211309

27/12/2022 dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/

04-2022-7890

/DD

Date:

28-Dec-22

The Executive Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4th floor Annex Building, N R Square Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note

CE-OFC-04-2022-7890

With reference to your Demand Note bearing

CE-OFC-04-2022-7890

Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards the

payment to get permission for laying OFC on

BGLR1337 by HDD method:

Application No.	Length in Mtr	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No.for Laying⋑ ervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.	Total Amount
04-2022-7890	989.38	3	828497	211249 Dated 27-12-22	49469	211309 Dated : 27-12-22	124662	877966

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



COMMISSIONER BBMP BANGALORE

15 7890

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

211249

27/12/2022 dated

PAYMENT REFERENCE

AXIS BANK LTD ISSUING BRANCH IFS CODE - UTIB0000274 PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

- Centralised Collection and Payment Hub (CCPH)

For Axis Bank Ltd

ON DEMAND PAY

COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

Eight Lacs Twenty Eight Thousand Four Hundred Ninety Seven Only

RUPEES

828,497.00

SSHO: 24004

Authorised Signatory

रुपये

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No.

211249

Client Reference

4200013872 83

Under CMS Arrangement Centralised Collections & Payment Hub Mumbai. CODE NO.

as per details mentioned below.

50 7890

MAII TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD,THANE

Thane-400701

We are pleased to send to you Demand Draft No.

211309

27/12/2022 dated

PAYMENT REFERENCE

AXIS BANK LTD

IFS CODE - UTIB0000274

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 26032023

ATE 20 70 1 M 2 M 2 V V 2 V 2 Y

For Axis Bank Ltd

ON DEMAND PAY

COMMISSIONER BBMP BANGALORE

_OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES Forty Nine Thousand Four Hundred Sixty Nine Only

रुपये

अदा करें _____

49,469.00

DD Sr. No. 211309

Client Reference

ISSUING BRANCH

4200013872_141

Payable at par at all Branches of AXIS Bank Ltd.

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.
CODE NO.

SSH0:24004
Authorised Signatory

SS FR Authorised Signatory

Please sign above

BBMP ENGINEERING DEPARTMENT **OFC Form**

Application No.: 04-2022-7890

PR Number(To be Assigned by AE/JE- CE-OFC-04-2022-7890 OFC, BBMP)

General Information

Segment ID

OFC/2022-23/Z7-682/W5-89/7890

Street ID

Ward No.

Organization

08035485012

Vat Reg No.

0

59951

Street Name

NA

Zone

Yelahanka

Ward Name

Jakkuru

Service Provider Category

relecom

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5 380006 Rasta, Ambawadi, Ahmedabad, Gujarat,

Official Phone No. 9845117017

Previous Relevant Exp.

10

Official Phone No.

www.jio.com

Penalized Details

No

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

.lame of the Authorized Person

Babu Veerabhadre

Designation

AHMJ08610A

DGM

Application Submission Date 08/06/2022

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Parace Cross Road, Vasanthanagar, Bangalore 560052

Purpose

OFC Laying

Phone No.

*9*845117017

Mobile No.

Attachments

9845117017

OFC/Cable Related Information

Laying **OFC**

Total No. of Pits(Points marked on map) Laying Method

2

HDD

Likely Date of Commencement

Total Length (m)


No. of Cables

No.of Ducts

No. of Manhole

3

10



Declaration

I hereby accept the following terms and conditions specified by

Maintenance of the cable and road for next 2 years

Refundable Security Deposit (Rs. 150/Mtr.) will be kept with BBMP.

Security deposit will be refunded after 2 years after-field verification from BBMP


BBMP will retain the security deposit ,if service provider fails to maintain the OFC road cut portions for 2 years

Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	E-CE	11/11/2022
aey501(aey501)	AE	15/11/2022
aeey03(aeey03)	AEE	17/12/2022
ceofc01(ceofc01)	CE	17/12/2022
ceofc01(ceofc01)	CE	19/12/2022

20221219121810 Time: 12:18:10 Date: 19/12/2022

No: 04-2022-7890



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore - 560002

No.: CE-OFC-04-2022-7890

Date: 17/12/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Jabu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission to lay OFC by, HDD Method regarding

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).


2)Your request letter No.: 04-2022-7890, dated: 08/06/2022

As per requisition shown in below table for laying of OFC by HDD method to a length of 989.38 mtr. has been approved by the competent authority.

Details of Segments drawn on BBMP GIS Map

(Segment Id:-OFC/2022-23/Z7-682/W5-89/7890)

Sr No.	Segment Length (mts)	From Landmark	To Landmark	Start Coordinates	End Coordinates	Passing Through
1	568.93	.W0858	W0880	13.087765- 77.623703	13.087400- 77.623917	FSA1337
2	178.88	W0880	W1271	13.083982- 77.623681	13.083933- 77.624459	FSA1337
3	132.3	W0858	W1271	13.086266- 77.623926	13.086310- 77.624234	FSA1337
4	109.27	W0696	W1271	13.085978- 77.622794	13.085952- 77.623802	FSA1337



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Banglore" within seven(7) days. Then only your request can be processed further.

Length of OFC proposed 989.38 Mtrs.

Laying Charge @ 600/- Mtr	5,93,628.00	Road Restoration Charges Rs. 10000/ (Pits+ Manholes) or Rs.130/ Per Mtr, Whichever is higher	1,28,619.40
Supervision Charge @ 100/- Mtr	98,938.00	Cess Amount @ 7.39/- Mtr	7,311.52
Sub Total (A)	6,92,566.00	Security Deposit @ Rs.50/- Mtr	49,469.00
GST @ 18% (B)	1,24,661.88	, Total (C)	1,85,399.92
Grand Total (A + B + C)	1002627.80		

Total Amount Payable Rs: 1002627.80 In words Rupees ten Lakh two Thousand six Hundred twenty seven rupees and eighty paisa only.)

Note: The company which has got RCM, facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself so as to make the road motorable for moving traffic. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded with all applicable, hecessary conditions within 7 days after the Reciept of Demand Draft from Nationalized Banks, for the above mentioned amount to this office

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

- 1. Copy submitted to Commissioner for kind information.
- 2. Copy submitted to Special Commissioner (Project) for kind information.
- 3. Copy submitted to CAO for information.
- 4. Copy to Office file.

No.: 04-2022-7890

Q bbmp.oasisweb.in/RoadHistory/HomeSP.aspx 04-2022-7890 1/2 RIL COM **BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)** OFC/2022-**OFC Details** 04-2022-7890 unity Garden Riding School ರು ಲೇಕ್ zionetorio Indira Gandhi Group + 12 Del. ಕುದುರೆ ಓಡಿಸುವ Of Institutions ಇಂದಿರಾ ಗಾಂಧಿ Pyramid Bilberry ස්ප්ඨාණ එද්ව MIMS Residency ಗೂಪ್ ಅಪ್ Apartments in... Orchid Piccadilly - Goya & Co | Hariyana Group × Shrishti Enclave Karnataka Public School 35885 NR Windgates ಕರ್ನಾಟಕ ಪಬ್ಲಿಕ್ ಶಾಲೆ CARS24 Hub - Buy 🔠 O Jakkur Lake Used Cars in Jakkur... View Garden Manipal Academy of Higher Education 😜 TMR Orchids 4 Aakruthi Ultima DS-MAX SPARKNEST **BHK Luxury Villas** ಆಕೃತಿ ಅಲ್ಲಿವಣ డిఎన్ మ్మార్, న్యార్క్ నేల్లో පතයිටා පෘජ provident too good homes Manjunatha Apartment St Nakshatra Celest NAVANAAMI LAVENDER C ನೆಲೆಸ್ತಿರ ನವನಾಮಿ ಲ್ಯಾವೆಂಡರ್ **EBISU** Ö (104) #TooGoodHomes Convention Center 2 BHK Flats near. Domino s Pizza Sampigehalli Milk Dairy ಸಂಪಿಗೆಹಳ್ಳಿ ಮಲ್ಲ್ ಡೈರ ಕನ್ನೆಸ್ಕನ್. YuVe Champions Greenfield Public School Academy for Badminton VIBGYOR High. near Leaflet | Powered by Esn | @ GoogleMap contributors mics Jakkur lake Chokkanahalli I CBSE... 395° .. Z31Z8-**U4-ZUZZ-Payment** View/Submit aeb18501(aeb18501) Pending For opinion 11E3AM19E 7007 13023 -1 04 EXECUTIVE ENGINEER ASSISTANT EXECUTIVE ENGINEER OFC CELL OFC CELL GRUHAT BENGALURU MAHANAGARA PALIKE BRUHAT BENGALURU MAHANAGAPA PALIFE BENCATURE RENGALURU