



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell), 3<sup>rd</sup> Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/7905/2022-23

Date: 04-01-2023

526

**Permission for laying of Optical Fiber Cable**

To,

M/s. Jio Digital Fibre Private Limited,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for laying of O F C by HDD Method-regarding

**Ref :-** 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.

2) M/s. Jio Digital Fibre Private Limited online application Dated: 09-06-2022.

3) Opinion obtained **Online from Assistant Executive Engineer – Byatarayanapura Sub Division, Yelahanka Zone on Dated: 17-12-2022.**

4) Approved by Chief Engineer (OFC-Cell) on **17-12-2022 (Online).**

5) Fee Demand Note letter No: 04-2022-7905, Date: **17-12-2022.**

6) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD on: **30-12-2022.**

\*\_\*\_\*\_\*

With reference to your application for permission, we have pleasure to inform you that permission has been given for laying of OFC cables by HDD method on roads mentioned below subject to the terms and conditions of MOU and the conditions mentioned below:

| Sl No   | Name of the Road and Route   | Length in Mtr      |
|---|--|--------------------|
| 01  | Permission for laying of OFC by HDD Method from 2nd Cross Road on 21st Cross Road, 40th Main Road, 22nd Cross Road, 2nd Cross Road, 23rd Cross Road, 40th Main Road, 24th Cross Road, 2nd Cross Road, 25th Cross Road, 40th Main Road, 2nd Cross Road up to Street ID No-W01238. | 1194.18 M          |
| 02  | From 40th Main Road on 25th Cross Road.  | 93.74 M            |
| 03  | From 40th Main Road on 26th Cross Road.  | 98.36 M            |
| 04  | From 21st Cross Road on 2nd Cross Road, 19th Cross Road, 6th 'B' Main Road, 7th Cross Road, Street ID No-W1100 up to 19th Cross Road.  | 607.44 M           |
| No of Pits-06, No of Manhole-19 and No of Ducts 3, in Ward No-05, Yelahanka Zone. Ref: As per drawing enclosed. |  |                    |
| <b>Total</b>  |  | <b>1993.72 Mtr</b> |

The work shall be strictly taken up and completed between **04-01-2023 to 05-03-2023** and in line with conditions cited below:

No: EE/OFC/PR/7905/2022-23, Dt: 04-01-2023

  
Executive Engineer (OFC), BBMP





**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for HDD Method OFC laying**

1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
2. **The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.**
3. **Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.**
4. **Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.**
5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. - PSR(G)/5870/2019-20, Dated : 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.
7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.



10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
11. **Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated /destroyed.**
12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCOM / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
17. The Agency should not cause any inconvenience to public while executing the work.
18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

**Copy to:-**

1. Copy to the Special Commissioner (Project) for kind information.
2. Copy to the Zonal Additional/Joint Commissioner (**Yelahanka** Zone) for information.
3. Copy to Zonal Chief Engineer (**Yelahanka** Zone) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
4. Copy to the Chief Engineer (Road Infrastructure) for information.
5. Copy to the Concerned Executive Engineer of (**Byatarayanapura** Division) for information.
6. Copy to the Concerned Assistant Executive Engineer of (**Byatarayanapura** Sub Division) for information.
7. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
8. Office Copy

जि०

7905

केनरा बैंक  Canara Bank

जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा / Branch BCC Extension

दिनांक / Date 30/12/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.  
वचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड नं.

840113200010

नाम / Name Commissioner, BBMP

टेलिफोन / मोबाइल नं  
Tel No. / Mobile No.

राशि / Amount 17,69,207.00 ₹ पै/P.

राशि शब्दों में Seventeen lakh sixty nine thousand two hundred seven only  
Rupees in words

| चेक नं. / दिनांक तथा बैंक व शाखा का नाम<br>Cheque No./Date/Bank & Branch | ₹                   | पै/P.      |
|--|---------------------|------------|
| <u>97/12/22</u>  | <u>16,69,521.00</u> | <u>001</u> |
| <u>97/12/22</u>  | <u>99,686.00</u>    | <u>001</u> |
| <u>2 JAN 2023</u>  | <u>17,69,207.00</u> | <u>001</u> |

EXECUTED कुल/Total 17,69,207.00

अधिकारी / अधिकारी का नाम  
BRUHARISHI  
Canara Bank  
1800 425 0018

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/ 04-2022-7905 /DD

Date: 28-Dec-22

The Executive Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to lay the OFC by HDD method.**

**Ref: Demand Note** CE-OFC-04-2022-7905

With reference to your Demand Note bearing CE-OFC-04-2022-7905 Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards the payment to get permission for laying OFC on BGLR1393 by HDD method:

| Application No. | Length in Mtr | No. of Ducts | Laying & Supervision Charges (Rs.) | DD No. for Laying & Supervision | Security Deposit (Rs.) | DD No. for Security Deposit   | GST (through RCM) Rs. | Total Amount |
|-----------------|---------------|--------------|------------------------------------|---------------------------------|------------------------|-------------------------------|-----------------------|--------------|
| 04-2022-7905    | 1993.72       | 3            | 1669521                            | 211256<br>Dated<br>27-12-22     | 99686                  | 211312<br>Dated :<br>27-12-22 | 251209                | 1769207      |

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



SDA  
E  
30/12

LS7905

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**211256**

<sup>27/12/2022</sup>  
dated

PAYMENT REFERENCE

---



SD 7905

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**211312**

27/12/2022  
dated

**PAYMENT REFERENCE**

---



# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/ 04-2022-7905 /DD

Date: 28-Dec-22

The Executive Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to lay the OFC by HDD method.**

**Ref: Demand Note** CE-OFC-04-2022-7905

With reference to your Demand Note bearing CE-OFC-04-2022-7905 Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards the payment to get permission for laying OFC on BGLR1393 by HDD method:

| Application No. | Length in Mtr | No. of Ducts | Laying & Supervision Charges (Rs.) | DD No. for Laying & Supervision | Security Deposit (Rs.) | DD No. for Security Deposit   | GST (through RCM) Rs. | Total Amount |
|-----------------|---------------|--------------|------------------------------------|---------------------------------|------------------------|-------------------------------|-----------------------|--------------|
| 04-2022-7905    | 1993.72       | 3            | 1669521                            | 211256<br>Dated<br>27-12-22     | 99686                  | 211312<br>Dated :<br>27-12-22 | 251209                | 1769207      |

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

  
Authorized Signatory.

LS7905

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **211256**  
as per details mentioned below.

dated 27/12/2022

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 26032023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 27/12/2022  
दिनांक 27/12/2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौगे जाने पर  
RUPEES Sixteen Lacs Sixty Nine Thousand Five Hundred Twenty One Only

रुपये ₹ 1,669,521.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 211256

Client Reference 4200013872\_90

**For Axis Bank Ltd**  
*[Signature]*  
SS No: 24004  
Authorised Signatory

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

Please sign above  
Ravi Shankar  
SS No - 211256

Not Payee  
Not Negotiable

UTILITY FORMS PVT. LTD. MUMBAI/CTS-2010

507905

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **211312**  
as per details mentioned below.

27/12/2022  
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 26032023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 27/12/2022  
दिनांक 27/12/2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर  
RUPEES **Ninety Nine Thousand Six Hundred Eighty Six Only**  
रुपये

₹ 99,686.00  
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 211312

Client Reference 4200013872\_144

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

**For Axis Bank Ltd**  
Authorized Signatory  
Authorized Signatory

**Ravi Shankar**  
SS No - 22632

⑈ 211312 ⑈ 4002110711 ⑈ 999983 ⑈ 16

vc Payee  
or Negotiable

AXIS BANK LTD, MUMBAI, INDIA



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT  
OFC Form

Application No. :04-2022-7905

PR Number(To be Assigned by AE/JE-  
OFC, BBMP)

CE-OFC-04-2022-7905

General Information

Segment ID

OFC/2022-23/Z7-690/W5-94/7905

Street ID

NA

Street Name

NA

Zone

Yelahanka

Ward No.

5

Ward Name

Jakkuru

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

09/06/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

Purpose

ofc

Phone No.

9845117017

Mobile No.

9845117017

Attachments

OFC/Cable Related Information

Laying

OFC

Total No.of Pits(Points marked on map)

6

Laying Method

HDD

Likely Date of Commencement

Total Length (m)

No. of Cables




No. of Ducts

3

No. of Manhole


19



**Declaration**

I hereby accept the following terms and conditions specified by BBMP

- Maintenance of the cable and road for next 2 years **Yes**
- Refundable Security Deposit (Rs. 150/Mtr.) will be kept with BBMP. **Yes**
- Security deposit will be refunded after 2 years, after field verification from BBMP **Yes**
- BBMP will retain the security deposit, if service provider fails to maintain the OFC road cut portions for 2 years **Yes**



**Status of My Application**

| Approver Name    | Designation | Date       |
|------------------|-------------|------------|
| ceofc01(ceofc01) | CE          | 11/11/2022 |
| ae501(aey501)    | AE          | 15/11/2022 |
| aeey03(aeey03)   | AEE         | 17/12/2022 |
| ceofc01(ceofc01) | CE          | 17/12/2022 |
| ceofc01(ceofc01) | CE          | 17/12/2022 |



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : CE-OFC-04-2022-7905

Date: 17/12/2022

**Demand Notice**  
**GST No.: 29AAALBI608FIZK**

**To**

Shri Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0


**Sub:-** Permission to lay OFC by HDD Method regarding**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).  
2)Your request letter No. : 04-2022-7905, dated : 09/06/2022

As per requisition shown in below table for laying of OFC by HDD method to a length of 1993.72 mtr. has been approved by the competent authority.

Details of Segments drawn on BBMP GIS Map

(Segment Id:-OFC/2022-23/Z7-690/W5-94/7905)

| Sr No. | Segment Length (mts) | From Landmark | To Landmark  | Start Coordinates   | End Coordinates     | Passing Through |
|--------|----------------------|---------------|--------------|---------------------|---------------------|-----------------|
| 1      | 1194.18              | MCEHS LAYOUT  | MCEHS LAYOUT | 13.073397-77.617344 | 13.073450-77.618852 | fsa1393         |
| 2      | 607.44               | MCEHS LAYOUT  | MCEHS LAYOUT | 13.071928-77.621504 | 13.071917-77.622505 | fsa1393         |
| 3      | 93.74                | MCEHS LAYOUT  | MCEHS LAYOUT | 13.073415-77.620223 | 13.074257-77.620258 | fsa1393         |
| 4      | 98.36                | MCEHS LAYOUT  | MCEHS LAYOUT | 13.073467-77.619788 | 13.074350-77.619841 | fsa1393         |



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Length of OFC proposed 1993.72 Mtrs.**

|                                |              |  |             |
|--------------------------------|--------------|--|-------------|
| Laying Charge @ 600/- Mtr      | 11,96,232.00 | Road Restoration Charges Rs. 10000/ (Pits+ Manholes) or Rs.130/ Per Mtr, Whichever is higher | 2,59,183.60 |
| Supervision Charge @ 100/- Mtr | 1,99,372.00  | Cess Amount @ 7.39/- Mtr   | 14,733.59   |
| Sub Total (A)                  | 13,95,604.00 | Security Deposit @ Rs.50/- Mtr   | 99,686.00   |
| GST @ 18% (B)                  | 2,51,208.72  | Total (C)  | 3,73,603.19 |
| Grand Total (A + B + C)        | 2020415.91   |  |             |

**Total Amount Payable Rs: 2020415.91 In words (Rupees twenty Lakh twenty Thousand four Hundred fifteen rupees and ninety one paisa only.)**

**Note:**The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself so as to make the road motorable for moving traffic. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded with all applicable, necessary conditions within 7 days after the Receipt of Demand Draft from Nationalized Banks, for the above mentioned amount to this office

Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 04-2022-7905


1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

Demand Update Permission

OFC Details



04-2022-7905

OFC/2022-

*S. Y. S. Rao*  
 ASSISTANT EXECUTIVE ENGINEER  
 OFC CELL  
 BRUHAT BENGALURU MAHANAGARA PALIKE  
 BENGALURU

*Sanjay*  
 04/01/2023  
 EXECUTIVE ENGINEER  
 OFC CELL  
 BRUHAT BENGALURU MAHANAGARA PALIKE  
 BENGALURU