

#### BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell ), 3<sup>rd</sup>Floor, Annexe II Building, N.R. Square, Bangalore -560002

No: EE/OFC/PR/7906/2022-23

Date: 04-01-2023

538

# Permission for laying of Optical Fiber Cable

To,

M/s. Jio Digital Fibre Private Limited,

RMZ ICON, No-51, Palace Road Cross,

Vasanth Nagar, Bengaluru-52.

Sir,

<u>Sub</u>:- Permission for laying of O F C by HDD Method-regarding

**<u>Ref :-</u>** 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.

- 2) M/s. Jio Digital Fibre Private Limited online application Dated: 09-06-2022.
- 3) Opinion obtained Online from Assistant Executive Engineer Byatarayanapura Sub Division, Yelahanka Zone on Dated: 16-12-2022.
- 4) Approved by Chief Engineer (OFC-Cell) on 16-12-2022 (Online).
- 5) Fee Demand Note letter No: 04-2022-7906, Date: 16-12-2022.
- 6) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD on: 30-12-2022.

\*\_\*\_\*

With reference to your application for permission, we have pleasure to inform you that permission has been given for laying of OFC cables by HDD method on roads mentioned below subject to the terms and conditions of MOU and the conditions mentioned below:

| Sl | Name of the Road and Route  | Length in |
|----|---|-----------|
| No |   | Mtr       |
| 01 | Permission for laying of OFC by HDD Method from MCECHS Layout Main Road on 10 <sup>th</sup> Cross Road up to 6 <sup>th</sup> 'A' Main Road. | 161.26 M  |
| 02 | From MCECHS Layout Main Road on 13th Cross Road up to 6th 'A' Main Road.  | 157.49 M  |
| 03 | From MCECHS Layout Main Road on 14th Cross Road, 6th 'A' Main Road up to 8th Cross Road.  | 411.51 M  |
| 04 | From MCECHS Layout Main Road on 15th Cross Road, 6th 'A' Main Road, 16th Cross Road.  | 207.09 M  |
| 05 | From 6th 'A' Main Road on 12th Cross Road.  | 66.51 M   |
| 06 | From 6th 'A' Main Road on 21st Cross Road up to Hasmitha Arcade Road.   | 121.14 M  |
| 07 | From 6th 'B' Main Road on 1st Cross Road.   | 97.85 M   |
| 08 | From 6th 'B' Main Road on 3rd Cross Road.   | 97.68 M   |

No: EE/OFC/PR/7906/2022-23, Dt: 04-01-2023

Executive Engineer (OFC), BBMP

AL.

| 09  | From 7th Cross Road on 6th 'B' Main Road, 2nd Cross Road.  | 364.51 M    |  |  |  |  |  |
|---|--|-------------|--|--|--|--|--|
| 10 From Street ID No-W1100 on 8th Cross Road. |  |             |  |  |  |  |  |
| 11  | From Street ID No-W1100 on 9th Cross Road.   | 94.58 M     |  |  |  |  |  |
| 12  | From Street ID No-W1100 on 10th Cross Road.  | 84.78 M     |  |  |  |  |  |
| 13  | From Street ID No-W1100 on 11th Cross Road.  | 84.74 M     |  |  |  |  |  |
| 1000  | No of Pits-06, No of Manhole-19 and No of Ducts 3, in Ward No-05, Yelahanka Zone Ref: As per drawing enclosed. |             |  |  |  |  |  |
|   | Total  | 1995.23 Mtr |  |  |  |  |  |

The work shall be strictly taken up and completed between  $\underline{04\text{-}01\text{-}2023}$  to  $\underline{05\text{-}03\text{-}2023}$  and in line with conditions cited below:

### **Special Condition:**

No: EE/OFC/PR/7906/2022-23, Dt: 04-01-2023

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

### Conditions for HDD Method OFC laying

- 1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
- 2. The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.
- 3. Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.
- 4. Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.
- 5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
- 6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. PSR(G)/5870/2019-20, Dated: 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.

Executive Engineer (OFC), BBMP

- 7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
- 8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
- 9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.
- 10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
- 11. Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated/destroyed.
- 12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
- 13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCOM / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
- 14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
- 15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
- 16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
- 17. The Agency should not cause any inconvenience to public while executing the work.

Executive Engineer (OFC), BBMP


No: EE/OFC/PR/7906/2022-23, Dt: 04-01-2023

- 18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
- 19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
- 20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

#### Copy to:-

- 1. Copy to the Special Commissioner (Project) for kind information.
- 2. Copy to the Zonal Additional/Joint Commissioner (Yelahanka Zone) for information.
- 3. Copy to Zonal Chief Engineer (Yelahanka Zone) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
- 4. Copy to the Chief Engineer (Road Infrastructure) for information.
- 5. Copy to the Concerned Executive Engineer of (Byatarayanapura Division) for information.
- 6. Copy to the Concerned Assistant Executive Engineer of (Byatarayanapura Sub Division) for information.
- 7. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
- 8. Office Copy

Executive Engineer (OEC) RRMP



#### JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/

04-2022-7906

/DD

Date

28-Dec-22

The Executive Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4<sup>th</sup> floor Annex Building, N R Square Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

**Ref:** Demand Note

CE-OFC-04-2022-7906

With reference to your Demand Note bearing

CE-OFC-04-2022-7906

Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards the

payment to get permission for laying OFC on

BGLR1393

by HDD method:

| Application No. | Length in Mtr | No. of<br>Ducts | Laying &<br>Supervision<br>Charges<br>(Rs.) | DD No.for<br>Laying⋑<br>ervision | Security<br>Deposit (Rs.) | DD No. for<br>Security<br>Deposit | GST<br>(through<br>RCM)<br>Rs. | Total<br>Amount |
|-----------------|---------------|-----------------|---|----------------------------------|---------------------------|-----------------------------------|--------------------------------|-----------------|
| 04-2022-7906    | 1995.23       | . 3             | 1670786                                     | 211258<br>Dated<br>27-12-22      | 99762                     | 211315<br>Dated :<br>27-12-22     | 251399                         | 1770547         |

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.

SDA

25/12

BRIP ROMANIUM DATE Sengalum Manager



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

211258

27/12/2022 ated

PAYMENT REFERENCE

m

507906

MAIL TO

COMMISSIONER BBMP BANGALORE

-BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

211315

27/12/2022 dated

PAYMENT REFERENCE

#### JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/

04-2022-7906

/DD

Date:

28-Dec-22

The Executive Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4<sup>th</sup> floor Annex Building, N R Square Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note

CE-OFC-04-2022-7906

With reference to your Demand Note bearing

payment to get permission for laying OFC on

CE-OFC-04-2022-7906

Please find mentioned

below the details of Demand Draft drawn on  $\,$  AXIS Bank, payable at Bangalore towards the

BGLR1393

by HDD method:

| Application No. | Length in Mtr | No. of<br>Ducts | Laying &<br>Supervision<br>Charges<br>(Rs.) | DD No.for<br>Laying⋑<br>ervision | Security<br>Deposit (Rs.) | DD No. for<br>Security<br>Deposit | GST<br>(through<br>RCM)<br>Rs. | Total<br>Amount |
|-----------------|---------------|-----------------|---|----------------------------------|---------------------------|-----------------------------------|--------------------------------|-----------------|
| 04-2022-7906    | 1995.23       | 3               | 1670786                                     | 211258<br>Dated<br>27-12-22      | 99762                     | 211315<br>Dated :<br>27-12-22     | 251399                         | 1770547         |

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.

Dale: Osle Signing Manager

4 7906

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

211258

dated 27/12/2022

PAYMENT RÉFERENCE

AXIS BANK LTD IFS CODE - UTIB0000274

ISSUING BRANCH

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

- Centralised Collection and Payment Hub (CCPH) DATE 2 p MPMP

ON DEMAND PAY

COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

Sixteen Lacs Seventy Thousand Seven Hundred Eighty Six Only

रुपये

<u>अ</u>दा करें

1,670,786.00

DD Sr. No 211258

Client Reference

4200013872 92

Payable at par at all Branches of AXIS Bank Ltd.

**Under CMS Arrangement Centralised Collections & Payment Hub** Mumbai. CODE NO.

5540:24004

For Axis Bank Ltd

507906

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

211315

27/12/2022 dated

PAYMENT REFERENCE

AXIS BANK LTD ISSUING BRANCH

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

- Centralised Collection and Payment Hub (CCPH)

COMMISSIONER BBMP BANGALORE ON DEMAND PAY

OR ORDER / या उनके आदेश पर

माँगे जाने पर RUPEES

Ninety Nine Thousand Seven Hundred Sixty Two Only

रुपये

UTILITY FORMS PVT. LTD. MUMBA! / CTS-2010

99,762.00

DD Sr. No. 211315 Client

4200013872\_147 Reference

Payable at par at all Branches of AXIS Bank Ltd.

**Under CMS Arrangement Centralised Collections & Payment Hub** Mumbai. CODE NO.

For Axis Bank Ltd SSHO; 24004 Authorised Signatory

Ravi charmaskimar SS No - 22832

# BBMP ENGINEERING DEPARTMENT **OFC Form**

Application No.: 04-2022-7906

PR Number(To be Assigned by AE/JE- CE-OFC-04-2022-7906 OFC, BBMP)

**General Information** 

Segment ID

OFC/2022-23/Z7-691/W5-95/7906

Street ID

Pin Códe

60574

NA

Zone

Yelahanka

Ward No.

**Ward Name** 

**Street Name** 

Jakkuru

Service Provider Category

Telecom

Organization 3 M/s. Jio Digital Fibre Private Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5 380006 Rasta, Ambawadi, Ahmedabad, Gujarat,

India

Official Phone No.

9845117017

Previous Relevant Exp.

08035485012

Vat Reg No.

Official Phone No.

www.jio.com

**Penalized Details** 

No

**GST** 

29AAECJ4213B1Z0

**Turnover for Last 3 Years** 

60

Name of the Authorized Person

Babu Veerabhadre

Designation

AHMJ08610A

**Application Submission Date** 09/06/2022

No 51, RMZ Icon, Palace Cross Road,

DGM

**Email ID** 

babu.veerabhadre@ril.com

**Local Address** 

Vasanthanagar, Bangalore 560052

**Purpose** 

ofc

Phone No.

9845117017

Mobile No.

**Attachments** 

9845117017

OFC/Cable Related Information

Laying

**OFC** 

Total No.of Pits(Points marked on map) Laying Method

6

HDD

Likely Date of Commencement


Total Length (m)

No. of Cables

**No.of Ducts** 

No. of Manhole

3



**Declaration** 

I hereby accept the following terms and conditions specified by BBMP

Maintenance of the cable and road for next 2 years

Refundable Security Deposit (Rs. 150/Mtr.) will be kept with BBMP.

Security deposit will be refunded after 2 years, after field verification from BBMP

BBMP will retain the security deposit, if service provider fails to maintain the OFC road cut portions for 2 years

Status of My Application


| Approver Name    | Designation  | Date       |  |
|------------------|--|------------|--|
| ceofc01(ceofc01) | CETT TO THE TOTAL THE TOTAL TO THE TOTAL TOT | 11/11/2022 |  |
| aey501(aey501)   | AE   | 15/11/2022 |  |
| aeey03(aeey03)   | E AEE  | 16/12/2022 |  |
| ceofc01(ceofc01) | CE   | 16/12/2022 |  |
| ceofc01(ceofc01) | CE   | 17/12/2022 |  |

Date: 17/12/2022

Time: 03:13:48

20221217031348

No: 04-2022-7906



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore - 560002

No.: CE-OFC-04-2022-7906

Date: 16/12/2022

## **Demand Notice**

**GST No.: 29AAALBI608FIZK** 

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission to lay OFC by HDD Method regarding

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No.: 04-2022-7,906, dated: 09/06/2022


As per requisition shown in below table for laying of OFC by HDD method to a length of 1995.23 mtr. has been approved by the competent authority.

Details of Segments drawn on BBMP GIS Map

(Segment Id:-OFC/2022-23/Z7-691/W5-95/7906)

| Sr No. | Segment<br>Length<br>(mts) | From<br>Landmask | To<br>Landmark  | Start<br>Coordinates    | End<br>Coordinates      | Passing<br>Th <del>g</del> ough |
|--------|----------------------------|------------------|-----------------|-------------------------|-------------------------|---------------------------------|
| 1      | 364.51                     | MCEHS<br>LAYOUT  | MCEHS<br>LAYOUT | 13.071245-<br>77.624579 | 13.071018-<br>77.625586 | fsa1393                         |
| 2      | 97.85                      | MCEHS<br>LAYOUT  | MCEHS<br>LAYOUT | 13.070885-<br>77.627105 | 13.071762-<br>77.627177 | fsa1393                         |
| 3      | 97.68                      | MCEHS<br>LAYOUT  | MCEHS<br>LAYOUT | 13.071774-<br>77.626486 | 13.070896-<br>77.626438 | fsa1393                         |
| 4      | 411.51                     |                  | MCEHS<br>LAYOUT | 13.070432-<br>77.626629 | 13.070920-<br>77.624293 | fsa1393                         |
| 5      | 157.49                     | MCEHS<br>LAYOUT  | MCEHS<br>LAYOUT | 13.070798-<br>77.624555 | 13.069404-<br>77.624299 | fsa1393                         |
| 6      | 66.51                      | MCEHS<br>LAYOUT  | MCEHS<br>LAYOUT | 13.070734-<br>77.624907 | 13.070148-<br>77.624788 | fsa1393                         |
| 7      | <del>- 16</del> 1.26       |                  | MCEHS<br>LAYOUT | 13.070514-<br>77.625789 | 13.069090-<br>77.625503 | fsa1393                         |

| 8  |        | MCEHS<br>LAYOUT | MCEHS<br>LAYOUT | 13.069816-<br>77.623691 | 13.071001-<br>77.623923 | fsa1393 |
|----|--------|-----------------|-----------------|-------------------------|-------------------------|---------|
| 9  |        | MCEHS<br>LAYOUT | MCEHS<br>LAYOUT | 13.070844-<br>77.621372 | 13.071907-<br>77.621617 | fsa1393 |
| 10 | _84.74 | MCEHS<br>LAYOUT | MCEHS<br>LAYOUT | 13.071924-<br>77.623280 | 13.072685-<br>77.623322 | fsa1393 |
| 11 |        | MCEHS<br>LAYOUT | MCEHS<br>LAYOUT | 13.071837-<br>77.623566 | 13.072598-<br>77.623613 | fsa1393 |
| 12 | 94.58  | MCEHS<br>LAYOUT | MCEHS<br>LAYOUT | 13.071750-<br>77.623870 | 13.072598-<br>77.623935 | fsa1393 |
| 13 | 46.09  | MCEHS<br>LAYOUT | MCEHS<br>LAYOUT | 13.071663-<br>77.624173 | 13.072075-<br>77.624215 | fsa1393 |



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Banglore" within seven(7) days. Then only your request can be processed further.

# Length of OFC proposed 1995.23 Mtrs.

| Laying Charge @ 600/-<br>Mtr 11,97,138.00 | Road Restoration<br>Charges Rs. 10000/<br>(Pits+ Manholes) or<br>Rs.130/ Per Mtr,<br>Whichever is higher | 2,59,379.90 |
|---|--|-------------|
|---|--|-------------|


| Supervision Charge @ 100/- Mtr | 1,99,523.00  | Cess Amount @ 7.39/-<br>Mtr       | 14,744.75   |
|--------------------------------|--------------|-----------------------------------|-------------|
| Sub Total (A)                  | 13,96,661.00 | Security Deposit @<br>Rs.50/- Mtr | 99,761.50   |
| GST @ 18% (B)                  | 2,51,398.98  | Total (C)                         | 3,73,886.15 |
| Grand Total (A + B + C)        | 2021946.13   |                                   |             |

Total Amount Payable Rs: 2021946.13 In words (Rupees twenty Lakh twenty one Thousand nine Hundred forty six rupees and thirteen paisa only.)

<u>Note:</u> The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself so as to make the road motorable for moving traffic. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded with all applicable necessary conditions within 7 days after the Reciept of Demand Draft from Nationalized Banks, for the above mentioned amount to this office



### Copy to

- 1. Copy submitted to Commissioner for kind information.
- 2. Copy submitted to Special Commissioner (Project) for kind information.
- 3. Copy submitted to CAO for information.
- 4. Copy to Office file.

