



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell), 3<sup>rd</sup> Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/793/2022-23

Date: 15-10-2022

**Permission for Regularization for Poles**

To,

M/s. Jio Digital Fibre Private Limited,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 07-05-2022
  - 3) Fee Demand Note letter No: 10-2022-793, Date: 13-05-2022.
  - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 12-10-2022.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 2nd Cross Road via 3rd Cross, 2nd 'B' Main, Street ID No-W0186, 2nd 'A' Main, 3rd Cross, 2nd Main	34 Poles
02	From 2nd 'B' Main via 2nd Cross	
03	From 2nd 'B' Main via 1st Cross	
04	From 5th Cross via 4th Cross	
05	From 60feet Road via 19th Main, Street ID No-W0074 up to W0091, total No of 34 Poles, in Ward No-162, South Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/793/2022-23, Dt: 15-10-2022

  
Executive Engineer (OFC), BBMP

### Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent

- authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
  15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
  16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
  17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
  18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
  19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
  20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
  21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
  22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Basavanagudi** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Giri Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

12-2022-793 3:00 PM  
 केनरा बैंक Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch Sec Extension  
 दिनांक/ Date 12102022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.  
 बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.  
8401132000010

नाम/Name Commissioner Bmp  
 टेलिफोन / मोबाइल नं.  
 Tel No./Mobile No.

राशि /Amount 156651.00/-  
 राशि शब्दों में One Lakh Fifty Six Thousand Five Hundred Fifty One Rupees in words

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date / Name of Bank & Branch	₹	₹/P.
<u>20590801/01/10/2022</u>	<u>156651.00/-</u>	

EXECUTIVE OFFICER  
 अधिकारी / रोकथाम अधिकारी  
 Canara Bank Toll Free No. 1800 425 4448  
 RUHAT BENISALURU MAHANAGARA BAHKE  
 Officer/Cashier/SWO

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-793 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to lay the OFC by HDD method.**

**Ref: Demand Note :-** Pole-OFC-10-2022-793

With reference to your Demand Note bearing Pole-OFC-10-2022-793 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0877

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-793	34	156651	205908	28152	156651
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.





793

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**205908**01/10/2022  
dated

---

**PAYMENT REFERENCE**

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-793 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-793

With reference to your Demand Note bearing Pole-OFC-10-2022-793 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0877

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-793	34	156651	205908	28152	156651
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



793

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**205908**

01/10/2022  
dated

**PAYMENT REFERENCE**

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31/12/2022

DATE 01/10/2022  
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर  
RUPEES One Lac Fifty Six Thousand Six Hundred Fifty One Only

रुपये अदा करें

₹ 156,651.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205908

Client Reference 4200008085\_91

For Axis Bank Ltd  
Authorized Signatory

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT  
Pole Form

Application No. :10-2022-793

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-793

General Information

Segment ID

OFC/Pole/2022-23/W0186/783

Street ID

36615

Street Name

NA

Zone

South

Ward No.

162

Ward Name

Girinagara

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

07/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

Purpose

ofc

Phone No.

9845117017

Mobile No.

9845117017

Attachments

Pole Related Information

No.of Poles

34

No.Junction Box

34




### Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	11/05/2022
ceofc01(ceofc01)	CE	11/05/2022

Date : 13/05/2022

Time : 12:44:39

20220513124439





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-793

Date: 13/05/2022

### Demand Notice

**GST No.: 29AAALBI608FIZK**

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-793, dated : 07/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0186/783)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/4336/W- 162/236	W0189	temple	12.936212743 153884- 77.544754743 57606	4336	28/12/2021
2	EE/ OFC/pole/202 2-23/4336/W- 162/237	W0189	3737	12.935899046 843339- 77.544658184 05153	4336	28/12/2021
3	EE/ OFC/pole/202 2-23/4336/W- 162/238	W0189	268	12.936672830 362427- 77.544926404 95302	4336	28/12/2021
4	EE/ OFC/pole/202 2-23/4336/W- 162/239	W0189	108	12.937038808 21775- 77.545055150 98573	4336	28/12/2021
5	EE/ OFC/pole/202 2-23/4336/W- 162/240	W0189	hemalatha	12.937446611 481114- 77.545194625 85449	4336	28/12/2021

6	EE/ OFC/pole/202 2-23/4336/W- 162/241	W0189	shree krupa	12.937823044 670866- 77.545366287 23146	4336	28/12/2021
7	EE/ OFC/pole/202 2-23/4336/W- 162/242	W0193	shreenidi	12.937885783 480606- 77.545763254 16566	4336	28/12/2021
8	EE/ OFC/pole/202 2-23/4336/W- 162/243	W0193	221	12.937498893 902553- 77.545613050 46083	4336	28/12/2021
9	EE/ OFC/pole/202 2-23/4336/W- 162/244	W0193	536	12.937059721 221825- 77.545441389 08388	4336	28/12/2021
10	EE/ OFC/pole/202 2-23/4336/W- 162/245	W0193	ranga	12.936568265 162284- 77.545280456 54298	4336	28/12/2021
11	EE/ OFC/pole/202 2-23/4336/W- 162/246	W0197	swasti	12.937875327 013403- 77.546138763 42775	4336	28/12/2021
12	EE/ OFC/pole/202 2-23/4336/W- 162/247	W0197	kusum	12.937582545 754053- 77.546052932 73927	4336	28/12/2021
13	EE/ OFC/pole/202 2-23/4336/W- 162/248	W0197	240	12.937216568 696567- 77.545945644 37868	4336	28/12/2021
14	EE/ OFC/pole/202 2-23/4336/W- 162/249	W0197	sai deep	12.936704199 913923- 77.545763254 16566	4336	28/12/2021
15	EE/ OFC/pole/202 2-23/4336/W- 162/250	W0197	laxmi	12.936233656 227232- 77.545602321 62477	4336	28/12/2021
16	EE/ OFC/pole/202 2-23/4336/W- 162/251	W0197	panduranga	12.935574893 574664- 77.545398473 73964	4336	28/12/2021
17	EE/ OFC/pole/202 2-23/4336/W- 162/252	W0188	ganesh	12.937927609 344984- 77.546793222 42738	4336	28/12/2021
18	EE/ OFC/pole/202 2-23/4336/W- 162/253	W0188	4248	12.937927609 344984- 77.547018527 98463	4336	28/12/2021
19	EE/ OFC/pole/202 2-23/4336/W- 162/254	W0188	km nilaya	12.937927609 344984- 77.547286748 88611	4336	28/12/2021
20	EE/ OFC/pole/202 2-23/4336/W- 162/255	W0188	anu	12.937927609 344984- 77.547565698 62367	4336	28/12/2021
21	EE/ OFC/pole/202 2-23/4336/W- 162/256	W0188	1908	12.937917152 879535- 77.547866106 03334	4336	28/12/2021

22	EE/ OFC/pole/202 2-23/4336/W- 162/257	W0188	189	12.937906696 413666- 77.548166513 44301	4336	28/12/2021
23	EE/ OFC/pole/202 2-23/4336/W- 162/258	W0188	om hari	12.937864870 545779- 77.548574209 21327	4336	28/12/2021
24	EE/ OFC/pole/202 2-23/4336/W- 162/259	W0186	181	12.938147195 017908- 77.548917531 96718	4336	28/12/2021
25	EE/ OFC/pole/202 2-23/4336/W- 162/260	W0186	4236	12.938335411 155116- 77.548820972 44264	4336	28/12/2021
26	EE/ OFC/pole/202 2-23/4336/W- 162/261	W0186	nmitha	12.938335411 155116- 77.548563480 37721	4336	28/12/2021
27	EE/ OFC/pole/202 2-23/4336/W- 162/262	W0186	saptagiri	12.938345867 603008- 77.548166513 44301	4336	28/12/2021
28	EE/ OFC/pole/202 2-23/4336/W- 162/263	W0186	4261	12.938345867 603008- 77.547705173 49245	4336	28/12/2021
29	EE/ OFC/pole/202 2-23/4336/W- 162/264	W0186	287	12.938335411 155116- 77.547061443 32887	4336	28/12/2021
30	EE/ OFC/pole/202 2-23/4336/W- 162/265	W0186	rama	12.938345867 603008- 77.546557188 03406	4336	28/12/2021
31	EE/ OFC/pole/202 2-23/4336/W- 162/266	W0186	bhavana	12.938345867 603008- 77.546213865 28015	4336	28/12/2021
32	EE/ OFC/pole/202 2-23/4336/W- 162/267	W0186	sanjeevini	12.938356324 05048- 77.545956373 21474	4336	28/12/2021
33	EE/ OFC/pole/202 2-23/4336/W- 162/268	W0182	744	12.938722299 435515- 77.546589374 54224	4336	28/12/2021
34	EE/ OFC/pole/202 2-23/4336/W- 162/269	W0182	hut	12.938711843 003386- 77.547222375 86977	4336	28/12/2021



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No.of Poles 34**

Pole Charges @ Rs 1500/- Pole	51,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	251.26
Junction Box Charges @ Rs 3000/- Pole	102,000	Total (C)	251.26
Supervision Charge @ Rs 100/- Pole	3,400		
Sub Total (A)	156,400	GST @ 18% (B)	28,152
Grand Total (A + B + C)	184,803.26		

**Total Amount Payable Rs: 184,803 In words (Rupees One Lakh Eighty-Four Thousand Eight Hundred and Three Only)**

**Note:**The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-793

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-793

2/3

BHADRE@RIL.COM

OFC/Pole/2022-23/W0114/795

10-2022-803

Pending

ceofc01(ceofc01)

Pole Work Created

[Demand Notice](#)

[Permission Letter](#)

[View/Submit](#)

Pole Details



10-2022-793

OFC/Pole/2022-23/W0542/769

10-2022-778

Pending

ceofc01(ceofc01)

OFC Work Created

[Demand Notice](#)

[Permission Letter](#)

[View/Submit](#)

EXECUTIVE ENGINEER  
OFC CELL

CHAHAT BENGALURU MAHANAGARA PALIKE

BENGALURU