



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/823/2022-23

Date: 02-11-2022

402
Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

Ref :- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
2) M/s. Jio Digital Fibre Private Limited online application Dated: 07-05-2022
3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
4) Fee Demand Note letter No: 10-2022-823, Date: **19-10-2022**.
5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **25-10-2022**.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Devarkodi Chikkanahalli Main Road via Street ID No-W0083, 1st Cross, Street ID No-W0081, W0079, W0094	16 Poles
02	From Devarkodi Chikkanahalli Main Road via 1st Cross, 3rd Cross	
03	From Street ID No-W0083 via W0112	
04	From Street ID No-W0085 via W0114	
05	From Street ID No-W0083 via W0104	
06	From Street ID No-W0081 via W010	
07	On Street ID No-W0108	
08	From Bannerghatta Main Road via Street ID No-W0102	
09	From Bannerghatta Main Road via Street ID No-W0098 for total No of 16 Poles , in Ward No-188, Bommanahalli Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/823/2022-23, Dt: 02-11-2022


Executive Engineer (OFC), BBMP

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do the same at its own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at its own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to poles and resultant losses, if any during performance of official duties by any employee of corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the

agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. If any dispute arise it will be settled as per the MOU.

14. Operational and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operational and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0


23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Bommanahalli** Zone) for information.
4. Copy to Zonal Chief Engineer (**Bommanahalli** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Bommanahalli** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Bommanahalli** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

823
केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP
शाखा/ Branch BCC Extension

दिनांक/ Date 25/10/2022

SB/CA/GD/CC/RD/TL/DL A/c. No. / Credit Card No.
बचत/ बाल खाता/ ओडी/ सीसी/ आरडी/ टीएल/ डीएल खाता सं./ क्रेडिट कार्ड सं.

401132000010

नाम/Name Commissioner BBMP

टेलिफोन / मोबाइल नं
Tel No./Mobile No.

राशि /Amount ₹ 73,718.00 पैं/P.

राशि शब्दों में Seventy three thousand
Rupees in words seven hundred eighteen only.

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date/Name of Bank & Branch	₹	पैं/P.
<u>206498 01/10/2022 ABA 3/3</u>	<u>718.00</u>	<u>00/</u>
<u>23-04-2022</u>		
<u>EXECUTIVE ENGINEER</u>	<u>718.00</u>	

अधिकारी/सूचीकरण/ऑफिसर/काशियर/स्वो
Canara Bank Toll Free No. 1800 425 0018
Officer/Cashier/SWO

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-823 /DD Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to Regularise Poles.
Ref: Demand Note :- Pole-OFC-10-2022-823

With reference to your Demand Note bearing Pole-OFC-10-2022-823 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1125 .


Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-823	16	73718	206498	13248	73718
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,
Yours faithfully,
for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



823

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206498

dated 19/10/2022

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-823 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-823

With reference to your Demand Note bearing Pole-OFC-10-2022-823 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1125

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-823	16	73718	206498	13248	73718
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED


Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206498

dated 19/10/2022

PAYMENT REFERENCE

DATE
दिनांक DD MM YY Y2 Y2 Y

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या. उनके आदेश, पर

मांगे जाने पर

RUPEES Seventy Three Thousand Seven Hundred Eighteen Only

रुपये

₹ 73,718.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206498

Client Reference 4200009020_194

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

Authorized Signatory

Authorized Signatory
Rudresha B
SS No. 26182
Please sign above

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-823 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-823

With reference to your Demand Note bearing Pole-OFC-10-2022-823 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get-permission-for-laying Poles-on BGLR1125

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-823	16	73718	206498	13248	73718
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206498

dated 19/10/2022

PAYMENT REFERENCE

AXIS BANK LTD ISSUING BRANCH
IFS CODE - UTIB0000274

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18/12/2023

DATE
दिनांक DD MM YY Y2 Y2 Y

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY • COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES Seventy Three Thousand Seven Hundred Eighteen Only

रुपये

₹ 73,718.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206498

Client Reference 4200009020_194

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd.

Authorized Signatory

SS. No. 25182
Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-823

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-823

General Information

Segment ID

OFC/Pole/2022-23/W0083/809

Street ID

85959

Street Name

NA

Zone

Bommanahalli

Ward No.

188

Ward Name

Bilekhalli

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

07/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

16

No.Junction Box

16




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	24/05/2022

Date : 19/10/2022

Time: 03:31:47

20221019033147





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-823

Date: 19/10/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-823, dated : 07/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0083/809)



Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/2627/W- 188/56	W0120	PL5201 #STELLA BHAVAN	12.899073589 67677- 77.603988647 46095	2627	29/03/2022
2	EE/ OFC/pole/202 2-23/2627/W- 188/57	W0114	BGLRBD0573 864 #10	12.899084047 768321- 77.603293955 3261	2627	29/03/2022
3	EE/ OFC/pole/202 2-23/2627/W- 188/58	W0114	PL5402 #27 OPP	12.899201701 26822- 77.602980136 87135	2627	29/03/2022
4	EE/ OFC/pole/202 2-23/2627/W- 188/59	W0114	PL5401 #27	12.899188628 659857- 77.602966725 82628	2627	29/03/2022
5	EE/ OFC/pole/202 2-23/2627/W- 188/60	W0112	PL5302 #NEAR TEAMPLE	12.899528516 255426- 77.602886259 55583	2627	29/03/2022

6	EE/ OFC/pole/202 2-23/2627/W- 188/61	W0081,W011 2,W0110	BGLRBD8400 28 #TEA SHOP OPP	12.899792582 453227- 77.601655125 618	2627	29/03/2022
7	EE/ OFC/pole/202 2-23/2627/W- 188/62	W0108	BGLRBD0730 433	12.900030503 244235- 77.601877748 96623	2627	29/03/2022
8	EE/ OFC/pole/202 2-23/2627/W- 188/63	W0108	BGLRBD0718 844	12.899978212 97989- 77.602011859 41698	2627	29/03/2022
9	EE/ OFC/pole/202 2-23/2627/W- 188/64	W0108	BGLRBD0730 432	12.899897163 048578- 77.602156698 70378	2627	29/03/2022
10	EE/ OFC/pole/202 2-23/2627/W- 188/65	W0104	BGLRBD1378 910	12.900495886 115317- 77.601435184 47877	2627	29/03/2022
11	EE/ OFC/pole/202 2-23/2627/W- 188/66	W0104	BGLRBD0612 328	12.900527260 210323- 77.601386904 7165	2627	29/03/2022
12	EE/ OFC/pole/202 2-23/2627/W- 188/67	W0106	PL5902	12.900155999 834057- 77.602336406 70778	2627	29/03/2022
13	EE/ OFC/pole/202 2-23/2627/W- 188/68	W0106	PL5901	12.900051419 346909- 77.602561712 26503	2627	29/03/2022
14	EE/ OFC/pole/202 2-23/2627/W- 188/69	W0106	BGLRBD1378 879	12.899915464 64827- 77.602797746 65834	2627	29/03/2022
15	EE/ OFC/pole/202 2-23/2627/W- 188/70	W0102	PL6102	12.900406992 824815- 77.602486610 412617	2627	29/03/2022
16	EE/ OFC/pole/202 2-23/2627/W- 188/71	W0102	PL6101	12.900312870 482791- 77.602733373 64197	2627	29/03/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be

processed further.

Total No.of Poles 16


Pole Charges @ Rs 1500/- Pole	24,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	118.24
Junction Box Charges @ Rs 3000/- Pole	48,000	Total (C)	118.24
Supervision Charge @ Rs 100/- Pole	1,600		
Sub Total (A)	73,600	GST @ 18% (B)	13,248
Grand Total (A + B + C)	86,966.24		

Total Amount Payable Rs: 86,966 In words (Rupees Eighty-Six Thousand Nine Hundred and Sixty-Six Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-823

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

BABU.VEERABHADRE@RIL.COM

OFC/Pole/2022-23/W0305/826 10-2022-836 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details



OFC/Pole/2022-23/W0077/802 10-2022-812 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

ASSISTANT EXECUTIVE ENGINEER
OFC CELL

BRUHAT BENGALURU MAHANAGARA PALIKE
BENGALURU

EXECUTIVE ENGINEER
OFC CELL

BRUHAT BENGALURU MAHANAGARA PALIKE
BENGALURU