



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/856/2022-23

Date: 20-10-2022

296
Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.


- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 07-05-2022
 - 3) Fee Demand Note letter No: 10-2022-856, Date: 17-10-2022.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 19-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Rajaji Nagar Road via 17 th 'B' Main Road, 61 st Cross Road up to 12 th Main Road.	47 Poles
02	From 17 th 'E' Main Road via 62 nd Cross Road up to 12 th Main Road.	
03	From 61 st Cross Road via 17 th 'A' Main Road, 65 th Cross Road up to 12 th Main Road.	
04	From 17 th 'A' Main Road via 63 rd Cross Road	
05	From 17 th 'A' Main Road via 64 th Cross Road	
06	From 65 th Cross via 17 th Main, 66 th Cross up to 12 th Main Road.	
07	From 66 th Cross Road via 17 th Main Road, Street ID No-W0018	
08	From Street ID No-W0118 via 17 th Main Road, W0120	
09	From Street ID No-W0120 via 17 th Main Road, W0130	
10	From Street ID No-W0130 via 17 th Main Road, W0132	
11	From 72 nd Cross Road via 17 th Main Road, 71 st Cross Road up to 12 th Main.	
12	From 72 nd Cross Road via 17 th Main Road, W0128, 17 th 'E' Main Road, W0140.	
13	From Street ID No-W0140 via 17 th 'E' Main Road W0146 for total No of 47 Poles, in Ward No-108, West Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/856/2022-23, Dt: 20-10-2022


Executive Engineer (OFC), BBMP

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)


24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**West Zone**) for information.
4. Copy to Zonal Chief Engineer (**West Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Rajaji Nagar Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Sri Rama Mandira Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

केनरा बैंक  856 जमा पर्ची / DEPOSIT / PAY IN SLIP
शाखा / Branch BCC Extension

दिनांक / Date 20102022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
वचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

84011377777777

नाम / Name Commissioner BBMP

टेलिफोन / मोबाइल नं. _____
Tel No. / Mobile No. _____

राशि / Amount ₹ 2,16,547.00

राशि शब्दों में Two lakhs sixteen thousand five hundred forty seven
Rupees in words thousand five hundred forty seven

चेक नं. / दिनांक तथा बैंक का नाम और शाखा का नाम
Cheque No./Date/Name of Bank & Branch

206143 20/10/22 ₹ 2,16,547.00

₹ 2,16,547.00

अधिकारी / रोकाईय (अधीनस्थ) के टोल फ्री 24 घंटे कॉल सेंटर
Canara Bank Toll Free No.

1800 425 0018
Officer / Cashier / S/O _____

ಸಲ್ಲಿಸಿದೆ,

ಕಂಡಿಕೆ (37) ರಲ್ಲಿ ಮಾನ್ಯ ಮುಖ್ಯ ಆಯುಕ್ತರವರು ಸೂಚಿಸಿರುವಂತೆ, M/s. Jio Digital Fibre Private Limited ಸಂಸ್ಥೆ ರವರು ಈಗಾಗಲೇ ಸ್ಥಾಪಿಸಲಾಗಿರುವ ಕಂಬಗಳಿಗೆ, ಹಾಗೂ ಈಗಾಗಲೇ ನೀಡಲಾಗಿರುವ ಡಿಮ್ಯಾಂಡ್ ನೋಟ್ ಸಂಖ್ಯೆ: Pole-OFC-10-2022-702, ದಿನಾಂಕ:17-10-2022 ಗೆ ಸದರಿ ಸಂಸ್ಥೆಯವರು 1,33,614.00/- ರೂಗಳ ಡಿಡಿ ಸಂಖ್ಯೆ:206139, ದಿನಾಂಕ:18-10-2022 ರಂದು ಆಯುಕ್ತರವರ ಹೆಸರಿಗೆ ಡಿಡಿಯನ್ನು ಪಾವತಿಸಿರುತ್ತಾರೆ. ಅದರಂತೆ ದಿನಾಂಕ:20-10-2022 ರಂದು ಕೆನರಾ ಬ್ಯಾಂಕ್ ಖಾತೆಗೆ ಜಮಾ ಮಾಡಲಾಗಿದೆ. ಚೆರಾಕ್ಸ್ ಪ್ರತಿಯನ್ನು ಲಗತ್ತಿಸಿದೆ.

ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆಯ ಪಶ್ಚಿಮ ವಲಯದ ವಾರ್ಡ್‌ಸಂಖ್ಯೆ 140 ರಲ್ಲಿ ಅನಧಿಕೃತವಾಗಿ ಈಗಾಗಲೇ ಅಳವಡಿಸಲಾಗಿರುವ 29 ಪೋಲ್(ಕಂಬ)ಗಳನ್ನು ಅಧಿಕೃತಗೊಳಿಸಲು ಅನುಮತಿ ಪತ್ರವನ್ನು ಸಹಿಗಾಗಿ ಮಂಡಿಸಿದೆ.

ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
(ಓ.ಎಫ್.ಸಿ)

ಮುಖ್ಯ ಅಭಿಯಂತರರು
(ಓ.ಎಫ್.ಸಿ)

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasathanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-856 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-856

With reference to your Demand Note bearing Pole-OFC-10-2022-856 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0413

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-856	47	216547	206143	38916	216547
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



856

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206143

18/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasathanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-856 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-856

With reference to your Demand Note bearing Pole-OFC-10-2022-856 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0413 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-856	47	216547	206143	38916	216547
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206143

18/10/2022
dated

PAYMENT REFERENCE

AXIS BANK LTD ISSUING BRANCH
IFSC CODE - 01180000274

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

DATE
दिनांक 1 8 1 0 2 0 2 2

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES Two Lacs Sixteen Thousand Five Hundred Forty Seven Only

रुपये

अदा करे

₹ 216,547.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206143

Client Reference 4200008920_7

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd
Authorised Signatory

Rudresha B
No. 181022

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-856 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-856

With reference to your Demand Note bearing Pole-OFC-10-2022-856 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0413

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-856	47	216547	206143	38916	216547
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF


JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206143**
as per details mentioned below.

18/10/2022
dated

PAYMENT REFERENCE

 **AXIS BANK LTD** ISSUING BRANCH
IFSC CODE - UTIB0000274
PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

DATE 18 10 2022
दिनांक

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर
RUPEES Two Lacs Sixteen Thousand Five Hundred Forty Seven Only
रुपये



अदा करें ₹ 216,547.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206143

Client Reference 4200008920 7

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.
CODE NO.

For Axis Bank Ltd

Authorised Signatory

Authorised Signatory

Rudresha B
No. 25417



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-856

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-856

General Information

Segment ID

OFC/Pole/2022-23/W0128/848

Street ID

17933

Street Name

NA

Zone

West

Ward No.

108

Ward Name

Srirammandir

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

07/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments

Pole Related Information

No.of Poles

47

No.Junction Box

47



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-856

Date: 17/10/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0



Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-856, dated : 07/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0128/848)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/0920/W- 108/84	W0084	PL5506 #684	12.984125216 804477- 77.553021311 75995	0920	16/03/2021
2	EE/ OFC/pole/202 2-23/0920/W- 108/85	W0084	PL5504 #688	12.984135671 32924- 77.552742362 02241	0920	16/03/2021
3	EE/ OFC/pole/202 2-23/0920/W- 108/86	W0084,W010 3	PL5503 Opp to #698	12.984151353 115545- 77.552479505 53894	0920	16/03/2021
4	EE/ OFC/pole/202 2-23/0920/W- 108/87	W0084	PI5501 691/692 Gru Priya	12.984177489 423853- 77.552291750 90791	0920	16/03/2021
5	EE/ OFC/pole/202 2-23/0920/W- 108/88	W0086	PL5402 #632 Borrwe gouda	12.983827262 66401- 77.552897930 14528	0920	16/03/2021

6	EE/ OFC/pole/202 2-23/0920/W- 108/89	W0086	PL5702 #536	12.983759308 160888- 77.553638219 83339	0920	16/03/2021
7	EE/ OFC/pole/202 2-23/0920/W- 108/90	W0086	PL5403 #631	12.983822035 395201- 77.552640438 07985	0920	16/03/2021
8	EE/ OFC/pole/202 2-23/0920/W- 108/91	W0086,W010 3	BD0240511 #628 Sanvi	12.983874308 078356- 77.552399039 26851	0920	16/03/2021
9	EE/ OFC/pole/202 2-23/0920/W- 108/92	W0088	PL5302 #961	12.983477035 410543- 77.552876472 47316	0920	15/03/2021
10	EE/ OFC/pole/202 2-23/0920/W- 108/93	W0088	PL5702 #536	12.983429989 920982- 77.553568482 399	0920	15/03/2021
11	EE/ OFC/pole/202 2-23/0920/W- 108/94	W0088	PL5303 Shiva Priya	12.983503171 789788- 77.552613615 9897	0920	15/03/2021
12	EE/ OFC/pole/202 2-23/0920/W- 108/95	W0103,W008 8	PL5304 #558	12.983539762 716102- 77.552431225 77669	0920	15/03/2021
13	EE/ OFC/pole/202 2-23/0920/W- 108/96	W0090	PL1301 #479	12.983220898 748513- 77.552645802 49788	0920	16/03/2021
14	EE/ OFC/pole/202 2-23/0920/W- 108/97	W0090,W010 3	BD0365568 #476/71	12.983226126 029965- 77.552388310 43245	0920	16/03/2021
15	EE/ OFC/pole/202 2-23/0920/W- 108/98	W0090	5805 #450	12.983126807 663492- 77.553825974 464437	0920	16/03/2021
16	EE/ OFC/pole/202 2-23/0920/W- 108/99	W0090	5804 #453	12.983168625 92791- 77.553509473 80067	0920	16/03/2021
17	EE/ OFC/pole/202 2-23/0920/W- 108/100	W0090,W010 7	5802 #455	12.983132034 946943- 77.553268074 98933	0920	16/03/2021
18	EE/ OFC/pole/202 2-23/0920/W- 108/101	W0090	5803 #461	12.983168625 92791- 77.552871108 05513	0920	16/03/2021
20	EE/ OFC/pole/202 2-23/0920/W- 108/103	W0105	BD1350986 #398	12.983032716 542862- 77.552822828 29285	0920	16/03/2021
21	EE/ OFC/pole/202 2-23/0920/W- 108/104	W0094,W010 5	PL5204 #379	12.982891579 795107- 77.552801370 62074	0920	16/03/2021
22	EE/ OFC/pole/202 2-23/0920/W- 108/105	W0094,W010 7	5202 #373	12.982823625 036117- 77.553268074 98933	0920	16/03/2021

23	EE/ OFC/pole/202 2-23/0920/W- 108/106	W0094	5901 #405	12.982818397 746192- 77.553584575 65309	0920	16/03/2021
24	EE/ OFC/pole/202 2-23/0920/W- 108/107	W0110	5905 #334	12.982551805 81436- 77.553450465 20235	0920	16/03/2021
25	EE/ OFC/pole/202 2-23/0920/W- 108/108	W0110,W010 7	5201 #332	12.982567487 70061- 77.553257346 15327	0920	16/03/2021
26	EE/ OFC/pole/202 2-23/0920/W- 108/109	W0110	5203 #331	12.982583169 585896- 77.553091049 19435	0920	16/03/2021
27	EE/ OFC/pole/202 2-23/0920/W- 108/110	W0118	5903 #272	12.982279986 295298- 77.553310990 33357	0920	16/03/2021
28	EE/ OFC/pole/202 2-23/0920/W- 108/111	W0118	5904 #276	12.982253849 787416- 77.553686499 59566	0920	16/03/2021
29	EE/ OFC/pole/202 2-23/0920/W- 108/112	W0120	5103 #195	12.981921915 898143- 77.553876936 43571	0920	16/03/2021
30	EE/ OFC/pole/202 2-23/0920/W- 108/113	W0120	5102 #196	12.981890552 043163- 77.553533613 68181	0920	16/03/2021
31	EE/ OFC/pole/202 2-23/0920/W- 108/114	W0130	BD0337269 #149	12.981569072 301415- 77.553855478 7636	0920	17/03/2021
32	EE/ OFC/pole/202 2-23/0920/W- 108/115	W0130	5105 #1542	12.981584754 249686- 77.553485333 919547	0920	17/03/2021
33	EE/ OFC/pole/202 2-23/0920/W- 108/116	W0107	5104 #153	12.981893165 697903- 77.553209066 39099	0920	17/03/2021
34	EE/ OFC/pole/202 2-23/0920/W- 108/117	W0148	BD0124018 #69	12.980983612 191359- 77.553815245 62837	0920	17/03/2021
35	EE/ OFC/pole/202 2-23/0920/W- 108/118	W0148	0105 #66	12.980947020 888697- 77.553573846 81703	0920	16/03/2021
36	EE/ OFC/pole/202 2-23/0920/W- 108/119	W0107,W014 8	0104 Rajathamma Home	12.980978384 862746- 77.553155422 21071	0920	16/03/2021
37	EE/ OFC/pole/202 2-23/0920/W- 108/120	W0107	pl0102 #99	12.981255433 128249- 77.553171515 4648	0920	16/03/2021
38	EE/ OFC/pole/202 2-23/0920/W- 108/121	W0105,W014 0	pl0303 ev POL1 10000430375	12.981307706 35127- 77.552710175 51424	0920	16/03/2021

39	EE/ OFC/pole/202 2-23/0920/W- 108/122	W0140	0302 #1130	12.981375661 524737- 77.552200555 8014	0920	16/03/2021
40	EE/ OFC/pole/202 2-23/0920/W- 108/123	W0140	0301 #111/30	12.981370434 204367- 77.551878690 71962	0920	16/03/2021
41	EE/ OFC/pole/202 2-23/0920/W- 108/124	W0140	bd0208032 #106	12.981339070 279796- 77.551884055 13765	0920	16/03/2021
42	EE/ OFC/pole/202 2-23/0920/W- 108/125	W0128	0403 #168	12.981684073 23241- 77.552313208 58002	0920	16/03/2021
43	EE/ OFC/pole/202 2-23/0920/W- 108/126	W0128	0402 mURGAN niLYA	12.981694527 859867- 77.551937699 31795	0920	16/03/2021
44	EE/ OFC/pole/202 2-23/0920/W- 108/127	W0101,W012 8	0506 cHANDRA MUKHI	12.981715437 113445- 77.551696300 5066	0920	16/03/2021
45	EE/ OFC/pole/202 2-23/0920/W- 108/128	W0105,W012 2	0405 #217	12.981950666 095075- 77.552694082 26015	0920	16/03/2021
46	EE/ OFC/pole/202 2-23/0920/W- 108/129	W0122	0404 #214	12.981955893 403246- 77.552409768 10457	0920	16/03/2021
47	EE/ OFC/pole/202 2-23/0920/W- 108/130	W0122	0504 #206	12.981982029 942461- 77.551830410 95735	0920	16/03/2021
84	EE/ OFC/pole/202 2-23/0920/W- 108/102	W0094,W010 3	1303 #394	12.982917716 23593- 77.552382946 014423	0920	16/03/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 47


Pole Charges @ Rs 1500/- Pole	70,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	347.33
Junction Box Charges @ Rs 3000/- Pole	1,41,000	Total (C)	347.33
Supervision Charge @ Rs 100/- Pole	4,700		
Sub Total (A)	2,16,200	GST @ 18% (B)	38,916
Grand Total (A + B + C)	2,55,463.33		

Total Amount Payable Rs: 2,55,463 In words (Rupees Two Lakh Fifty-Five Thousand Four Hundred and Sixty-Three Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-856


1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

OFC/Pole/2022-23/W0475/1863 Draft Draft Draft Demand Notice Permission Letter View/Submit

Pole Details

10-2022-856



OFC/Pole/2022-23/W0238/1848 Draft Draft Draft Demand Notice Permission Letter View/Submit

S. J.
EXECUTIVE ENGINEER
OFC CELL

BRIHAT BENGALURU MAHANAGARA PALIKA

BENGALURU