



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell ), 3<sup>rd</sup>Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/858/2022-23

Date: 18-11-2022

**690**  
**Permission for Regularization of Poles**  
**(already installed)**

To,  
M/s. Jio Digital Fibre Private Limited ,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization of poles (already installed).

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 07-05-2022
  - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
  - 4) Fee Demand Note letter No: 10-2022-858, Date: 19-10-2022.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 27-10-2022.

\*\_\*\_\*\_\*

With reference to your application for the regularization of poles already installed, we have pleasure to inform you that permission has been accorded for regularization of the poles installed details of which are as mentioned below.

SL No.	UniquePoleId.	Street Id	Landmark or address	Coordinates	Permissi onLetter No.	Permission Letter Date
01	EE/ OFC/pole/202 2-23/2490/W-198/104	W0355	12.91346,77.50707	12.913405993759413-77.50698924064638	2490	11/02/2022
02	EE/ OFC/pole/202 2-23/2490/W-198/105	W0355, W035 3	12.91386,77.50684	12.913787691938117-77.50680685043335	2490	11/02/2022
03	EE/ OFC/pole/202 2-23/2490/W-198/106	W0353	12.91422,77.50698	12.914153703342691-77.50696241855621	2490	11/02/2022
04	EE/ OFC/pole/202 2-23/2490/W-198/107	W0353	12.91467,77.50723	12.91456154399059-77.50713407993318	2490	11/02/2022

No: EE/OFC/PR/858/2022-23, Dt: 18-11-2022

  
Executive Engineer (OFC), BBMP

05	EE/ OFC/pole/202 2-23/2490/W-198/108	W0355, W035 1	12.91416,77.5 0666	12.914064814 908018- 77.506613731 38429	2490	11/02/2022
06	EE/ OFC/pole/202 2-23/2490/W-198/109	W0351	12.91436,77.5 0681	12.914341937 570601- 77.506715655 32686	2490	11/02/2022
07	EE/ OFC/pole/202 2-23/2490/W-198/110	W0351	12.91475,77.5 0694	12.914624288 646571- 77.506796121 59729	2490	11/02/2022
08	EE/ OFC/pole/202 2-23/2490/W-198/111	W0310	12.91320,77.5 0991	12.913113183 802505- 77.509821653 3661	2490	11/02/2022
09	EE/ OFC/pole/202 2-23/2490/W-198/112	W0306	12.91357,77.5 1052	12.913526254 89232- 77.510427832 60345	2490	11/02/2022
10	EE/ OFC/pole/202 2-23/2490/W-198/113	W0306, W040 7	12.91366,77.5 1008	12.913599457 292715- 77.510073781 01349	2490	11/02/2022
11	EE/ OFC/pole/202 2-23/2490/W-198/114	W0407	12.91413,77.5 1018	12.913960240 238499- 77.510154247 28395	2490	11/02/2022
12	EE/ OFC/pole/202 2-23/2490/W-198/115	W0401	12.91418,77.5 0974	12.913955011 503877- 77.509655356 40718	2490	11/02/2022
13	EE/ OFC/pole/202 2-23/2490/W-198/116	W0306, W038 7	12.91389,77.5 0899	12.913819064 365226- 77.508990168 57149	2490	11/02/2022
14	EE/ OFC/pole/202 2-23/2490/W-198/117	W0387	12.91400,77.5 0910	12.914064814 908018- 77.509038448 33375	2490	11/02/2022
15	EE/ OFC/pole/202 2-23/2490/W-198/118	W0387	12.91424,77.5 0913	12.914321022 663383- 77.509086728 09602	2490	11/02/2022
16	EE/ OFC/pole/202 2-23/2490/W-198/119	W0387	12.91449,77.5 0917	12.914551086 546396- 77.509135007 85829	2490	11/02/2022

17	EE/ OFC/pole/202 2-23/2490/W-198/120	W0385	12.91394,77.50883	12.913902724151612-77.50871658325197	2490	11/02/2022
18	EE/ OFC/pole/202 2-23/2490/W-198/121	W0385	12.91430,77.50879	12.914200761912971-77.50870048999786	2490	11/02/2022
19	EE/ OFC/pole/202 2-23/2490/W-198/122	W0385	12.91457,77.50880	12.91451971421118-77.50868439674379	2490	11/02/2022
20	EE/ OFC/pole/202 2-23/2490/W-198/123	W0298	12.91456,77.51003	12.914477884424782-77.51001477241518	2490	11/02/2022
21	EE/ OFC/pole/202 2-23/2490/W-198/124	W0298	12.91447,77.51044	12.914399453556385-77.51044392585756	2490	11/02/2022
22	EE/ OFC/pole/202 2-23/2490/W-198/125	W0296	12.91501,77.51003	12.915068729508675-77.50924229621887	2490	11/02/2022
23	EE/ OFC/pole/202 2-23/2490/W-198/126	W0296	12.91487,77.51044	12.914953697831969-77.50986993312837	2490	11/02/2022
24	EE/ OFC/pole/202 2-23/2490/W-198/127	W0296	12.91481,77.51075	12.914791607652147-77.51065313816072	2490	11/02/2022
25	EE/ OFC/pole/202 2-23/2490/W-198/128	W0294	12.91545,77.50990	12.915476568663061-77.50943541526796	2490	11/02/2022
26	EE/ OFC/pole/202 2-23/2490/W-198/129	W0411	12.91525,77.51085	12.915283106583082-77.51085162162782	2490	11/02/2022

01	No of Poles	<b>26</b>
02	Ward No	<b>198</b>
03	Zone Name	<b>RR Nagar Zone</b>

No: EE/OFC/PR/858/2022-23, Dt: 18-11-2022

  
Executive Engineer (OFC), BBMP

The locational details of poles are also given in the map enclosed with this permission letter.

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for Regularization of Poles**

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do the same at its own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got

- executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at its own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
  12. The corporation shall not be responsible for any damage to poles and resultant losses, if any during performance of official duties by any employee of corporation.
  13. **Any dispute** arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. If any dispute arise it will be settled as per the MOU.
  14. Operational and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operational and maintenance activities.
  15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
  16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
  17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
  18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
  19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.

20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.

21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:

**22. Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.


25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**RR Nagar Zone**) for information.
4. Copy to Zonal Chief Engineer (**RR Nagar Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Kengeri Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Kengeri Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

258

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch B.C.C. Extension

दिनांक/ Date 

25	10	20	22
----	----	----	----

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / चालू खाता / बीडी / मीसी / ब्यारडी / टीएल / डीएल खाता नं. / क्रेडिट कार्ड नं.

8	4	0	1	1	3	2	0	0	0	0	1	0		
---	---	---	---	---	---	---	---	---	---	---	---	---	--	--

नाम/Name Commissioner B B M P

टेलिफोन / मोबाइल नं  
Tel No. / Mobile No. \_\_\_\_\_ ₹ \_\_\_\_\_ पै/P.

राशि / Amount 

1	19	7	92	-	00
---	----	---	----	---	----

राशि शब्दों में One lac nineteen thousand seven hundred ninety two only

चेक नं. / Cheque No.	दिनांक/Date	बैंक का नाम/Name of Bank	₹	पै/P.
206371	31 OCT 2022	CANARA BANK	1,19,792	00

EXECUTIVE OFFICER  
B.B.M.P. Branch, J.C. Road  
3666/0019-588 002  
Canara Bank Toll Free No.  
1800 425 0018



# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-858 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-858

With reference to your Demand Note bearing Pole-OFC-10-2022-858, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0307.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-858	26	119792	206375	21528	119792
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,


Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

SDA  
for MA  
27/10



858

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206375**

dated 19/10/2022

**PAYMENT REFERENCE**

---

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-858 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-858

With reference to your Demand Note bearing Pole-OFC-10-2022-858 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0307

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-858	26	119792	206375	21528	119792
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

**206375**

dated 18/10/2022

**PAYMENT REFERENCE**

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18/10/2023

DATE	D	S	D	M	M	Y	Y	Y	Y
दिनांक									

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या वनके आदेश पर

माँगे जाने पर

RUPEES One Lac Nineteen Thousand Seven Hundred Ninety Two Only

रुपये

अदा करें

₹ 119,792.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206375

Client Reference 4200009020.71

For Axis Bank Ltd

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

*[Signature]*  
Authorized Signatory

*[Signature]*  
Rudresha B  
26/10/22

SS: Please sign above

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-858 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-858

With reference to your Demand Note bearing Pole-OFC-10-2022-858 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0307 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-858	26	119792	206375	21528	119792
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

\* for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. \_\_\_\_\_  
as per details mentioned below.

**206375**

dated 19/10/2022

**PAYMENT REFERENCE**

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18/01/2023

DATE  
दिनांक

D	S	D	M	M	Y	Y	Y	Y
---	---	---	---	---	---	---	---	---

PURCHASER NAME - JIO.DIGITAL.FIBRE.PVT.LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या नक़े आदेश पर

माँगे जाने पर

RUPEES One Lac Nineteen Thousand Seven Hundred Ninety Two Only

रुपये

अदा करें

₹ 1,19,792.00

DD Sr. No. 206375

Payable at par at all Branches of AXIS Bank Ltd.

Client Reference 4200009020 71

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd

*[Signature]*  
Authorised Signatory

*[Signature]*  
Rudreshwar  
25/10/22

SS: Please sign above.



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

## BBMP ENGINEERING DEPARTMENT

### Pole Form

Application No. :10-2022-858

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-858

#### General Information

**Segment ID**

OFC/Pole/2022-23/W0305/846

**Street ID**

71247

**Street Name**

NA

**Zone**

RR Nagara

**Ward No.**

198

**Ward Name**

Hemmigepura

**Service Provider Category**

Telecom

**Organization**

M/s. Jio Digital Fibre Private Limited

**Year of Incorporation**

2009-10

**Registered Office Address**

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

**Pin Code**

380006

**Official Phone No.**

9845117017

**Previous Relevant Exp.**

10

**Fax**

08035485012

**Official Phone No.**

www.jio.com

**Penalized Details**

No

**Vat Reg No.**

0

**GST**

29AAECJ4213B1Z0

**Turnover for Last 3 Years**

60

**TAN**

AHMJ08610A

**Application Submission Date**

07/05/2022

**Name of the Authorized Person**

Babu Veerabhadre

**Designation**

DGM

**Email ID**

babu.veerabhadre@ril.com

**Local Address**

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

**Purpose**

OFC

**Phone No.**

9845117017

**Mobile No.**

9845117017

**Attachments**


#### Pole Related Information

**No.of Poles**

26

**No.Junction Box**

26




**Status of My Application**

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	21/05/2022

Date : 19/10/2022

Time : 09:52:51

20221019095251







ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-858

Date: 19/10/2022

**Demand Notice**  
**GST No.: 29AAALBI608FIZK**

**To**

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

**Sub:-** Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-858, dated : 07/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0305/846)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/2490/W- 198/104	W0355	12.91346,77.5 0707	12.913405993 759413- 77.506989240 64638	2490	11/02/2022
2	EE/ OFC/pole/202 2-23/2490/W- 198/105	W0355,W035 3	12.91386,77.5 0684	12.913787691 938117- 77.506806850 43335	2490	11/02/2022
3	EE/ OFC/pole/202 2-23/2490/W- 198/106	W0353	12.91422,77.5 0698	12.914153703 342691- 77.506962418 55621	2490	11/02/2022
4	EE/ OFC/pole/202 2-23/2490/W- 198/107	W0353	12.91467,77.5 0723	12.914561543 99059- 77.507134079 93318	2490	11/02/2022
5	EE/ OFC/pole/202 2-23/2490/W- 198/108	W0355,W035 1	12.91416,77.5 0666	12.914064814 908018- 77.506613731 38429	2490	11/02/2022

6	EE/ OFC/pole/202 2-23/2490/W- 198/109	W0351	12.91436,77.5 0681	12.914341937 570601- 77.506715655 32686	2490	11/02/2022
7	EE/ OFC/pole/202 2-23/2490/W- 198/110	W0351	12.91475,77.5 0694	12.914624288 646571- 77.506796121 59729	2490	11/02/2022
8	EE/ OFC/pole/202 2-23/2490/W- 198/111	W0310	12.91320,77.5 0991	12.913113183 802505- 77.509821653 3661	2490	11/02/2022
9	EE/ OFC/pole/202 2-23/2490/W- 198/112	W0306	12.91357,77.5 1052	12.913526254 89232- 77.510427832 60345	2490	11/02/2022
10	EE/ OFC/pole/202 2-23/2490/W- 198/113	W0306,W040 7	12.91366,77.5 1008	12.913599457 292715- 77.510073781 01349	2490	11/02/2022
11	EE/ OFC/pole/202 2-23/2490/W- 198/114	W0407	12.91413,77.5 1018	12.913960240 238499- 77.510154247 28395	2490	11/02/2022
12	EE/ OFC/pole/202 2-23/2490/W- 198/115	W0401	12.91418,77.5 0974	12.913955011 503877- 77.509655356 40718	2490	11/02/2022
13	EE/ OFC/pole/202 2-23/2490/W- 198/116	W0306,W038 7	12.91389,77.5 0899	12.913819064 365226- 77.508990168 57149	2490	11/02/2022
14	EE/ OFC/pole/202 2-23/2490/W- 198/117	W0387	12.91400,77.5 0910	12.914064814 908018- 77.509038448 33375	2490	11/02/2022
15	EE/ OFC/pole/202 2-23/2490/W- 198/118	W0387	12.91424,77.5 0913	12.914321022 663383- 77.509086728 09602	2490	11/02/2022
16	EE/ OFC/pole/202 2-23/2490/W- 198/119	W0387	12.91449,77.5 0917	12.914551086 546396- 77.509135007 85829	2490	11/02/2022
17	EE/ OFC/pole/202 2-23/2490/W- 198/120	W0385	12.91394,77.5 0883	12.913902724 151612- 77.508716583 25197	2490	11/02/2022
18	EE/ OFC/pole/202 2-23/2490/W- 198/121	W0385	12.91430,77.5 0879	12.914200761 912971- 77.508700489 99786	2490	11/02/2022
19	EE/ OFC/pole/202 2-23/2490/W- 198/122	W0385	12.91457,77.5 0880	12.914519714 21118- 77.508684396 74379	2490	11/02/2022
20	EE/ OFC/pole/202 2-23/2490/W- 198/123	W0298	12.91456,77.5 1003	12.914477884 424782- 77.510014772 41518	2490	11/02/2022
21	EE/ OFC/pole/202 2-23/2490/W- 198/124	W0298	12.91447,77.5 1044	12.914399453 556385- 77.510443925 85756	2490	11/02/2022

22	EE/ OFC/pole/202 2-23/2490/W- 198/125	W0296	12.91501,77.5 1003	12.915068729 508675- 77.509242296 21887	2490	11/02/2022
23	EE/ OFC/pole/202 2-23/2490/W- 198/126	W0296	12.91487,77.5 1044	12.914953697 831969- 77.509869933 12837	2490	11/02/2022
24	EE/ OFC/pole/202 2-23/2490/W- 198/127	W0296	12.91481,77.5 1075	12.914791607 652147- 77.510653138 16072	2490	11/02/2022
25	EE/ OFC/pole/202 2-23/2490/W- 198/128	W0294	12.91545,77.5 0990	12.915476568 663061- 77.509435415 26796	2490	11/02/2022
26	EE/ OFC/pole/202 2-23/2490/W- 198/129	W0411	12.91525,77.5 1085	12.915283106 583082- 77.510851621 62782	2490	11/02/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP-Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No. of Poles 26**

Pole Charges @ Rs 1500/- Pole	39,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	192.14
Junction Box Charges @ Rs 3000/- Pole	78,000	Total (C)	192.14
Supervision Charge @ Rs 100/- Pole	2,600		
Sub Total (A)	1,19,600	GST @ 18% (B)	21,528
Grand Total (A + B + C)	1,41,320.14		

**Total Amount Payable Rs: 1,41,320 In words (Rupees One Lakh Forty-One Thousand Three Hundred and Twenty Only)**

**Note:** The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-858

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



# BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)


10-2022-858

1/2

COM

OFC/Pole/2022-23/W0004/858    10-2022-867    Pending    ceofc01(ceofc01)    Pole Work Created    [Demand Notice](#)    [Permission Letter](#)    [View/Submit](#)

## Pole Details



OFC/Pole/2022-23/W0161/841    10-2022-849    Pending    ceofc01(ceofc01)    OFC Work Created    [Demand Notice](#)    [Permission Letter](#)    [View/Submit](#)

*S. Y. ...*  
 ASSISTANT EXECUTIVE ENGINEER  
 OFC CELL  
 BRUHAT BENGALURU MAHANAGARA PALIKE  
 BENGALURU

*Rajesh...*  
 EXECUTIVE ENGINEER  
 OFC CELL  
 BRUHAT BENGALURU MAHANAGARA PALIKE  
 BENGALURU