



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/859/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 07-05-2022
 - 3) Fee Demand Note letter No: 10-2022-859, Date: 12-05-2022.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 14-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 6th Cross via 11th Main up to 1st Cross Main Road.	50 Poles
02	From 6th Cross via 12th Main up to 1st Cross Main Road.	
03	From 6th Cross via 1st Cross Main up to 1st Cross Main Road.	
04	From 6th Cross via 2nd Cross Main up to 1st Cross Main Road.	
05	From 6th Cross via 3rd Cross Main up to 1st Cross Main Road.	
06	From 6th Cross via 4th Cross Main up to 1st Cross Main Road.	
07	From 6th Cross via 5th Cross Main up to 1st Cross Main Road.	
08	From 6th Cross via 7th Cross	
09	From 6th Cross via 8th Cross	
10	From 6th Cross via 9th Cross, for total No of 50 Poles, in Ward No-193, Bommanahalli Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/859/2022-23, Dt: 15-10-2022

Executive Engineer (OFC), BBMP

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent

- authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
 15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
 16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
 17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
 18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
 19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
 20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
 21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
 22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Bommanahalli** Zone) for information.
4. Copy to Zonal Chief Engineer (**Bommanahalli** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Bommanahalli** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Arekere** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-859 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-859

With reference to your Demand Note bearing Pole-OFC-10-2022-859, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1063.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-859	50	230370	205845	41400	230370
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



859

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205845

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-859 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-859

With reference to your Demand Note bearing Pole-OFC-10-2022-859 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1063

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-859	50	230370	205845	41400	230370
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **205845**
as per details mentioned below.

01/10/2022
dated

PAYMENT REFERENCE



AXIS BANK LTD

IFS CODE - UTIB0000274

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31/12/2022

DATE 01/10/2022
दिनांक 01/10/2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर

RUPEES Two Lacs Thirty Thousand Three Hundred Seventy Only

रुपये

अदा करें

₹ 230,370.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205845

Client Reference 4200008085_28

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

[Signature]
55/10/2022
Authorised Signatory

[Signature]
Authorised Signatory

Please Sign & Date
Rudresha B
CS. No. 26182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-859

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-859

General Information

Segment ID

OFC/Pole/2022-23/W0006/850

Street ID

91177

Street Name

NA

Zone

Bommanahalli

Ward No.

193

Ward Name

Arakere

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

07/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

50

No.Junction Box

50




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	11/05/2022

Date : 12/05/2022

Time : 03:33:33

20220512033333





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-859

Date: 12/05/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-859, dated : 07/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0006/850)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/3858/W- 193/384	I0085,W0029, W0032	deja apt	12.889825328 436654- 77.591547128 73848	3858	19/03/2022
2	EE/ OFC/pole/202 2-23/3858/W- 193/385	W0029	no 64	12.890222750 293994- 77.591654401 58034	3858	19/03/2022
3	EE/ OFC/pole/202 2-23/3858/W- 193/386	W0029	chamundi nilayam	12.891388866 04984- 77.592024492 88469	3858	19/03/2022
4	EE/ OFC/pole/202 2-23/3858/W- 193/387	W0029	pasha mazil	12.891174468 493286- 77.591960129 17957	3858	19/03/2022
5	EE/ OFC/pole/202 2-23/3858/W- 193/388	W0029	no 34	12.890928695 458667- 77.591885038 19031	3858	19/03/2022

6	EE/ OFC/pole/202 2-23/3858/W- 193/389	W0027	bahg	12.890485780 362065- 77.591494315 6646	3858	19/03/2022
7	EE/ OFC/pole/202 2-23/3858/W- 193/390	W0027,W003 2	HAZIRZA	12.889940894 307186- 77.591323636 37023	3858	19/03/2022
8	EE/ OFC/pole/202 2-23/3858/W- 193/391	W0027	NO 29	12.890325242 909723- 77.591444318 31731	3858	19/03/2022
9	EE/ OFC/pole/202 2-23/3858/W- 193/392	W0027	AFRID	12.890889999 169005- 77.591636876 44984	3858	19/03/2022
10	EE/ OFC/pole/202 2-23/3858/W- 193/393	W0027	SALAM	12.891295263 148987- 77.591768285 68108	3858	19/03/2022
11	EE/ OFC/pole/202 2-23/3858/W- 193/394	W0027	NASHEEM	12.891529531 472521- 77.591838030 01707	3858	19/03/2022
12	EE/ OFC/pole/202 2-23/3858/W- 193/395	W0025	QUADRA	12.891573979 698496- 77.591623484 33338	3858	19/03/2022
13	EE/ OFC/pole/202 2-23/3858/W- 193/396	W0025	NO 81	12.891354353 093346- 77.591543029 70198	3858	19/03/2022
14	EE/ OFC/pole/202 2-23/3858/W- 193/397	W0025	DARUL	12.891071975 746465- 77.591427711 39699	3858	19/03/2022
15	EE/ OFC/pole/202 2-23/3858/W- 193/398	W0025	ANIS	12.890852348 70091- 77.591352003 54177	3858	19/03/2022
16	EE/ OFC/pole/202 2-23/3858/W- 193/399	W0025	CV MANSION	12.890626446 411861- 77.591273407 13879	3858	19/03/2022
17	EE/ OFC/pole/202 2-23/3858/W- 193/400	W0025	NO 137	12.890124440 55983- 77.591107134 23394	3858	19/03/2022
18	EE/ OFC/pole/202 2-23/3858/W- 193/401	W0023	NO 103	12.890155815 955072- 77.590769224 78211	3858	19/03/2022
19	EE/ OFC/pole/202 2-23/3858/W- 193/402	W0023	AMMARAHA	12.890605529 521453- 77.590962315 89741	3858	19/03/2022
20	EE/ OFC/pole/202 2-23/3858/W- 193/403	W0023	NO 136	12.890992491 711048- 77.591123225 1602	3858	19/03/2022
21	EE/ OFC/pole/202 2-23/3858/W- 193/404	W0023	NO 126	12.891410828 620257- 77.591298118 41164	3858	19/03/2022

22	EE/ OFC/pole/202 2-23/3858/W- 193/405	W0021	HABEEB	12.891782101 970833- 77.591131845 50681	3858	19/03/2022
23	EE/ OFC/pole/202 2-23/3858/W- 193/406	W0021	MASHALLAH	12.891614767 57113- 77.591072845 44378	3858	19/03/2022
24	EE/ OFC/pole/202 2-23/3858/W- 193/407	W0021	NO 133	12.891452662 264742- 77.590997754 45446	3858	19/03/2022
26	EE/ OFC/pole/202 2-23/3858/W- 193/409	W0021	KALAIV	12.890967391 463096- 77.590789482 86366	3858	19/03/2022
27	EE/ OFC/pole/202 2-23/3858/W- 193/410	W0021	GURU KRUPA	12.890690242 900849- 77.590671482 73762	3858	19/03/2022
28	EE/ OFC/pole/202 2-23/3858/W- 193/411	W0021	NO 103	12.890486303 196832- 77.590591028 10622	3858	19/03/2022
29	EE/ OFC/pole/202 2-23/3858/W- 193/412	W0019	APNA STORE	12.890413094 031793- 77.590226300 44396	3858	19/03/2022
30	EE/ OFC/pole/202 2-23/3858/W- 193/413	W0019	NO 157	12.890841890 265364- 77.590408664 27506	3858	19/03/2022
31	EE/ OFC/pole/202 2-23/3858/W- 193/414	W0019	ENCHARA	12.891370040 714392- 77.590628573 60085	3858	19/03/2022
32	EE/ OFC/pole/202 2-23/3858/W- 193/415	W0019	CREAM	12.891804064 506745- 77.590800210 14783	3858	19/03/2022
33	EE/ OFC/pole/202 2-23/3858/W- 193/416	W0017	BAITUL	12.890491532 422075- 77.589936663 77093	3858	19/03/2022
34	EE/ OFC/pole/202 2-23/3858/W- 193/417	W0017	PADMAVATH I	12.891014454 396027- 77.590145845 81256	3858	19/03/2022
35	EE/ OFC/pole/202 2-23/3858/W- 193/418	W0017	SANJEEVA	12.891490312 443063- 77.590344300 56998	3858	19/03/2022
36	EE/ OFC/pole/202 2-23/3858/W- 193/419	W0017	ALHAMUDUL LAH	12.891819752 099599- 77.590489118 90646	3858	19/03/2022
37	EE/ OFC/pole/202 2-23/3858/W- 193/420	W0017	NO 160	12.890820973 392957- 77.590065391 18116	3858	19/03/2022
38	EE/ OFC/pole/202 2-23/3858/W- 193/421	I0015	SARVATHA	12.891056288 106745- 77.589797209 07656	3858	19/03/2022

39	EE/ OFC/pole/202 2-23/3858/W- 193/422	I0015	NO 176	12.890847119 483189- 77.589706027 16097	3858	19/03/2022
40	EE/ OFC/pole/202 2-23/3858/W- 193/423	I0015	NO 181	12.890690242 900849- 77.589652390 74003	3858	19/03/2022
41	EE/ OFC/pole/202 2-23/3858/W- 193/424	I0015	WEST HOUSE	12.890585658 457994- 77.589609481 6033	3858	19/03/2022
42	EE/ OFC/pole/202 2-23/3858/W- 193/425	W0011	BIKE WORLD	12.891181789 196988- 77.589453935 9826	3858	19/03/2022
43	EE/ OFC/pole/202 2-23/3858/W- 193/426	W0011	NO 185	12.890946474 601174- 77.589346663 14076	3858	19/03/2022
44	EE/ OFC/pole/202 2-23/3858/W- 193/427	W0011	INDIRA	12.890752993 545574- 77.589282299 43568	3858	19/03/2022
45	EE/ OFC/pole/202 2-23/3858/W- 193/428	W0007	SYED FAZIL	12.890873265 570697- 77.588992662 76266	3858	19/03/2022
46	EE/ OFC/pole/202 2-23/3858/W- 193/429	W0007	GREENS	12.891176559 986148- 77.589132117 45705	3858	19/03/2022
47	EE/ OFC/pole/202 2-23/3858/W- 193/430	W0032,W000 1	ZUBAI	12.890899411 655457- 77.588644026 02667	3858	19/03/2022
48	EE/ OFC/pole/202 2-23/3858/W- 193/431	W0006,W000 1	GOWRI SUTHA	12.891222054 100824- 77.588788440 5559	3858	19/03/2022
49	EE/ OFC/pole/202 2-23/3858/W- 193/432	W0001	KITHEN EQUIPMENT	12.891541035 704053- 77.588922531 60825	3858	19/03/2022
50	EE/ OFC/pole/202 2-23/3858/W- 193/433	W0006	VENKATESH A	12.891316179 862084- 77.588536376 82634	3858	19/03/2022
384	EE/ OFC/pole/202 2-23/3858/W- 193/408	W0021	MANNA	12.891280098 436155- 77.590922663 4652	3858	19/03/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 50


Pole Charges @ Rs 1500/- Pole	75,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	369.5
Junction Box Charges @ Rs 3000/- Pole	150,000	Total (C)	369.5
Supervision Charge @ Rs 100/- Pole	5,000		
Sub Total (A)	230,000	GST @ 18% (B)	41,400
Grand Total (A + B + C)	271,769.5		

Total Amount Payable Rs: 271,770 In words (Rupees Two Lakh seventy-One Thousand Seven Hundred and seventy Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-859

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-859 1/3 ^ v x @RIL.COM

OFC/Pole/2022-23/W0005/919 10-2022-928 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

Pole Details

10-2022-859



OFC/Pole/2022-23/W0073/766 10-2022-774 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

EXECUTIVE ENGINEER
OFC CELL

BENGALURU