



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/861/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 07-05-2022
 - 3) Fee Demand Note letter No: 10-2022-861, Date: **13-05-2022**.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **14-10-2022**.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Gubbalala Main Road via Turuhalli Village Road, 4 th Cross, Street ID No-W1181, W1179, 3 rd Cross, 5 th Main Road up to 4 th Cross Road.	32 Poles
02	From 4 th Cross road via 1 st Main Road up to Turuhalli Village.	
03	From Turuhalli Village Road via 4 th Main road, Street ID No-W1032	
04	From 4 th Cross Road via Street ID No-W1155 up to W1018, for total No of 32 Poles, in Ward No-184, Bommanahalli Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.

No: EE/OFC/PR/861/2022-23, Dt: 15-10-2022

Executive Engineer (OFC), BBMP

AL

2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.

14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Bommanahalli** Zone) for information.
4. Copy to Zonal Chief Engineer (**Bommanahalli** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Bangalore South** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Uttarahalli** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-861 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-861

With reference to your Demand Note bearing Pole-OFC-10-2022-861, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0965.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-861	32	147436	205849	26496	147436
			Dated		
			01-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



861

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205849

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-861 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-861

With reference to your Demand Note bearing Pole-OFC-10-2022-861 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0965.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-861	32	147436	205849	26496	147436
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

205849

01/10/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31/12/2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE
दिनांक

D	D	M	M	Y	Y	Y	Y
---	---	---	---	---	---	---	---

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर

RUPEES One Lac Forty Seven Thousand Four Hundred Thirty Six Only

रुपये

अदा करें ₹ 147,436.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205849

Client Reference 4200008085_32

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

[Signature]
SSNo: 24009
Authorised Signatory

[Signature]
Authorised Signatory

Please sign above
Rudresha B
SS. No. 26182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-861

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-861

General Information

Segment ID

OFC/Pole/2022-23/W1026/853

Street ID

81176

Street Name

NA

Zone

Bommanahalli

Ward No.

184

Ward Name

Uttarahalli

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

07/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

ofc

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

32

No.Junction Box

32




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	11/05/2022

Date : 13/05/2022

Time : 01:14:24

20220513011424





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-861

Date: 13/05/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-861, dated : 07/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W1026/853)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/0654/W- 184/143	W1177	w1177	12.892903238 414522- 77.542171633 2119	0654	15/03/2022
2	EE/ OFC/pole/202 2-23/0654/W- 184/144	W1026	w1026	12.892746363 120676- 77.541801541 90753	0654	15/03/2022
3	EE/ OFC/pole/202 2-23/0654/W- 184/145	W1026	w1026	12.892819571 603374- 77.541570905 29756	0654	15/03/2022
4	EE/ OFC/pole/202 2-23/0654/W- 184/146	W1026	w1026	12.892945071 8096- 77.541152541 21434	0654	15/03/2022
5	EE/ OFC/pole/202 2-23/0654/W- 184/147	W1026	w1026	12.893075801 124178- 77.540739540 77322	0654	15/03/2022

6	EE/ OFC/pole/202 2-23/0654/W- 184/148	W1026	w1026	12.893237905 379419- 77.540154903 78512	0654	15/03/2022
7	EE/ OFC/pole/202 2-23/0654/W- 184/149	W1026	w1026	12.893379092 87104- 77.539591721 36543	0654	15/03/2022
8	EE/ OFC/pole/202 2-23/0654/W- 184/150	W1026	w1026	12.893520280 283022- 77.539189448 20848	0654	15/03/2022
9	EE/ OFC/pole/202 2-23/0654/W- 184/151	W1026	w1026	12.893645780 137925- 77.538872993 32501	0654	15/03/2022
10	EE/ OFC/pole/202 2-23/0654/W- 184/152	W1026	w1026	12.893781738 243051- 77.538518992 94692	0654	15/03/2022
11	EE/ OFC/pole/202 2-23/0654/W- 184/153	W1171	w1171	12.893980446 110007- 77.538193809 08564	0654	15/03/2022
12	EE/ OFC/pole/202 2-23/0654/W- 184/154	W1022,W119 5,W1030	w1195	12.893457530 331965- 77.538343991 06425	0654	15/03/2022
13	EE/ OFC/pole/202 2-23/0654/W- 184/155	W1213,W103 0	w1213	12.893274509 55157- 77.538768787 85897	0654	15/03/2022
14	EE/ OFC/pole/202 2-23/0654/W- 184/156	W1030	w1030	12.893154238 680149- 77.539047697 24778	0654	15/03/2022
15	EE/ OFC/pole/202 2-23/0654/W- 184/157	W1030	w1030	12.893028738 57879- 77.539385606 6996	0654	15/03/2022
16	EE/ OFC/pole/202 2-23/0654/W- 184/158	W1030	w1030	12.892866634 188083- 77.539938061 83513	0654	15/03/2022
17	EE/ OFC/pole/202 2-23/0654/W- 184/159	W1030	w1030	12.892763096 394289- 77.540329682 19786	0654	15/03/2022
18	EE/ OFC/pole/202 2-23/0654/W- 184/160	W1030	w1030	12.892653283 637433- 77.540769500 84944	0654	15/03/2022
19	EE/ OFC/pole/202 2-23/0654/W- 184/161	W1030	w1030	12.892533012 467535- 77.541193228 57474	0654	15/03/2022
20	EE/ OFC/pole/202 2-23/0654/W- 184/162	W1227,W103 0	w1227	12.892402282 869481- 77.541627683 58422	0654	15/03/2022
21	EE/ OFC/pole/202 2-23/0654/W- 184/163	W1167,W103 0	w1167	12.893806837 96943- 77.537467216 28944	0654	15/03/2022

22	EE/ OFC/pole/202 2-23/0654/W- 184/164	W1163,W103 0	w1163	12.894021233 271342- 77.536898670 2276	0654	15/03/2022
23	EE/ OFC/pole/202 2-23/0654/W- 184/165	W1030	w1030	12.894052608 178164- 77.536823579 23834	0654	15/03/2022
24	EE/ OFC/pole/202 2-23/0654/W- 184/166	W1181	w1181	12.893461713 439121- 77.536029760 20863	0654	15/03/2022
25	EE/ OFC/pole/202 2-23/0654/W- 184/167	W1179,W118 1	w1179	12.892907421 530914- 77.535933214 65097	0654	15/03/2022
26	EE/ OFC/pole/202 2-23/0654/W- 184/168	W1187	w1187	12.892996317 485629- 77.536911553 78199	0654	15/03/2022
27	EE/ OFC/pole/202 2-23/0654/W- 184/169	W1187	w1187	12.893252546 825511- 77.536965190 20288	0654	15/03/2022
28	EE/ OFC/pole/202 2-23/0654/W- 184/170	W1189,W103 4	w1189	12.893466942 602215- 77.537233372 30753	0654	15/03/2022
29	EE/ OFC/pole/202 2-23/0654/W- 184/171	W1191,W103 4	w1191	12.893310067 661679- 77.537528372 62263	0654	15/03/2022
30	EE/ OFC/pole/202 2-23/0654/W- 184/172	W1193,W103 4	w1193	12.893205484 313354- 77.537866282 07445	0654	15/03/2022
31	EE/ OFC/pole/202 2-23/0654/W- 184/173	W1155	w1155	12.894744946 67614- 77.536464196 26823	0654	15/03/2022
32	EE/ OFC/pole/202 2-23/0654/W- 184/174	W1030	w1030	12.892217169 673751- 77.542040767 99031	0654	15/03/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be

processed further.

Total No.of Poles 32


Pole Charges @ Rs 1500/- Pole	48,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	236.48
Junction Box Charges @ Rs 3000/- Pole	96,000	Total (C)	236.48
Supervision Charge @ Rs 100/- Pole	3,200		
Sub Total (A)	147,200	GST @ 18% (B)	26,496
Grand Total (A + B + C)	173,932.48		

Total Amount Payable Rs: 173,932 In words (Rupees One Lakh seventy-Three Thousand Nine Hundred and Thirty-Two Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-861

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-861

1/2

@RIL.COM

OFC/Pole/2022-23/W0209/849

10-2022-873

Pending

ceofc01(ceofc01)

OFC Work Created

[Demand Notice](#)

[Permission Letter](#)

[View/Submit](#)

Pole Details

10-2022-861



OFC/Pole/2022-23/W0089/844

10-2022-852

Pending

ceofc01(ceofc01)

Pole Work Created

[Demand Notice](#)

[Permission Letter](#)

[View/Submit](#)

EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU