



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/864/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 07-05-2022
 - 3) Fee Demand Note letter No: 10-2022-864, Date: **13-05-2022**.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **14-10-2022**.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 6th Main Road via 7th Cross Road, 1st Main Road, 3rd Cross, Street ID No-W0661, W0436, 7th Cross Road up to 1st Main Road.	30 Poles
02	From 7th Cross Road via Street ID No-W0434	
03	From 3rd Cross Road via 10th Cross Road up to 5th Cross Road.	
04	From 7th Cross Road via 5th Main Road up to 5th Cross Road.	
05	From 4th Cross Road 5th Main Road, 5th Cross Road up to 11th Main Road.	
06	From 5th Main Road via 6th Cross Road	
07	From 5th Main Road via 7th Cross Road	
08	From 7th Cross Road via 6th Main Road, 9th Cross Road up to 9th Main Road.	
09	From 8th 'A' Main Road via 10th Cross Road, 5th Main Road up to 9th Cross Road.	
10	From 7th Cross road via 6th Main Road up to 9th Cross Road.	
11	From 9th Main Road via 8th Cross Road up to 7th Main Road.	
12	From 9th Main Road via 9th Cross Road up to 7th Main Road.	
13	From Kodigehalli Main road via Street ID No-W0817	
14	From Kodigehalli Main road via Street ID No-W0815 for total No of 30 Poles , in Ward No-09, Yelahanka Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/864/2022-23, Dt: 15-10-2022


Executive Engineer (OFC), BBMP

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Yelahanka Zone**) for information.
4. Copy to Zonal Chief Engineer (**Yelahanka Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Byatarayanapura Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Vidyaranya Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-864 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-864

With reference to your Demand Note bearing Pole-OFC-10-2022-864 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0104 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-864	30	138222	205865	24840	138222
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



864

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205865

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-864 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-864

With reference to your Demand Note bearing Pole-OFC-10-2022-864, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0104.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount.
10-2022-864	30	138222	205865	24840	138222
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

205865

01/10/2022
dated

PAYMENT REFERENCE



AXIS BANK LTD
IFS CODE - UTIB0000274

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31122022

DATE 0 1 10 2022
दिनांक 0 1 10 20 22

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर

RUPEES One Lac Thirty Eight Thousand Two Hundred Twenty Two Only

रुपये

₹ 138,222.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205865

Client Reference 4200008085_48

For Axis Bank Ltd
Authorized Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Please sign above

Rudresha B
SS. No. 26182

⑈ 205865 ⑈ 400211071⑈ 999983 ⑈ 16



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-864

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-864

General Information

Segment ID

OFC/Pole/2022-23/W0390/853

Street ID

64600

Street Name

NA

Zone

Yelahanka

Ward No.

9

Ward Name

Vidyaranyaपुरa

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

07/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

pole installation

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

30

No.Junction Box

30




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	12/05/2022

Date : 13/05/2022

Time : 01:36:54

20220513013654





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-864

Date: 13/05/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-864, dated : 07/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0390/853)

Sr No.	Unique Poleid.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/2483/W- 9/547	W0661	CANARA BANK LAYOUT	13.070069405 95929- 77.578970732 93465	2483	19/07/2021
2	EE/ OFC/pole/202 2-23/2483/W- 9/548	W0661	CANARA BANK LAYOUT	13.069692963 204592- 77.579281943 68233	2483	19/07/2021
3	EE/ OFC/pole/202 2-23/2483/W- 9/549	W0661	CANARA BANK LAYOUT	13.069410630 761787- 77.579534131 70205	2483	19/07/2021
4	EE/ OFC/pole/202 2-23/2483/W- 9/550	W0436	CANARA BANK LAYOUT	13.068966217 928958- 77.579679005 67078	2483	19/07/2021
5	EE/ OFC/pole/202 2-23/2483/W- 9/551	W0436	CANARA BANK LAYOUT	13.068767538 991922- 77.580220941 62797	2483	19/07/2021

6	EE/ OFC/pole/202 2-23/2483/W- 9/552	W0667	CANARA BANK LAYOUT	13.068934847 581117- 77.580612637 91386	2483	19/07/2021
7	EE/ OFC/pole/202 2-23/2483/W- 9/553	W0667	CANARA BANK LAYOUT	13.069394945 616587- 77.580848728 82593	2483	19/07/2021
8	EE/ OFC/pole/202 2-23/2483/W- 9/554	W0667	CANARA BANK LAYOUT	13.069546568 644947- 77.580934580 06664	2483	19/07/2021
9	EE/ OFC/pole/202 2-23/2483/W- 9/555	W0667	CANARA BANK LAYOUT	13.069943925 104853- 77.581127745 35832	2483	19/07/2021
10	EE/ OFC/pole/202 2-23/2483/W- 9/556	W0432	CANARA BANK LAYOUT	13.070320367 476766- 77.579287309 38488	2483	19/07/2021
11	EE/ OFC/pole/202 2-23/2483/W- 9/557	W0432,W065 9	CANARA BANK LAYOUT	13.070215800 208842- 77.579732662 69624	2483	19/07/2021
12	EE/ OFC/pole/202 2-23/2483/W- 9/558	W0432	CANARA BANK LAYOUT	13.070090319 428832- 77.580156553 19743	2483	19/07/2021
13	EE/ OFC/pole/202 2-23/2483/W- 9/559	W0432	CANARA BANK LAYOUT	13.069964838 585033- 77.580537518 07823	2483	19/07/2021
14	EE/ OFC/pole/202 2-23/2483/W- 9/560	W0633	CANARA BANK LAYOUT	13.069158197 905212- 77.578323511 32505	2483	19/07/2021
15	EE/ OFC/pole/202 2-23/2483/W- 9/561	W0633	CANARA BANK LAYOUT	13.069627795 111243- 77.577962028 49782	2483	19/07/2021
16	EE/ OFC/pole/202 2-23/2483/W- 9/562	W0649	CANARA BANK LAYOUT	13.069136327 187598- 77.577511309 48394	2483	19/07/2021
17	EE/ OFC/pole/202 2-23/2483/W- 9/563	W0649	CANARA BANK LAYOUT	13.068835047 011333- 77.577040950 37202	2483	19/07/2021
18	EE/ OFC/pole/202 2-23/2483/W- 9/564	W0651	CANARA BANK LAYOUT	13.068254694 622347- 77.576869247 8905	2483	19/07/2021
19	EE/ OFC/pole/202 2-23/2483/W- 9/565	W0651	CANARA BANK LAYOUT	13.068547485 18735- 77.577282406 9866	2483	19/07/2021
20	EE/ OFC/pole/202 2-23/2483/W- 9/566	W0651	CANARA BANK LAYOUT	13.068767077 88317- 77.577668737 56992	2483	19/07/2021
21	EE/ OFC/pole/202 2-23/2483/W- 9/567	W0647,W064 5	CANARA BANK LAYOUT	13.069386682 758648- 77.577221120 7446	2483	19/07/2021

22	EE/ OFC/pole/202 2-23/2483/W- 9/568	W0645	CANARA BANK LAYOUT	13.069663786 852733- 77.577054783 96564	2483	19/07/2021
23	EE/ OFC/pole/202 2-23/2483/W- 9/569	W0645	CANARA BANK LAYOUT	13.070092513 328634- 77.576722110 40779	2483	19/07/2021
24	EE/ OFC/pole/202 2-23/2483/W- 9/570	W0641	CANARA BANK LAYOUT	13.069569676 063209- 77.576035300 4818	2483	19/07/2021
25	EE/ OFC/pole/202 2-23/2483/W- 9/571	W0639	CANARA BANK LAYOUT	13.069731755 733958- 77.575659701 30356	2483	19/07/2021
26	EE/ OFC/pole/202 2-23/2483/W- 9/572	W0639	CANARA BANK LAYOUT	13.069925205 524184- 77.575890426 51307	2483	19/07/2021
27	EE/ OFC/pole/202 2-23/2483/W- 9/573	W0639	CANARA BANK LAYOUT	13.070082056 594174- 77.576131883 12764	2483	19/07/2021
28	EE/ OFC/pole/202 2-23/2483/W- 9/574	W0637	CANARA BANK LAYOUT	13.070746921 865505- 77.576654773 60325	2483	19/07/2021
29	EE/ OFC/pole/202 2-23/2483/W- 9/575	W0633	CANARA BANK LAYOUT	13.070637126 422788- 77.576386488 47589	2483	19/07/2021
30	EE/ OFC/pole/202 2-23/2483/W- 9/576	W0633	CANARA BANK LAYOUT	13.070433220 470983- 77.576091374 83584	2483	19/07/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 30

Pole Charges @ Rs 1500/- Pole	45,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	221.7
----------------------------------	--------	--	-------

Junction Box Charges @ Rs 3000/- Pole	90,000	Total (C)	221.7
Supervision Charge @ Rs 100/- Pole	3,000		
Sub Total (A)	138,000	GST @ 18% (B)	24,840
Grand Total (A + B + C)	163,061.7		

Total Amount Payable Rs: 163,062 In words (Rupees One Lakh Sixty-Three Thousand and Sixty-Two Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike



Copy to

No.: 10-2022-864

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-864

1/2

Navigation icons: Up, Down, Close

@RIL.COM

OFC/Pole/2022-23/W0201/870

10-2022-878

Pending

ceofc01(ceofc01)

OFC Work Created

[Demand Notice](#)

[Permission Letter](#)

[View/Submit](#)

Pole Details

10-2022-864



OFC/Pole/2022-23/W0128/848

10-2022-856

Pending

ceofc01(ceofc01)

Pole Work Created

[Demand Notice](#)

[Permission Letter](#)

[View/Submit](#)

EXECUTIVE ENGINEER

OFC CELL

BBMP BANGALURU MAHANAGARA PALIKE

BANGALURU