



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/868/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 07-05-2022
 - 3) Fee Demand Note letter No: 10-2022-868, Date: **14-05-2022**.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **14-10-2022**.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

SI No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 3rd Main via 10th Cross, 4th Main, 2nd Cross, Street ID No-W0197.	38 Poles
02	From 10th Cross via Street ID No-W0203	
03	From 10th Cross via Street ID No-W0191 up to 2nd Cross.	
04	From 10th Cross via Street ID No-W0197	
05	From 10th Cross via Street ID No-W0199	
06	From 10th Cross via Street ID No-W0203	
07	From 10th Cross via Street ID No-W0205	
08	From 10th Cross via Street ID No-W0207	
09	From 10th Cross via Street ID No-W0209	
10	From 10th Cross via Street ID No-W0213	
11	From 10th Cross via Street ID No-W0215	
12	From 10th Cross via Street ID No-W0219	
13	From 10th Cross via Street ID No-W0221	
14	From Marathahalli Outer Ring Road via 4th Main	
15	From Marathahalli Outer Ring Road via 6th 'B' Main	
16	From 9th Cross via 5th Main up to 11th Cross.	
17	From 7th Main via 10th Cross up to 1st Main. total No of 38 Poles, in Ward No-177 , South Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/868/2022-23, Dt: 15-10-2022


Executive Engineer (OFC), BBMP

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South** Zone) for information.
4. Copy to Zonal Chief Engineer (**South** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Jayanagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**J.P Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-868 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-868

With reference to your Demand Note bearing Pole-OFC-10-2022-868 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1138

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-868	38	175081	205944	31464	175081
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED


Authorized Signatory.





868

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

20594401/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-868 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-868

With reference to your Demand Note bearing Pole-OFC-10-2022-868 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1138 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-868	38	175081	205944	31464	175081
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205944

01/10/2022
dated

PAYMENT REFERENCE

AXIS BANK LTD ISSUING BRANCH
IFS CODE: UTIB000274

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31/12/2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE
दिनांक DD MM YY Y2 Y2 Y

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर

RUPEES One Lac Seventy Five Thousand Eighty One Only

रुपये

अदा करे

₹ 175,081.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205944

Client Reference 4200008085_127

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

Authorized Signatory

Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-868

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-868

General Information

Segment ID

OFC/Pole/2022-23/W0128/851

Street ID

30826

Street Name

NA

Zone

South

Ward No.

177

Ward Name

J P Nagara

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

07/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

38

No.Junction Box

38




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	13/05/2022

Date : 14/05/2022

Time : 01:02:22

20220514010222





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-868

Date: 14/05/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-868, dated : 07/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0128/851)




Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/2638/W- 177/14	W0128	PL0902 #580	12.909787675 219224- 77.598490118 98042	2638	03/03/2022
2	EE/ OFC/pole/202 2-23/2638/W- 177/15	W0128	PL0901 #584	12.909766759 930898- 77.598264813 42317	2638	03/03/2022
3	EE/ OFC/pole/202 2-23/2638/W- 177/16	W0177	PL0704 #557 OPP	12.910059573 808313- 77.597621083 2596	2638	03/03/2022
4	EE/ OFC/pole/202 2-23/2638/W- 177/17	W0177,W013 0	PL0903 #63	12.909154986 972922- 77.597658634 1858	2638	03/03/2022
5	EE/ OFC/pole/202 2-23/2638/W- 177/18	W0128	PL0705 # RADHA BHAI NILAYA	12.909719700 52575- 77.597234845 16145	2638	03/03/2022

6	EE/ OFC/pole/202 2-23/2638/W- 177/19	W0128	PL0703 #571	12.909719700 52575- 77.597047090 53041	2638	03/03/2022
7	EE/ OFC/pole/202 2-23/2638/W- 177/20	W0128	PL0702 #593 OPP	12.909693556 407934- 77.596730589 86665	2638	03/03/2022
8	EE/ OFC/pole/202 2-23/2638/W- 177/21	W0128	JC0706 #593	12.909693556 407934- 77.596805691 71907	2638	03/03/2022
9	EE/ OFC/pole/202 2-23/2638/W- 177/22	W0128	BGLRBD1347 422 #566	12.909704014 055391- 77.596263885 49806	2638	03/03/2022
10	EE/ OFC/pole/202 2-23/2638/W- 177/23	W0167,W012 8	PL0701 #ADITHYA	12.909683098 76007- 77.595802545 5475	2638	03/03/2022
11	EE/ OFC/pole/202 2-23/2638/W- 177/24	W0225	PL5105 #4TH MAIN ROAD	12.906430749 043583- 77.598377466 2018	2638	03/03/2022
12	EE/ OFC/pole/202 2-23/2638/W- 177/25	W0225	PL5106 #275	12.906122244 220834- 77.598457932 47224	2638	03/03/2022
13	EE/ OFC/pole/202 2-23/2638/W- 177/26	W0225	PL5104 #519	12.905876485 869296- 77.598538398 74268	2638	03/03/2022
14	EE/ OFC/pole/202 2-23/2638/W- 177/27	W0166	PL5102 #395	12.904966654 976198- 77.598752975 46388	2638	03/03/2022
15	EE/ OFC/pole/202 2-23/2638/W- 177/28	W0166	PL5101 #2ND CROSS ROAD	12.904977112 821358- 77.598055601 12001	2638	03/03/2022
16	EE/ OFC/pole/202 2-23/2638/W- 177/29	W0158,W022- 1	PL5204 #275	12.906090870 8277- 77.598192393 77977	2638	03/03/2022
17	EE/ OFC/pole/202 2-23/2638/W- 177/30	W0221	PL5203 #SRI PRANAVA	12.905792823 396652- 77.598275542 25923	2638	03/03/2022
18	EE/ OFC/pole/202 2-23/2638/W- 177/31	W0221	PL5201 #304	12.905513076 800426- 77.598361372 9477	2638	03/03/2022
19	EE/ OFC/pole/202 2-23/2638/W- 177/32	W0158,W021 9	PL5302 #290 OPP	12.906009822 877223- 77.597921490 66926	2638	03/03/2022
20	EE/ OFC/pole/202 2-23/2638/W- 177/33	W0215,W015 8	PL5306 # 4TH C MAIN ROAD	12.905941847 156583- 77.597682774 06694	2638	03/03/2022
21	EE/ OFC/pole/202 2-23/2638/W- 177/34	W0215	PL5304 #4TH C MAIN ROAD	12.905518305 711645- 77.597688138 48497	2638	03/03/2022

22	EE/ OFC/pole/202 2-23/2638/W- 177/35	W0158,W020 9	PL5505 #90	12.905850341 349609- 77.597258985 04257	2638	03/03/2022
23	EE/ OFC/pole/202 2-23/2638/W- 177/36	W0158,W020 7	PL5501 #6TH MAIN ROAD	12.905753606 602957- 77.597022950 64928	2638	03/03/2022
24	EE/ OFC/pole/202 2-23/2638/W- 177/37	W0158,W020 5	PL5504 #6TH A MAIN ROAD	12.905683016 358804- 77.596805691 71907	2638	03/03/2022
25	EE/ OFC/pole/202 2-23/2638/W- 177/38	W0158,W020 5	PL5506 #94/A	12.905714389 803117- 77.596768140 79286	2638	03/03/2022
26	EE/ OFC/pole/202 2-23/2638/W- 177/39	W0158,W020 3	PL5604 #176	12.905625498 367375- 77.596529424 19054	2638	03/03/2022
27	EE/ OFC/pole/202 2-23/2638/W- 177/40	W0203	PL5802 #172.	12.905369281 699294- 77.596540153 02658	2638	03/03/2022
28	EE/ OFC/pole/202 2-23/2638/W- 177/41	W0158,W019 9	JC5801,7TH B MAIN ROAD	12.905646414 00215- 77.596231698 98988	2638	03/03/2022
29	EE/ OFC/pole/202 2-23/2638/W- 177/42	W0199	PL5605 #161	12.905256860 017182- 77.596207559 10873	2638	03/03/2022
30	EE/ OFC/pole/202 2-23/2638/W- 177/43	W0197	PL5602 #154	12.905643799 547908- 77.596011757 85066	2638	03/03/2022
31	EE/ OFC/pole/202 2-23/2638/W- 177/44	W0158,W019 7	PL5603 16TH CROSS ROAD	12.905698703 081457- 77.596046626 56785	2638	03/03/2022
32	EE/ OFC/pole/202 2-23/2638/W- 177/45	W0193	PL6206 #138	12.905675172 997121- 77.595759630 20325	2638	03/03/2022
33	EE/ OFC/pole/202 2-23/2638/W- 177/46	W0193	PL6204 #132 OPP	12.905332679 296713- 77.595735490 32213	2638	03/03/2022
34	EE/ OFC/pole/202 2-23/2638/W- 177/47	W0158,W019 1	PL6205 #126	12.905717004 256635- 77.595448493 95753	2638	03/03/2022
35	EE/ OFC/pole/202 2-23/2638/W- 177/48	W0191	PL6203 # SRI LALITHA	12.905217643 139432- 77.595408260 82231	2638	03/03/2022
36	EE/ OFC/pole/202 2-23/2638/W- 177/49	W0191	PL6202 #120	12.905374510 613514- 77.595413625 24034	2638	03/03/2022
37	EE/ OFC/pole/202 2-23/2638/W- 177/50	W0171	PL6102 ICICI BANK	12.906195448 789488- 77.596553564 07167	2638	03/03/2022

38	EE/ OFC/pole/202 2-23/2638/W- 177/51	W0160,W017 1	PL6105 SHILPA APPT	12.906417676 813046- 77.596575021 74379	2638	03/03/2022
----	---	-----------------	--------------------------	--	------	------------



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 38

Pole Charges @ Rs 1500/- Pole	57,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	280.82
Junction Box Charges @ Rs 3000/- Pole	114,000	Total (C)	280.82
Supervision Charge @ Rs 100/- Pole	3,800		
Sub Total (A)	174,800	GST @ 18% (B)	31,464
Grand Total (A + B + C)	206,544.82		

Total Amount Payable Rs: 206,545 In words (Rupees Two Lakh Six Thousand Five Hundred and Forty-Five Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-868

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.




BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

OFC/Pole/2022-23/W0181/869 10-2022-881 Pending ceofc01(ceofc01) OFC Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details

10-2022-868



OFC/Pole/2022-23/W0305/846 10-2022-858 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

S. Jagan
 EXECUTIVE ENGINEER
 OFC CELL

BENGALURU