

BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building, N.R. Square, Bangalore -560002

No: EE/OFC/PR/873/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,

M/s. Jio Digital Fibre Private Limited,

RMZ ICON, No-51, Palace Road Cross, Vasanth Nagar, Bengaluru-52.

Sir,

<u>Sub</u>:- Permission for Regularization for poles.

Ref: 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.

2) M/s. Jio Digital Fibre Private Limited online application Dated: 07-05-2022

3) Fee Demand Note letter No: 10-2022-873, Date: 12-05-2022.

4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022: 15-10-2022.

5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 14-10-2022.

* * * *

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

S1 No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Sidedahalli Main Road Sumakha	
	Complex Road up to Hesaragatta Main Road.	
02	From Sidedahalli Main Road via 4th Cross road up to Road end.	
03	From Sidedahalli Main Road via Street ID No-W0215 up to Sitaram Layout	
	Road.	
04	From Sitaram layout via Street ID No-W0217 up to Road end.	lå
05	From Sumukha Complex Road via Sitaram layout Road, Street ID No-W0219	00 7 1
	up to Sidedahalli Main Road.	90 Poles
06	From Hesaragatta Main Road via Street ID No-W0232 up to Road end.	
07	From Hesaragatta Main Road via Sitaram Layout Road for a length of 74.88	
	Mtr.	*
08	From Hesaragatta Main Road via Street ID No-W0115 up to Road end.	
09	From Hesaragatta Main Road via Street ID No-W0113, W0216, W0100,	
	W0202, W0101, W0216, W0897, W0206, W0087 up to 1st Main Road.	29 30
10	From 2 nd Cross Road via 2 nd Main Road, 5 th Cross Road	
11	From 2 nd Cross Road via 11 th Cross Road	
12	From 5th Cross Road via 2nd Main Road up to 9th Cross Road.	
13	From 1st Main Road via 2nd Cross Road up to Street ID No-W0202.	

Executive Engineer (OFC), BBMP

No: EE/OFC/PR/873/2022-23, Dt: 15-10-2022

	Ref: As per drawing enclosed & demand note GIS co-ordinates.	
	of 90 Poles, in Ward No-14, Dasarahalli Zone.	
29	From 4th Main Road via 28th Cross Road up to 20th Cross Road, for total No	
28	From 4th Main Road via 23rd Cross Road up to 20th Cross Road.	
27	From 4th Main Road via 29th Cross Road Crossing 3rd Main Road	
	Main Road.	
26	From 1st Main Road via 10th Main Road, 4th Main Road up to Hesargatta	
	ID No-W0176	
25	From the junction of Street ID No-W0180 via W0178, 4th Main Road Street	
	Street ID No-W0176.	
24	From the junction of Street ID No-W0180 via W0178, 20th Cross Road up to	90 Poles
23	From 1st Main Road via 20th Cross Road up to 29th Cross Road.	00 Pele-
22	From 3 rd Main Road via 2 nd Main Road up to 16 th Cross Road.	
21	From 11th Cross Road via Street ID No-W0093, 13th Cross, 16th Cross	
20	From 3 rd Main Road via Street ID No-W0210, W0095	
19	From 11th Cross Road via Street ID No-W0095 up to Street Id No-W0210	
18	From 11th Cross Road via 3rd Main Road, 10th Cross	
17	From Hesargatta Main Road via 1st Main Road up to 19th Cross Road.	
16	In 1st Main Road via 3rd Main Road up to 10th Cross Road.	
15	From 9th Cross Road via 11th Cross, 8th Cross, Street ID No-W0212, W0105	
14	From 1st Main Road via 9th Cross Road up to Street ID No-W0202.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

- 1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
- 2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
- 3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
- 4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
- 5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
- 6. The minimum distance between two poles shall be 40 mtrs.

Executive Engineer (OFC), BBMP

- 7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
- 8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
- 9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
- 10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
- 11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
- 12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
- 13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
- 14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
- 15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
- 16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
- 17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.

18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.

19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as

prescribed by Government from time to time.

20. Railways: The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.

21. Electrical Lines: The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:

22. Right-of-way(ROW) for Electrical lines.-

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0


23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	every additional	

- 24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
- 25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
- 26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

- 1. Copy to the Chief Commissioner for kind information.
- 2. Copy to the Special Commissioner (Project) for kind information.
- 3. Copy to the Zonal Additional/Joint Commissioner (Dasarahalli Zone) for information.
- 4. Copy to Zonal Chief Engineer (Dasarahalli Zone) for information.
- 5. Copy to the Chief Engineer (Road Infrastructure) for information.
- 6. Copy to the Concerned Executive Engineer of (Dasarahalli Division) for information.
- 7. Copy to the Concerned Assistant Executive Engineer of (**T. Dasarahalli** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
- 8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
- 9. Office Copy.



Executive Engineer (OFC), BBMP

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/

10-2022-873

/DD

Date:

3-Oct-22

The Chief Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4th floor Annex Building, N R Square Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :-

Pole-OFC-10-2022-873

With reference to your Demand Note bearing Pole-OFC-10-2022-873 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0219 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-873	90	414665	205829 Dated 01-10-2022	74520	414665

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.

BBMP Bengaluru
No. ... So. S. ...

Bate: Audio Parame year.

Bate: Audio Parame year.

Bate: Audio Parame year.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF-

JIO DIGITAL FIBRE PVT LTD 5TTĆ INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD,THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

205829

01/10/2022 dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/

10-2022-873

/DD

,Please find mentioned

3-Oct-22

The Chief Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4th floor Annex Building, N R Square Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note:

Pole-OFC-10-2022-873

With reference to your Demand Note bearing Pole-OFC-10-2022-873 below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment

to get permission for laying Poles on **BGLR0219**

Application No.	Poles	Poles Charges ——(Rs.)——	DD No.	GST (through RCM) Rs.	Total Amount
40 2022 072		*4466	205829		
10-2022-873	90	414665	Dated	74520	414665
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701


We are pleased to send to you Demand Draft No. as per details mentioned below.

205829

01/10/2022 dated

-: No. 26182

PAYMENT REFERENCE



Centralised Collections & Payment Hub

Mumbal:

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No.: 10-2022-873

PR Number(To be Assigned by AE/JE- CE-POLE-10-2022-873 OFC, BBMP)

General Information

Segment ID

OFC/Pole/2022-23/W0209/849

Street ID 54006

NΑ

Zone

Dasarahalli

Ward No.

14

Ward Name Bagalakunte

Street Name

Service Provider Category

Telecom

Organization

Pin Code

380006

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5 Rasta, Ambawadi, Ahmedabad, Gujarat,

India

Official Phone No.

9845117017

Previous Relevant Exp.

10

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

TAN

AHMJ08610A

Application Submission Date

07/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

Attachments

9845117017


Pole Related Information

No.of Poles

No.Junction Box

90


90



Status of My Application


Approver Name	Designation	Date
ceofc01(ceofc01)	CE	11/05/2022

Date: 12/05/2022



20220512031152

No: 10-2022-873



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore - 560002

No.: Pole-OFC-10-2022-873

Date: 12/05/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No.: 10-2022-873, dated: 07/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0209/849)

Sr No.	Unique Poleld.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/7501/W- 14/252	W0215	SRI MURTHI NILAYA	13.064216419 309819- 77.503512281 95109	7501	24/01/2019
2	EE/ OFC/pole/202 2-23/7501/W- 14/253	W0215	SAVI NILAYA	13.064054426 50699- 77.503485463 74065	7501	24/01/2019
3	EE/ OFC/pole/202 2-23/7501/W- 14/254	W0215	MARUTHI NILAYA	13.063881982 438817- 77.503469372 81438		24/01/2019
4	EE/ OFC/pole/202 2-23/7501/W- 14/255	W0215	ASHWINI BEAUTY PARLOR	13.063761794 077651- 77.503447918 246	7501	24/01/2019
5	EE/ OFC/pole/202 2-23/7501/W- 14/256	W0211	NAGRAJU GOWDA	13.064247772 743254- 77.503222645 27811	,	24/01/2019

		Y				
6	EE/ OFC/pole/202 2-23/7501/W- 14/257	W0211	SHRI GANESH NILAYA	13.063897659 177265- 77.503179736 14136	7501	24/01/2019
7	EE/ OFC/pole/202 2-23/7501/W- 14/258	W0211	SHRI GANESH NILAYA	13.063889820 808162- 77.503160963 39405	7501	24/01/2019
8	EE/ OFC/pole/202 2-23/7501/W- 14/259	W0209	GAYITHRI NILAYA	13.064237321 599204- 77.502919599 49989	7501	24/01/2019
9	EE/ OFC/pole/202 2-23/7501/W- 14/260	W0209	SHRIMATHI SUMITHRA	13.063879369 648973- 77.502887417 64732	7501	24/01/2019
10	EE/ OFC/pole/202 2-23/7501/W- 14/261	W0209	NIRASGA SCHOOL	13.064563135 798455- 77.502976285 29913	7501	24/01/2019
11	EE/ OFC/pole/202 2-23/7501/W- 14/262	W0217	MANJUNATH A NILAYA	13.065018804 690178- 77.503655609 27625	7501	24/01/2019
12	EE/ OFC/pole/202 2-23/7501/W- 14/263	W0217	MANJUNATH A NILAYA	13.065016191 912369- 77.503669018 38149	7501	24/01/2019
13	EE/ OFC/pole/202 2-23/7501/W- 14/264	W0217	SHEET HOUSE	13.064858118 803539- 77.503647563 81312	7501	24/01/2019
15	EE/ OFC/pole/202 2-23/7501/W- 14/265	W0230	MARUTHI NILAYA	13.064393043 53573- 77.503684869 08609	7501	24/01/2019
16	EE/ OFC/pole/202 2-23/7501/W- 14/266	W0230	MAILARA LIGESHWAR A	13.064393827 37903- 77.503695611 889	7501	24/01/2019
17	EE/ OFC/pole/202 2-23/7501/W- 14/267	W0230	RENUKAMBA	13.064367699 533568- 77.504026816 78824	7501	24/01/2019
18	EE/ OFC/pole/202 2-23/7501/W- 14/268	W0230	NANJUNDES HWARA STORE	13.064320408 150174- 77.504357279 71441	7501	24/01/2019
19	EE/ OFC/pole/202 2-23/7501/W- 14/269	W0230	NANJUNDES HWARA STORE	13.064343923 215713- 77.504377393 37228	7501	24/01/2019
20	EE/ OFC/pole/202 2-23/7501/W- 14/270	W0115	SHRI MATHAMBIK A	13.065537440 597392- 77.503181436 1557	7501	24/01/2019
21	EE/ OFC/pole/202 2-23/7501/W- 14/271	W0115	N MANJUNATH A NILAYA	13.065751687 833504- 77.503232390 75556	7501	24/01/2019
22	EE/ OFC/pole/202 2-23/7501/W- 14/272	W0113	SHRI HARI	13.066514092 86176- 77.503067600 43884		24/01/2019

. .

		y	,- ··	· · · · · · · · · · · · · · · · · · ·		
23	EE/ OFC/pole/202 2-23/7501/W- 14/273	W0113	GOWDA	13.066305071 815725- 77.503019327 66003	7501	24/01/2019
24	EE/ OFC/pole/202 2-23/7501/W- 14/274	W0113	BUILDING 395	13.066137854 851453- 77.502987145 8075		24/01/2019
25	EE/ OFC/pole/202 2-23/7501/W- 14/275	W0113	GAVIGANGA DESHWARA SWAMY	13.065876578 078184- 77.502914738 19111		24/01/2019
26	EE/ OFC/pole/202 2-23/7501/W- 14/276	W0113	bLACK GATE	13.065834773 775181- 77.502922783 65424		24/01/2019
27	EE/ OFC/pole/202 2-23/7501/W- 14/277	W0113	SHRI RAM NILAYA	13.065505564 641647- 77.502834283 55971		24/01/2019
28	EE/ OFC/pole/202 2-23/7501/W- 14/278	W0113	LAKSHMI NARASIMHA NILAYA	13.065265189 441476- 77.502775283 4967		24/01/2019
29	EE/ OFC/pole/202 2-23/7501/W- 14/279	W0109	THAPATESH VARA NILAYA	13.065325805 770529- 77.502485633 63277		24/01/2019
30	EE/ OFC/pole/202 2-23/7501/W- 14/280	W0109	ВНООМІ 65	13.065649789 601578- 77.502547315 51681		24/01/2019
31	EE/ OFC/pole/202 2-23/7501/W- 14/281	W0109	THEJAS	13.065754300 42412- 77.502584861 01148	7501	24/01/2019
32	EE/ OFC/pole/202 2-23/7501/W- 14/282	W0109	SAMRUDDI	13.065920995 18224- 77.502619754 55867	7501	24/01/2019
33	EE/ OFC/pole/202 2-23/7501/W- 14/283	W0204,W010 9	SHRI LAKSHMI NARAYANA SWAMY	13.066103888 891753- 77.502657300 05329		24/01/2019
34	EE/ OFC/pole/202 2-23/7501/W- 14/284	W0204,W010 7	BLACK GATE	13.066213625 052416- 77.502362299 73824		24/01/2019
35	EE/ OFC/pole/202 2-23/7501/W- 14/285	W0204	LAKSHIMI NARA SIMHA	13.066292530 499481- 77.502000701 44486	7501	24/01/2019
36	EE/ OFC/pole/202 2-23/7501/W- 14/286	W0212,W010 5	BAIRAVESH WARA	13.065987881 9765- 77.501967954 18383		24/01/2019
37	EE/ OFC/pole/202 2-23/7501/W- 14/287	W0202	ANUGRAHA	13.066522976 156621- 77.502392255 24068		24/01/2019
38	EE/ OFC/pole/202 2-23/7501/W- 14/288	W0202	MAILARA LINGESHWA RA	13.066585682 433663- 77.502105300 3887		24/01/2019


39	EE/ OFC/pole/202 2-23/7501/W- 14/289	W0202	BALAJI	13.066658839 736757- 77.501737890 9054	7501	24/01/2019
40	EE/ OFC/pole/202 2-23/7501/W- 14/290	Ŵ0101	SHRI CHANDANA	13.066178091 348155- 77.501353736 22118	7501	24/01/2019
41	EE/ OFC/pole/202 2-23/7501/W- 14/291	W0101	ABOODYA	13.065838431 596163- 77.501259872 48455	7501	24/01/2019
42	EE/ OFC/pole/202 2-23/7501/W- 14/292	W0216,W010 1	KESARA NANDANA	13.065498771 376859- 77.501201936 83532	7501	24/01/2019
43	EE/ OFC/pole/202 2-23/7501/W- 14/293	W0216,W010 3	SHRI SAI KRUPA	13.065399485 993744- 77.501462073 47683	7501	24/01/2019
44	EE/ OFC/pole/202 2-23/7501/W- 14/294	W0216	BASAVA SADANA	13.065389034 898459- 77.501864346 63372	7501	24/01/2019
45	EE/ OFC/pole/202 2-23/7501/W- 14/295	W0216,W010 5	BASAVA SADANA	13.065339392 189815- 77.501794619 28656	7501	24/01/2019
46	EE/ OFC/pole/202 2-23/7501/W- 14/296	W0216	VEERABADR ESHWARA NILAYA	13.065362907 15831- 77.502057437 74907	7501	24/01/2019
47	EE/ OFC/pole/202 2-23/7501/W- 14/297	W0216,W009 7	NEPALI MAMU CORNER	13.065558865 141998- 77.500889636 85583	7501	24/01/2019
48	EE/ OFC/pole/202 2-23/7501/W- 14/298	W0216	NEPALI MAMU CORNER OPP	13.065587605 633189- 77.500680454 81424	7501	24/01/2019
49	EE/ OFC/pole/202 2-23/7501/W- 14/299	W0216	SIDDI_RIDDI	13.065624184 435341- 77.500388136 32017	7501	24/01/2019
50	EE/ OFC/pole/202 2-23/7501/W- 14/300	W0216	SHR MANJUNATH ESHWARA	13.065710405 876077- 77.499891992 4432	7501	24/01/2019
51	EE/ OFC/pole/202 2-23/7501/W- 14/301	W0216	LAKSHMIDE VI	13.065671214 315833- 77.500101174 48481	7501	24/01/2019
52	EE/ OFC/pole/202 2-23/7501/W- 14/302	W0214,W009 7	BLACK GATE	13.065830593 288675- 77.500940584 47229	7501	24/01/2019
53	EE/ OFC/pole/202 2-23/7501/W- 14/303	W0095	SAPTHGIRI	13.066118520 318868- 77.500528646 89309	7501	24/01/2019
54	EE/ OFC/pole/202 2-23/7501/W- 14/304	W0210	SETU HOUSE	13.066249158 592104- 77.500799510 81872		24/01/2019

·				T		· · · · · · · · · · · · · · · · · · ·
55	EE/ OFC/pole/202 2-23/7501/W- 14/305	W0095	BLACK GATE	13.066416375 480983- 77.500575855 42184	7501	24/01/20
56	EE/ OFC/pole/202 2-23/7501/W- 14/306	W0206	BAIRAVESH WARA NILAYA	13.066526111 502746- 77.500854764 81063	7501	24/01/20
57	EE/ OFC/pole/202 2-23/7501/VV- 14/307	W0206,W009 7	NEAR UNDER CONSTRUCT ION BUILDING	13.066479081 785099- 77.501090765 06268	7501	24/01/20
58	EE/ OFC/pole/202 2-23/7501/W- 14/308	W0214	WHITE COLOR BUILDING	13.065956528 764051- 77.500240627 79103	7501	24/01/20
59	EE/ OFC/pole/202 2-23/7501/W- 14/309	W0093	AKSHAYA	13.066194290 52576- 77.500211127 75953	7501	24/01/20
60	EE/ OFC/pole/202 2-23/7501/W- 14/310	W0093	PRASHANTH NILAYA	13.066580979 495338- 77.500286218 74883	7501	24/01/20
61	EE/ OFC/pole/202 2-23/7501/W- 14/311	W0206	SRIRANGA	13.066607107 10656- 77.500468582 58	7501	24/01/20
62	EE/ OFC/pole/202 2-23/7501/W- 14/312	W0087	GANESH NILAYA	13.066230869 238018- 77.499897354 69711	7501	24/01/20
63	EE/ OFC/pole/202 2-23/7501/W- 14/313	W0200	SAPTHGIRI NILAYA	13.066975506 090726- 77.500233680 63738	7501	24/01/20
64	EE/ OFC/pole/202 2-23/7501/W- 14/314	W0200	SUJATHA BUILDING	13.066910187 154916- 77.500579635 55233	7501	24/01/20
65	EE/ OFC/pole/202 2-23/7501/W- 14/315	W0200	SUNIL SADANA	13.066821353 374511- 77.500901454 07788	7501	24/01/20
66	EE/ OFC/pole/202 2-23/7501/W- 14/316	W0198	LAKSHMI VENKATESH WARA	13.067257161 11201- 77.500561933 26257		24/01/20
67	EE/ OFC/pole/202 2-23/7501/W- 14/317	W0198	JUICE CORNER	13.067184003 986226- 77.500918615 4617		24/01/20
68	EE/ OFC/pole/202 2-23/7501/W- 14/318	W0198	S R S LODGE	13.066841210 276168- 77.502450491 3764	7501	24/01/20
69	EE/ OFC/pole/202 2-23/7501/W- 14/319	W0194	BUILDING 337	13.067365851 595058- 77.501593986 57196		24/01/20

70	EE/	W0194	CHANNADU	13.067316209	7501	24/01/2019
	OFC/pole/202 2-23/7501/W- 14/320			283932- 77.501746850 37157		
71	EE/ OFC/pole/202 2-23/7501/W- 14/321	W0194	BUILDING 248	13.067237826 667094- 77.502197396 30737	7501	24/01/2019
72	EE/ OFC/pole/202 2-23/7501/W- 14/322	W0111,W019 4	SUJATHA BUILDING	13.067107188 917047- 77.502763260 54812	7501	24/01/2019
73	EE/ OFC/pole/202 2-23/7501/W- 14/323	W0111	NARASIMHA MURTHY	13.067201248 104043- 77.502736442 33765	7501	24/01/2019
74	EE/ OFC/pole/202 2-23/7501/W- 14/324	W0196	PANCHAJAN YA	13.067530454 976318- 77.500745463 60382	7501	24/01/2019
75	EE/ OFC/pole/202 2-23/7501/W- 14/325	W0091,W019 2	PARTHASAR THI	13.067906690 86415- 77.500461171 99133	7501	24/01/2019
76	EE/ OFC/pole/202 2-23/7501/W- 14/326	W0192	SHRI KRISHNA NILAYA	13.067854435 914027- 77.500841990 5799	7501	24/01/2019
77	EE/ OFC/pole/202 2-23/7501/W- 14/327	W0192	GAYITHRI NILAYA	13.067810019 197706- 77.501053854 44257	7501	24/01/2019
78	EE/ OFC/pole/202 2-23/7501/W- 14/328	W0192	GAMESHANA MH	13,067768215 222122- 77,501209400 06323	7501	24/01/2019
79	EE/ OFC/pole/202 2-23/7501/W- 14/329	W0190	AMBAKRUPA	13.067663705 252173- 77.501694809 67261	7501	24/01/2019
80	EE/ OFC/pole/202 2-23/7501/W- 14/330	W0190	JANANI	13.067559195 237973- 77.502064900 97698	7501	24/01/2019
81	EE/ OFC/pole/202 2-23/7501/W- 14/331	W0188	NEAR PARK	13.067872725 147826- 77.502086355 54534	7501	24/01/2019
82	EE/ OFC/pole/202 2-23/7501/W- 14/332	W0188	NEAR BLACK GATE	13.067859661 409535- 77.502021991 84025	7501	24/01/2019
83	EE/ OFC/pole/202 2-23/7501/W- 14/333	W0111	SURYA NILAYA	13.068549948 784703- 77.501829457 29367	7501	24/01/2019
84	EE/ OFC/pole/202 2-23/7501/W- 14/334	W0111,W009 9,W0178	LAKSHMI SIDDESHWR A NILAYA	13.068803384 475425- 77.501647093 46251	7501	24/01/2019
85	EE/ OFC/pole/202 2-23/7501/W- 14/335	W0178	JAYADATTTA NILAYA	13.068722389 592248- 77.501448638 70509	7501	24/01/2019

.

86	EE/ OFC/pole/202 2-23/7501/W- 14/336	W0178	SUDANVA	13.068617880 026292- 77.501298456 72652	7501	24/01/2019
87	EE/ OFC/pole/202 2-23/7501/W- 14/337	W0178,W018 0	MATHRU SHRI NILAYA	13.068487243 006627- 77.501032956 44291	7501	24/01/2019
88	EE/ OFC/pole/202 2-23/7501/W- 14/338	W0178,W018 6	UPASANA	13.068239032 478767- 77.500619956 00178		24/01/2019
89	EE/ OFC/pole/202 2-23/7501/W- 14/339	W0186	KAMADENU KALPA VRUKSHA NILAYA	13.068137135 452968- 77.500923001 78002	7501	24/01/2019
90	EE/ OFC/pole/202 2-23/7501/W- 14/340	W0186	ASHWINI NILAYA	13.068071816 824553- 77.501164365 67417	7501	24/01/2019
91	EE/ OFC/pole/202 2-23/7501/W- 14/341	W0091	LADIES PG	13.068505009 454- 77.500570602 73875	7501	24/01/2019



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Banglore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 90

Pole Charges @ Rs 1500/- Pole	135,000 Worker Welfare Cess Amount @ Rs 7.39/- Pole		665.1		
Junction Box Charges @ Rs 3000/- Pole	270,000	Total (C)	665.1		
Supervision Charge @ Rs 100/- Pole	9,000				
Sub Total (A)	414,000	GST @ 18% (B)	74,520		
Grand Total (A + B + C)	al (A + B + C) 489,185.1				

Total Amount Payable Rs: 489,185 In words (Rupees Four Lakh Eighty-Nine Thousand One Hundred and Eighty-Five Only)

<u>Note:</u> The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-873

- 1. Copy submitted to Commissioner for kind information.
- 2. Copy submitted to Special Commissioner (Project) for kind information.
- 3. Copy submitted to CAO for information.
- 4. Copy to Office file.

