



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell ), 3<sup>rd</sup>Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/877/2022-23

Date: 15-10-2022

**Permission for Regularization for Poles**

To,  
M/s. Jio Digital Fibre Private Limited ,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 07-05-2022
  - 3) Fee Demand Note letter No: 10-2022-877, Date: **14-05-2022**.
  - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **14-10-2022**.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 9th Cross via 7th Main, 11th Cross, 5th Cross, 13th Cross, 6th 'D' Main, Street ID No-W0142 up to 8th Main.	<b>31 Poles</b>
02	From Street ID No-W0147 via 7th Main	
03	From Street ID No-W0147 via 6th Main	
04	From 11th Cross via 6th 'D' Main	
05	From 11th Cross via 6th 'A' Main	
06	From 6th Cross via 12th 'A' Cross	
07	From 6th Cross via 12th Cross	
08	From 6th Cross via 11th 'A' Cross	
09	From 6th Cross via 12th 'B' Cross	
10	From 12th Cross via 12th 'B' Cross	
11	From 1st Main via 11th 'A' Cross	
12	From 9th Cross via 1st Main, 11th Cross, for total No of <b>31 Poles</b> , in Ward No-177 <b>South Zone.</b> <b>Ref: As per drawing enclosed &amp; demand note GIS co-ordinates.</b>	

No: EE/OFC/PR/877/2022-23, Dt: 15-10-2022

Executive Engineer (OFC), BBMP

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for Regularization of Poles**

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Jayanagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**J.P Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasathanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-877 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to lay the OFC by HDD method.**

**Ref: Demand Note :-** Pole-OFC-10-2022-877

With reference to your Demand Note bearing Pole-OFC-10-2022-877, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1138.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-877	31	142829	205949	25668	142829
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



SV

877

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**205949**

01/10/2022  
dated

PAYMENT REFERENCE

---

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-877 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to lay the OFC by HDD method.**

**Ref: Demand Note :-** Pole-OFC-10-2022-877

With reference to your Demand Note bearing Pole-OFC-10-2022-877, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1138.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-877	31	142829	205949	25668	142829
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

879

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

**205949**

01/10/2022  
dated

**PAYMENT REFERENCE**

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31/12/2022

DATE 01 10 2022  
दिनांक 0 1 1 0 2 0 2 2

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES One Lac Forty Two Thousand Eight Hundred Twenty Nine Only

रुपये

अदा करे

₹ 142,829.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205949

Client Reference 4200008085\_132

For Axis Bank Ltd  
Authorised Signatory

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

Please sign above





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-877

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-877

General Information

Segment ID

OFC/Pole/2022-23/W0142/865

Street ID

30864

Street Name

NA

Zone

South

Ward No.

177

Ward Name

J P Nagara

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5 Rasta, Ambawadi, Ahmedabad, Gujarat, India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

07/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

31

No.Junction Box

31




**Status of My Application**

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	13/05/2022

Date : 14/05/2022

Time : 01:04:18

20220514010418





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-877

Date: 14/05/2022

**Demand Notice**

**GST No.: 29AAALBI608FIZK**

**To**

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

**Sub:-** Permission for Poles(Regularization)

**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-877, dated : 07/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0142/865)



Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/2635/W- 177/52	W0142	PL5701 #718	12.906880433 357676- 77.595169544 21998	2635	03/03/2022
2	EE/ OFC/pole/202 2-23/2635/W- 177/53	W0142	PL5702 #717	12.906885662 240297- 77.595614790 91644	2635	03/03/2022
3	EE/ OFC/pole/202 2-23/2635/W- 177/54	W0142	PL5905 #642	12.906869975 59212- 77.595861554 14583	2635	03/03/2022
4	EE/ OFC/pole/202 2-23/2635/W- 177/55	W0142,W016 9	BGLRBD1347 514 #14TH CROSS ROAD	12.906864746 709168- 77.596097588 53914	2635	03/03/2022
5	EE/ OFC/pole/202 2-23/2635/W- 177/56	W0142	BGLRBD0467 134 #135/16	12.906900041 666926- 77.596186101 43661	2635	03/03/2022

6	EE/ OFC/pole/202 2-23/2635/W- 177/57	W0169	PL5903 #667	12.907337960 172784- 77.596137821 67436	2635	03/03/2022
7	EE/ OFC/pole/202 2-23/2635/W- 177/58	W0169	PL5904 # 652	12.907439923 177483- 77.596164643 76451	2635	03/03/2022
8	EE/ OFC/pole/202 2-23/2635/W- 177/59	W0169	PL6104 #655 OPP	12.907873919 09132- 77.596161961 5555	2635	03/03/2022
9	EE/ OFC/pole/202 2-23/2635/W- 177/60	W0169	PL6107 #673	12.907970653 017632- 77.596167325 97352	2635	03/03/2022
10	EE/ OFC/pole/202 2-23/2635/W- 177/61	W0169	PL6103 #659	12.908075230 193175- 77.596191465 85466	2635	03/03/2022
11	EE/ OFC/pole/202 2-23/2635/W- 177/62	W0167	PL5902 #7TH MAIN ROAD	12.907204623 873103- 77.595722079 27705	2635	03/03/2022
12	EE/ OFC/pole/202 2-23/2635/W- 177/63	W0167	PL5901 #712	12.907740583 077484- 77.595732808 11311	2635	03/03/2022
13	EE/ OFC/pole/202 2-23/2635/W- 177/64	W0167	PL6101 #694	12.908009869 46359- 77.595767676 8303	2635	03/03/2022
14	EE/ OFC/pole/202 2-23/2635/W- 177/65	W0154	PL0701 PL6110 #EKYA SCHOOL	12.907518356 229739- 77.596650123 5962	2635	03/03/2022
15	EE/ OFC/pole/202 2-23/2635/W- 177/66	W0154	PL6109 #ACHIRA LABS	12.907479139 706684- 77.597012221 813227	2635	03/03/2022
16	EE/ OFC/pole/202 2-23/2635/W- 177/67	W0175,W015 4	BGLRBD0363 213 #1/1	12.907575873 785737- 77.597267031 66963	2635	03/03/2022
17	EE/ OFC/pole/202 2-23/2635/W- 177/68	W0175	PL0101 #152	12.908056929 19061- 77.597258985 04257	2635	03/03/2022
18	EE/ OFC/pole/202 2-23/2635/W- 177/69	W0175,W015 0	PL0203 #ZARKAN	12.908171964 041587- 77.597261667 2516	2635	03/03/2022
19	EE/ OFC/pole/202 2-23/2635/W- 177/70	W0175,W014 4	PL0202 #37/A	12.907983725 166964- 77.597221434 11638	2635	03/03/2022
20	EE/ OFC/pole/202 2-23/2635/W- 177/71	W0146	PL0305 #33	12.908815112 460452- 77.597301900 38682	2635	03/03/2022
21	EE/ OFC/pole/202 2-23/2635/W- 177/72	W0146	PL0403 #34	12.908822955 72364- 77.597468197 34575	2635	03/03/2022

22	EE/ OFC/pole/202 2-23/2635/W- 177/73	W0175	PL0404 #66/A OPP	12.908901388 34199- 77.597232162 95244	2635	03/03/2022
23	EE/ OFC/pole/202 2-23/2635/W- 177/74	W0175,W013 0	PL0507 #607	12.909128842 796061- 77.597250938 41554	2635	03/03/2022
24	EE/ OFC/pole/202 2-23/2635/W- 177/75	W0173,W013 0	PL0504 #603 OPP	12.909073940 015745- 77.596993446 35011	2635	03/03/2022
25	EE/ OFC/pole/202 2-23/2635/W- 177/76	W0130,W017 1	PL0603 #601	12.909076554 434135- 77.596687674 52241	2635	03/03/2022
26	EE/ OFC/pole/202 2-23/2635/W- 177/77	W0171	PL0505 #618	12.908493538 457838- 77.596623301 50604	2635	03/03/2022
27	EE/ OFC/pole/202 2-23/2635/W- 177/78	W0130,W016 9	BGLRBD0363 995 #665	12.909011193 96635- 77.596167325 97352	2635	03/03/2022
28	EE/ OFC/pole/202 2-23/2635/W- 177/79	W0130	BGLRBD1347 383 SRI KRISHNA APP	12.909047795 830425- 77.596136480 56985	2635	03/03/2022
29	EE/ OFC/pole/202 2-23/2635/W- 177/80	W0130	BGLRBD0158 614 # SRI KRISHNA APPT	12.909050410 249069- 77.596250474 45299	2635	03/03/2022
30	EE/ OFC/pole/202 2-23/2635/W- 177/81	W0169	PL0601 #660 OPP	12.908684391 37108- 77.596186101 43661	2635	03/03/2022
31	EE/ OFC/pole/202 2-23/2635/W- 177/82	W0167	PL0602 #708	12.908715764 438767- 77.595751583 57622	2635	03/03/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No.of Poles 31**


Pole Charges @ Rs 1500/- Pole	46,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	229.09
Junction Box Charges @ Rs 3000/- Pole	93,000	Total (C)	229.09
Supervision Charge @ Rs 100/- Pole	3,100		
Sub Total (A)	142,600	GST @ 18% (B)	25,668
Grand Total (A + B + C)	168,497.09		

**Total Amount Payable Rs: 168,497 In words (Rupees One Lakh Sixty-Eight Thousand Four Hundred and Ninety-Seven Only)**

**Note:**The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-877

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

# BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

OFC/Pole/2022-23/W0329/881

10-2022-890

Pending

ceofc01(ceofc01)

Pole Work Created


[Demand Notice](#)

[Permission Letter](#)

[View/Submit](#)

## Pole Details

10-2022-877



OFC/Pole/2022-23/W0189/853

10-2022-863

Pending

ceofc01(ceofc01)

Pole Work Created

[Demand Notice](#)

[Permission Letter](#)

[View/Submit](#)

EXECUTIVE ENGINEER  
OFC CELL

BENGALURU