



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/881/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 07-05-2022
 - 3) Fee Demand Note letter No: 10-2022-881, Date: 13-05-2022.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 12-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from junction of Outer Ring Road along Street ID W0206, Via W0181, Dr. Rajkumar road, 1 st 'A' main road, Street ID W0194, W0217, 1 st main road, W0064, 1 st 'D' main road, upto junction of Street ID W0194 (77.27+ 1014.89+120.18)	33 Poles
02	From Junction of Outer Ring Road along Dr. Rajkumar Road, upto junction of 15 'B' main road.	
03	From Junction of Dr. Rajkumar Road along Street ID W0177, 8 th Cross road, upto junction of Outer Ring Road.	
04	From Junction of Dr. Rajkumar Road along 15 'B' Main Road.	
05	From Junction of Dr. Rajkumar Road along Street ID W0189 Upto Junction of Street ID W0206	
06	From junction 1 st 'A' main Road along 8 th Cross Road	
07	From junction 1 st 'A' main Road along 8 th 'A' Cross Road	
08	From junction 1 st 'A' main Road along 80ft road	
09	From junction 1 st 'A' main Road along Street ID W0072	
10	From junction 1 st 'A' main Road along Street ID W0008, Cross road, Street ID W0217	
11	From Junction of Street ID W0008, along Street ID W0215	
12	From Junction of 1 st 'A' main road towards Right side Via Street ID W0066	

No: EE/OFC/PR/881/2022-23, Dt: 15-10-2022

Executive Engineer (OFC), BBMP

13	From Junction of 1 st 'A' main road towards left side Via Street ID W0066	33 Poles
14	From Junction of 1 st 'A' main road towards left side Via Street ID W0008	
15	From Junction of 1 st 'A' main road towards left side Via Street ID W0186	
16	From Junction of 1 st 'A' main road towards left side along Street ID W0188, W0195 Upto Junction 8 th Cross Road	
17	From Junction of 8 th Cross Road along 15 th 'C' main road	
18	From Junction of 1 st 'A' main road along 8 th Cross Road upto Junction of Street ID W0177	
19	From Junction of Outer Ring Road, along 80ft Road, Street ID W0185, 10 th Cross road upto junction of Outer Ring Road	
20	From Junction of W0185 along W0070	
21	From Junction of Outer Ring Road, along 13 th cross road Street ID W0011, W0062 upto junction of 15 th 'A' main road	
22	From Junction of 12 th Cross road along Street ID W0019	
23	From Junction of 13 th Cross road along Street ID W0007	
24	From Junction of 13 th Cross road along Street ID W0006	
25	From Junction of Outer Ring Road, along Street ID W0040, W0009	
26	From Junction of 12 th Cross road along 1 st 'A' main road, 15 th cross road	
27	From Junction of 12 th Cross road along Street ID W0033, W0058, W0035	
28	From the Junction of Street ID W0035 along Street ID W0058	
29	From the Junction of Street ID W0058 along W0033, W0052 upto Junction of Street ID W0021.	
30	From junction of W0033, along W0058, W0021 upto junction of Street ID W0064	
31	From junction of 1 st 'F' main road along Street ID I 0102 towards Right side for a length of 37.62 and Left side for a length of	
32	From junction of 1 st 'F' main road along Street ID W0578	
33	From junction of 1 st 'F' main road along Street ID W0188	
34	From junction of 1 st 'F' main road along 80 feet road towards Street ID I-1314	
35	From Junction of 1 st 'F' main Road along Street ID W0068, for total No of 33 Poles, in Ward No-159, RR Nagar Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.

2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.

14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**RR Nagar Zone**) for information.
4. Copy to Zonal Chief Engineer (**RR Nagar Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Kengeri Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Kengeri Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-881 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-881

With reference to your Demand Note bearing Pole-OFC-10-2022-881 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0335

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-881	33	152044	205847	27324	152044
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.





881

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

20584701/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasathanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-881 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

- Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-881

With reference to your Demand Note bearing Pole-OFC-10-2022-881, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0335

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-881	33	152044	205847 Dated 01-10-2022	27324	152044

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **205847**
as per details mentioned below.

01/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31122022

Payee
Negotiable

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE
दिनांक

0	D	D	M	M	2	Y	0	Y	2	Y	2	Y
---	---	---	---	---	---	---	---	---	---	---	---	---

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर
RUPEES One Lac Fifty Two Thousand Forty Four Only
रुपये

अदा करें

₹ 152,044.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205847

Client Reference 4200008085_30

For Axis Bank Ltd
[Signature]
SSTP: 24004
Authorised Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Please Sign Above
Rudresha B
SS. No. 26182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-881

PR Number(To be Assigned by AE/JE- CE-POLE-10-2022-881
OFC, BBMP)

General Information

Segment ID

OFC/Pole/2022-23/W0181/869

Street ID

69401

Street Name

NA

Zone

RR Nagara

Ward No.

159

Ward Name

Kengeri

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

07/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

33

No.Junction Box

33




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	11/05/2022

Date : 13/05/2022

Time : 12:47:48

20220513124748





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-881

Date: 13/05/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-881, dated : 07/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0181/869)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/8355/W- 159/153	W0190,W018 9	12.92366, 77.48654	12.923560012 464801- 77.486432790 75624	8355	18/07/2019
2	EE/ OFC/pole/202 2-23/8355/W- 159/154	W0186,W018 5	12.92419, 77.48634	12.924135150 501392- 77.486250400 54323	8355	18/07/2019
3	EE/ OFC/pole/202 2-23/8355/W- 159/155	W0186	12.92423, 77.48631	12.924082865 280084- 77.486427426 33821	8355	18/07/2019
4	EE/ OFC/pole/202 2-23/8355/W- 159/156	W0186,W018 9	12.92413, 77.48673	12.924030580 047825- 77.486577630 04304	8355	18/07/2019
5	EE/ OFC/pole/202 2-23/8355/W- 159/157	W0186	12.924, 77.48698	12.923926009 550454- 77.486888766 28877	8355	18/07/2019

6	EE/ OFC/pole/202 2-23/8355/W- 159/158	W0186	12.9239, 77.48731	12.923805753 42434- 77.487275004 38692	8355	18/07/2019
7	EE/ OFC/pole/202 2-23/8355/W- 159/159	W0186	12.92369, 77.4879	12.923669811 646832- 77.487730979 91945	8355	18/07/2019
8	EE/ OFC/pole/202 2-23/8355/W- 159/160	W0186	12.92452, 77.48554	12.924480232 687436- 77.485220432 28151	8355	18/07/2019
9	EE/ OFC/pole/202 2-23/8355/W- 159/161	W0070	12.92493, 77.48557	12.924746886 777267- 77.485499382 01904	8355	18/07/2019
10	EE/ OFC/pole/202 2-23/8355/W- 159/162	W0070	12.92462, 77.48644	12.924490689 715933- 77.486309409 14155	8355	18/07/2019
11	EE/ OFC/pole/202 2-23/8355/W- 159/163	W0072,W001 5	12.92451, 77.4868	12.924323377 207454- 77.486770749 09212	8355	18/07/2019
12	EE/ OFC/pole/202 2-23/8355/W- 159/164	W0072	12.92428, 77.48732	12.924192664 232189- 77.487156987 19026	8355	18/07/2019
13	EE/ OFC/pole/202 2-23/8355/W- 159/165	W0072	12.92417, 77.48764	12.924061951 188488- 77.487543225 2884	8355	18/07/2019
14	EE/ OFC/pole/202 2-23/8355/W- 159/166	W0072,W021 5	12.92412, 77.48799	12.923941695 127855- 77.487897276 87837	8355	18/07/2019
15	EE/ OFC/pole/202 2-23/8355/W- 159/167	W0068	12.92528, 77.48552	12.925154710 128483- 77.485461831 09285	8355	18/07/2019
16	EE/ OFC/pole/202 2-23/8355/W- 159/168	W0068,W018 5	12.92493, 77.48654	12.924788714 843938- 77.486427426 33821	8355	18/07/2019
17	EE/ OFC/pole/202 2-23/8355/W- 159/169	W0068	12.92492, 77.48658	12.924746886 777267- 77.486556172 37092	8355	18/07/2019
18	EE/ OFC/pole/202 2-23/8355/W- 159/170	W0068,W001 5	12.92477, 77.48692	12.924637088 068884- 77.486835122 10847	8355	18/07/2019
19	EE/ OFC/pole/202 2-23/8355/W- 159/171	W0068	12.92464, 77.4874	12.924495918 230027- 77.487269639 96889	8355	18/07/2019
20	EE/ OFC/pole/202 2-23/8355/W- 159/172	W0068	12.9246, 77.48749	12.924380890 894893- 77.487612962 72278	8355	18/07/2019
21	EE/ OFC/pole/202 2-23/8355/W- 159/173	W0068,W021 5	12.92438, 77.48805	12.924250177 949741- 77.488009929 657	8355	18/07/2019

22	EE/ OFC/pole/202 2-23/8355/W- 159/174	W0068,W003 3	12.92429, 77.48838	12.924145607 54434- 77.488294243 81258	8355	18/07/2019
23	EE/ OFC/pole/202 2-23/8355/W- 159/175	W0068	12.92399, 77.48892	12.923889409 866028- 77.488739490 50905	8355	18/07/2019
24	EE/ OFC/pole/202 2-23/8355/W- 159/176	W0066	12.92553, 77.48607	12.925546847 337966- 77.485612034 79768	8355	18/07/2019
25	EE/ OFC/pole/202 2-23/8355/W- 159/177	W0066	12.9254, 77.48648	12.925327250 576546- 77.486223578 45308	8355	18/07/2019
26	EE/ OFC/pole/202 2-23/8355/W- 159/178	W0066,W001 5	12.92525, 77.48711	12.925076282 612682- 77.486979961 39528	8355	18/07/2019
27	EE/ OFC/pole/202 2-23/8355/W- 159/179	W0066	12.92491, 77.48796	12.924825314 39655- 77.487671971 32112	8355	18/07/2019
28	EE/ OFC/pole/202 2-23/8355/W- 159/180	W0066,W003 3	12.92472, 77.48848	12.924595259 976796- 77.488417625 42726	8355	18/07/2019
29	EE/ OFC/pole/202 2-23/8355/W- 159/181	RI-S181	12.92493, 77.48943	12.924773029 319768- 77.489302754 40217	8355	18/07/2019
30	EE/ OFC/pole/202 2-23/8355/W- 159/182	RI- S181,W0060	12.9254, 77.48958	12.925301108 092071- 77.489490509 03322	8355	18/07/2019
31	EE/ OFC/pole/202 2-23/8355/W- 159/183	W0035	12.92479, 77.489	12.924678916 153963- 77.488932609 55812	8355	18/07/2019
32	EE/ OFC/pole/202 2-23/8355/W- 159/184	W0035	12.92522, 77.48915	12.925008312 079058- 77.489023804 66463	8355	18/07/2019
33	EE/ OFC/pole/202 2-23/8355/W- 159/185	W0058,W006 0,W0035	12.92547, 77.48924	12.925369078 545993- 77.489152550 69733	8355	18/07/2019



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 33

Pole Charges @ Rs 1500/- Pole	49,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	243.87
Junction Box Charges @ Rs.3000/- Pole	99,000	Total (C)	243.87
Supervision Charge @ Rs 100/- Pole	3,300		
Sub Total (A)	151,800	GST @ 18% (B)	27,324
Grand Total (A + B + C)	179,367.87		

Total Amount Payable Rs: 179,368 In words (Rupees One Lakh seventy-Nine Thousand Three Hundred and Sixty-Eight Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-881

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)


10-2022-881

1/3

@RIL.COM

OFC/Pole/2022-23/W2206/890 10-2022-898 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details



10-2022-881

AG Church

OFC/Pole/2022-23/W0128/851 10-2022-868 Pending ceofc01(ceofc01) OFC Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

EXECUTIVE ENGINEER
 OFC CELL
 BANGALURU MAHANAGARA
 BANGALURU