



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell), 3<sup>rd</sup>Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/902/2022-23

Date: 15-10-2022

**57**  
**Permission for Regularization for Poles**

To,

M/s. Jio Digital Fibre Private Limited ,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 08-05-2022
  - 3) Fee Demand Note letter No: 10-2022-902, Date: **12-05-2022**.
  - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **14-10-2022**.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Dwaraka Nagara Road via Street ID No-W0019, W0038, 1 <sup>st</sup> Cross, 19 <sup>th</sup> Cross, 1 <sup>st</sup> Main, 17 <sup>th</sup> Cross, 2 <sup>nd</sup> Main Road, W0063 Dwaraka Nagara Road, 3 <sup>rd</sup> Cross, MHR Layout Main Road, 4 <sup>th</sup> Cross Road up to 2 <sup>nd</sup> Main Road.	<b>60 Poles</b>
02	From 3 <sup>rd</sup> Cross Road via MHR Layout Main Road, 2 <sup>nd</sup> Cross Road, Dwaraka Nagara Road up to 3 <sup>rd</sup> Cross Road.	
03	From 2 <sup>nd</sup> Cross Road via MHR Layout Main Road 1 <sup>st</sup> Cross Dwaraka NagarRoad up to 2 <sup>nd</sup> Cross Road.	
04	From 1 <sup>st</sup> Main Road via 18 <sup>th</sup> Cross Road	
05	From 19 <sup>th</sup> Cross via 1 <sup>st</sup> Cross Road	
06	From 19 <sup>th</sup> Cross via 17 <sup>th</sup> Cross up to 4 <sup>th</sup> Main Road.	
07	From 19 <sup>th</sup> Cross via Street ID No-W0176	
08	From Street ID No-W0038 via 2 <sup>nd</sup> Cross Road	
09	From Street ID No-W0038 via 3 <sup>rd</sup> Cross, Hesargatta Main Road	
10	From 1 <sup>st</sup> Main Road via 16 <sup>th</sup> Cross Road up to 13 <sup>th</sup> Cross Road.	
11	From 2 <sup>nd</sup> Main Road via Street ID No-W0203 up to end.	
12	From 2 <sup>nd</sup> Main Road via Street ID No-W0201 up to end.	

No: EE/OFC/PR/902/2022-23, Dt: 15-10-2022

Executive Engineer (OFC), BBMP

*Ab*

13	From 2 <sup>nd</sup> Main Road via Street ID No-W0193	<b>60 Pole</b>
14	From 2 <sup>nd</sup> Main Road via Street ID No-W0177 up to end.	
15	From Street ID No-W0063 via MHR Layout Road	
16	From MHR Layout Road via Street ID No-W0065	
17	From Street ID No-W0063 via W0128	
18	From Street ID No-W0063 via W0116	
19	From Street ID No-W0063 via W0114	
20	From Street ID No-W0063 via W0112	
21	From MHR Layout Road via 4 <sup>th</sup> Cross	
22	From 3 <sup>rd</sup> Cross via Street ID No-W0073	
23	From Street ID No-W0073 via W0075 up to Road end.	
24	From Dwaraka Nagar Road via W0069 up to Road end.	
25	From Dwaraka Nagar Road via W0071 up to Road end.	
26	From Dwaraka Nagar Road via W0075 up to W0073.	
27	From Street ID No-W0019 via W0056 up to Road end.	
28	From Street ID No-W0019 via W0046 up to Road end.	
29	From Street ID No-W0019 via W0044 up to Street ID No-W0017.	
30	From Street ID No-W0019 via W0038 up to Road end.	
31	From Street ID No-W0019 via W0034	
32	From Street ID No-W0019 both side of W0032.	
33	From Street ID No-W0019 both side of W0020	
34	From Street ID No-W0019 via W0034	
35	From Street ID No-W0019 via W0044	
36	From Street ID No-W0038 via W0019 up to W0020.	
37	From Street ID No-W0038 via W0044	
38	From Street ID No-W0038 via W0048, for total No of 60 Poles, in Ward No-14, Dasarahalli Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for Regularization of Poles**

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.

4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.

16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Dasarahalli** Zone) for information.
4. Copy to Zonal Chief Engineer (**Dasarahalli** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Dasarahalli** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**T. Dasarahalli** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-902 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru – 560 002

Dear Sir,

**Sub: Permission to lay the OFC by HDD method.**

**Ref: Demand Note :-** Pole-OFC-10-2022-902

With reference to your Demand Note bearing Pole-OFC-10-2022-902 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0216 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-902	60	276443	205831	49680	276443
			Dated		
			01-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



SV

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**205831**01/10/2022  
dated

---

**PAYMENT REFERENCE**

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-902 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to lay the OFC by HDD method.**

**Ref: Demand Note :- Pole-OFC-10-2022-902**

With reference to your Demand Note bearing Pole-OFC-10-2022-902, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0216.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-902	60	276443	205831	49680	276443
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **205831**  
as per details mentioned below.

01/10/2022  
dated

**PAYMENT REFERENCE**

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31122022

DATE 0 D D M M Y Y Y Y  
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर  
RUPEES Two Lacs Seventy Six Thousand Four Hundred Forty Three Only  
रुपये

अदा करे ₹ 276,443.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205831

Client Reference 4200008085\_14

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd

*[Signature]*  
SSN: 24004  
Authorised Signatory

*[Signature]*  
Authorised Signatory

Please sign above  
**Rudresha B**  
No. 26182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

## BBMP ENGINEERING DEPARTMENT

### Pole Form

Application No. :10-2022-902

PR Number(To be Assigned by AE/JE-  
OFC, BBMP)

CE-POLE-10-2022-902

#### General Information

**Segment ID**

OFC/Pole/2022-23/W0208/893

**Street ID**

53733

**Street Name**

NA

**Zone**

Dasarahalli

**Ward No.**

14

**Ward Name**

Bagalakunte

**Service Provider Category**

Telecom

**Organization**

M/s. Jio Digital Fibre Private Limited

**Year of Incorporation**

2009-10

**Registered Office Address**

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

**Pin Code**

380006

**Official Phone No.**

9845117017

**Previous Relevant Exp.**

10

**Fax**

08035485012

**Official Phone No.**

www.jio.com

**Penalized Details**

No

**Vat Reg No.**

0

**GST**

29AAECJ4213B1Z0

**Turnover for Last 3 Years**

60

**TAN**

AHMJ08610A

**Application Submission Date**

08/05/2022

**Name of the Authorized Person**

Babu Veerabhadre

**Designation**

DGM

**Email ID**

babu.veerabhadre@ril.com

**Local Address**

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

**Purpose**

OFC

**Phone No.**

9845117017

**Mobile No.**

9845117017

**Attachments**


#### Pole Related Information

**No.of Poles**

60

**No.Junction Box**

60




### Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	11/05/2022

Date : 12/05/2022

Time : 03:07:52

20220512030752





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-902

Date: 12/05/2022

### Demand Notice

**GST No.: 29AAALBI608FIZK**

**To**

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

**Sub:-** Permission for Poles(Regularization)

**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).  
2)Your request letter No. : 10-2022-902, dated : 08/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0208/893)


Sr No.	Unique Poleld.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/8052/W- 14/382	W0044	rakshith dikshith	13.069570054 856687- 77.498752079 97945	8052	19/03/2019
2	EE/ OFC/pole/202 2-23/8052/W- 14/383	W0044,W001 7	bairaeshvara krupa	13.069499957 977872- 77.498084143 04044	8052	19/03/2019
3	EE/ OFC/pole/202 2-23/8052/W- 14/384	W0044	geetha	13.069527406 969618- 77.498290722 58848	8052	19/03/2019
4	EE/ OFC/pole/202 2-23/8052/W- 14/385	W0019,W003 8	dasappa nilaya	13.069813969 782457- 77.498795376 75018	8052	19/03/2019
5	EE/ OFC/pole/202 2-23/8052/W- 14/386	W0038	adithya	13.069833576 180498- 77.498635747 09941	8052	19/03/2019

6	EE/ OFC/pole/202 2-23/8052/W- 14/387	W0038	sri ranaga nilaya	13.069781292 448937- 77.498186369 51115	8052	19/03/2019
7	EE/ OFC/pole/202 2-23/8052/W- 14/388	W0034	sri ranaga nilaya	13.070007008 790611- 77.497870856 4461	8052	19/03/2019
8	EE/ OFC/pole/202 2-23/8052/W- 14/389	W0034	kanasu	13.070048835 73849- 77.498068046 01467	8052	19/03/2019
9	EE/ OFC/pole/202 2-23/8052/W- 14/390	W0034	maruthi nilaya	13.070054064 106458- 77.498279991 26525	8052	19/03/2019
10	EE/ OFC/pole/202 2-23/8052/W- 14/391	W0034	samruddi	13.070105040 688553- 77.498593884 86425	8052	19/03/2019
11	EE/ OFC/pole/202 2-23/8052/W- 14/392	W0034	anjaneya nikaya	13.070108329 192571- 77.498603167 41797	8052	19/03/2019
12	EE/ OFC/pole/202 2-23/8052/W- 14/393	W0034	ramya	13.070066502 25478- 77.498418050 68012	8052	19/03/2019
13	EE/ OFC/pole/202 2-23/8052/W- 14/394	W0034	black gate	13.070056363 560688- 77.498206214 61346	8052	19/03/2019
14	EE/ OFC/pole/202 2-23/8052/W- 14/395	W0034	mathrushi nilaya	13.070017150 798448- 77.497846712 54284	8052	19/03/2019
15	EE/ OFC/pole/202 2-23/8052/W- 14/396	W0034	sneha sayi nilaya	13.070147859 981642- 77.498978875 78017	8052	19/03/2019
16	EE/ OFC/pole/202 2-23/8052/W- 14/397	W0034	Amma nilaya	13.070179230 175327- 77.499279355 12277	8052	19/03/2019
17	EE/ OFC/pole/202 2-23/8052/W- 14/398	W0019,W003 2	sheet home	13.070380288 642108- 77.498726422 23777	8052	19/03/2019
18	EE/ OFC/pole/202 2-23/8052/W- 14/399	W0032	black gate	13.070325390 8453- 77.498114732 14747	8052	19/03/2019
19	EE/ OFC/pole/202 2-23/8052/W- 14/400	W0030,W001 9	black gate	13.070542653 36021- 77.498732598 47297	8052	19/03/2019
20	EE/ OFC/pole/202 2-23/8052/W- 14/401	W0030	CHIKKASAN DRA DEFE	13.070490369 778888- 77.498285903 73596	8052	19/03/2019
21	EE/ OFC/pole/202 2-23/8052/W- 14/402	W0030	sing niwas	13.070558338 43246- 77.498906983 80575	8052	19/03/2019

22	EE/ OFC/pole/202 2-23/8052/W- 14/403	W0030	Building 76	13.070594936 930478- 77.499120270 48195	8052	19/03/2019
23	EE/ OFC/pole/202 2-23/8052/W- 14/404	W0019,W002 0	Cream colour bulding	13.070733236 326229- 77.498699708 04704	8052	19/03/2019
24	EE/ OFC/pole/202 2-23/8052/W- 14/405	W0020	pushva	13.070780291 503631- 77.499115549 99437	8052	19/03/2019
25	EE/ OFC/pole/202 2-23/8052/W- 14/406	W0038	sheet home	13.069878672 042288- 77.499250589 72701	8052	19/03/2019
26	EE/ OFC/pole/202 2-23/8052/W- 14/407	W0040	ashvini	13.070205176 51213- 77.500315630 94407	8052	19/03/2019
27	EE/ OFC/pole/202 2-23/8052/W- 14/408	I0037	chimin hills	13.071279641 412254- 77.500140087 39313	8052	19/03/2019
28	EE/ OFC/pole/202 2-23/8052/W- 14/409	W0044	kowsthuba nilaya	13.069657473 399744- 77.499483430 9299	8052	19/03/2019
29	EE/ OFC/pole/202 2-23/8052/W- 14/410	W0033,W006 0	brown gate	13.069605465 110403- 77.500554867 32847	8052	19/03/2019
30	EE/ OFC/pole/202 2-23/8052/W- 14/411	W0033,W006 6	Cream colour bulding	13.069363503 224972- 77.500682172 96582	8052	19/03/2019
31	EE/ OFC/pole/202 2-23/8052/W- 14/412	W0066	bescom office	13.069511368 687266- 77.501027120 29708	8052	19/03/2019
32	EE/ OFC/pole/202 2-23/8052/W- 14/413	W0089,W017 4	sri nivasa krupa	13.068766440 292181- 77.500248118 00964	8052	19/03/2019
33	EE/ OFC/pole/202 2-23/8052/W- 14/414	W0174	nilaya	13.068931134 686274- 77.500543231 64969	8052	19/03/2019
34	EE/ OFC/pole/202 2-23/8052/W- 14/415	W0174	nanjundeshva ra nilaya	13.069145498 653628- 77.500945659 34064	8052	19/03/2019
35	EE/ OFC/pole/202 2-23/8052/W- 14/416	W0176	Mallikarjuna nilaya	13.068661872 36587- 77.500661277 10569	8052	19/03/2019
36	EE/ OFC/pole/202 2-23/8052/W- 14/417	W0176	sapthagiri sampada	13.068823952 632771- 77.500972487 85337	8052	19/03/2019
37	EE/ OFC/pole/202 2-23/8052/W- 14/418	W0089	new building	13.067997319 232013- 77.500150602 36974	8052	19/03/2019

38	EE/ OFC/pole/202 2-23/8052/W- 14/419	W0085,W019 8,W0083	Apollo pharmacy	13.067394012 331013- 77.499769179 95329	8052	19/03/2019
39	EE/ OFC/pole/202 2-23/8052/W- 14/420	W0085	darma nilaya	13.066804077 514783- 77.499682115 109	8052	19/03/2019
40	EE/ OFC/pole/202 2-23/8052/W- 14/421	W0085	anjandri	13.066197578 10416- 77.499596263 8683	8052	19/03/2019
41	EE/ OFC/pole/202 2-23/8052/W- 14/422	W0087	kowsthuba	13.065899556 296094- 77.499843086 1854	8052	19/03/2019
42	EE/ OFC/pole/202 2-23/8052/W- 14/423	W0087	mathrushee	13.066589711 514037- 77.499950400 23633	8052	19/03/2019
43	EE/ OFC/pole/202 2-23/8052/W- 14/424	W0083	monika	13.067804751 208742- 77.499822758 98574	8052	19/03/2019
44	EE/ OFC/pole/202 2-23/8052/W- 14/425	W0083	venkateshvar a nilaya	13.068406018 267881- 77.499924707 33416	8052	19/03/2019
45	EE/ OFC/pole/202 2-23/8052/W- 14/426	W0081	metal work	13.067110479 342336- 77.499410984 17023	8052	19/03/2019
46	EE/ OFC/pole/202 2-23/8052/W- 14/427	W0081	miva complex	13.067679864 382294- 77.499491250 90973	8052	19/03/2019
47	EE/ OFC/pole/202 2-23/8052/W- 14/428	W0081	black gate	13.068181682 198507- 77.499576627 7524	8052	19/03/2019
48	EE/ OFC/pole/202 2-23/8052/W- 14/429	W0079	sharada nilaya	13.067303785 657652- 77.499112643 3126	8052	19/03/2019
49	EE/ OFC/pole/202 2-23/8052/W- 14/430	W0079	srikantha nilaya	13.067719135 657555- 77.499181310 64683	8052	19/03/2019
50	EE/ OFC/pole/202 2-23/8052/W- 14/431	W0079,W018 2	Lakshmi Narasimha	13.068102769 056573- 77.499221322 14193	8052	19/03/2019
51	EE/ OFC/pole/202 2-23/8052/W- 14/432	W0079	Building 106	13.068494822 979694- 77.499272149 53081	8052	19/03/2019
52	EE/ OFC/pole/202 2-23/8052/W- 14/433	W0079	Building 14	13.068805912 640812- 77.499341903 66386	8052	19/03/2019
53	EE/ OFC/pole/202 2-23/8052/W- 14/434	W0208,W008 1	Nananga	13.066586128 706476- 77.499342581 77387	8052	19/03/2019

54	EE/ OFC/pole/202 2-23/8052/W- 14/435	W0079,W020 8	pruthvi	13.066627469 800645- 77.499072765 08198	8052	19/03/2019
55	EE/ OFC/pole/202 2-23/8052/W- 14/436	W0193,W020 8,W0077	sapthagiri nilaya	13.066698573 576764- 77.498718199 85303	8052	19/03/2019
57	EE/ OFC/pole/202 2-23/8052/W- 14/438	W0177	sriranga	13.066482641 06527- 77.498431034 78591	8052	19/03/2019
58	EE/ OFC/pole/202 2-23/8052/W- 14/439	W0193	sri Lakshmi	13.066480100 831624- 77.498686033 87958	8052	19/03/2019
59	EE/ OFC/pole/202 2-23/8052/W- 14/440	W0201	pakkiresvara swami	13.066422538 383485- 77.498980369 69587	8052	19/03/2019
60	EE/ OFC/pole/202 2-23/8052/W- 14/441	W0203,W020 5,W0218	cement colour gate	13.065928336 219852- 77.499208889 53963	8052	19/03/2019
382	EE/ OFC/pole/202 2-23/8052/W- 14/437	W0193	sriranga	13.066306398 049484- 77.498661681 35779	8052	19/03/2019



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No.of Poles 60**

Pole Charges @ Rs 1500/- Pole	90,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	443.4
Junction Box Charges @ Rs 3000/- Pole	180,000	Total (C)	443.4
Supervision Charge @ Rs 100/- Pole	6,000		
Sub Total (A)	276,000	GST @ 18% (B)	49,680
Grand Total (A + B + C)	326,123.4		



**Total Amount Payable Rs: 326,123 In words (Rupees Three Lakh Twenty-Six Thousand One Hundred and Twenty-Three Only)**

**Note:**The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-902

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



# BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-902

1/2

@RIL.COM

OFC/Pole/2022-23/W0981/8

Draft

Draft

Draft


[Demand Notice](#)

[Permission Letter](#)

[View/Submit](#)

## Pole Details

10-2022-902



OFC/Pole/2022-23/W0161/841

10-2022-849

Pending

ceofc01(ceofc01)

OFC Work Created

[Demand Notice](#)

[Permission Letter](#)

[View/Submit](#)

EXECUTIVE ENGINEER

OFC CELL

SOULIST BENGALURU MAHANAGARA PALIKE

BENGALURU