



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/918/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

Ref :- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
2) M/s. Jio Digital Fibre Private Limited online application Dated: 08-05-2022
3) Fee Demand Note letter No: 10-2022-918, Date: 14-05-2022.
4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 14-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Sarjapura Road via 1st 'B' Cross road, 1st Main Road, 7th Main Road, Sarjapura Road, total No of 31 Poles , in Ward No-151, South Zone . Ref: As per drawing enclosed & demand note GIS co-ordinates.	31 Poles

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.

No: EE/OFC/PR/918/2022-23, Dt: 15-10-2022


Executive Engineer (OFC), BBMP

3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy

- Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
 15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
 16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
 17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
 18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
 19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
 20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
 21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:

22. Right-of-way(ROW) for Electrical lines.-

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**BTM Layout** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Kormangala** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-918 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-918

With reference to your Demand Note bearing Pole-OFC-10-2022-918 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1107

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-918	31	142829	205937	25668	142829
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



918

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205937

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-918 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-918

With reference to your Demand Note bearing Pole-OFC-10-2022-918 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1107 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-918	31	142829	205937	25668	142829
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

918

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANEBELAPUR ROAD,THANE

Thane-400701

We are pleased to send to you Demand Draft No. **205937**
as per details mentioned below.

01/10/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until:31122022

DATE 01/10/2022
दिनांक 01 10 2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या इनके आदेश पर

मांगे जाने पर
RUPEES One Lac Forty Two Thousand Eight Hundred Twenty Nine Only

रुपये अदा करे ₹ 142,829.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205937

Client Reference 4200008085-120

For Axis Bank Ltd
Authorised Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-918

PR Number(To be Assigned by AE/JE- CE-POLE-10-2022-918
OFC, BBMP)

General Information

Segment ID

OFC/Pole/2022-23/W0301/910

Street ID

34636

Street Name

NA

Zone

South

Ward No.

151

Ward Name

Koramangala

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

08/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

31

No.Junction Box

31




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	13/05/2022

Date : 14/05/2022

Time : 01:11:07

20220514011107





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-918

Date: 14/05/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-918, dated : 08/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0301/910)



Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/0724/W- 151/201	RI-A66	Appliod Smartphones (BGLR1107P L0107)	12.925942905 294326- 77.633521109 81941	0724	19/07/2021
2	EE/ OFC/pole/202 2-23/0724/W- 151/202	RI-A66	Computer IT World (BGLR1107P L0106)	12.926482745 655301- 77.633498311 0428	0724	19/07/2021
3	EE/ OFC/pole/202 2-23/0724/W- 151/203	RI-A66	Dental Diagnostic (BGLR1107P L0105)	12.926974221 578893- 77.633458077 90758	0724	19/07/2021
4	EE/ OFC/pole/202 2-23/0724/W- 151/204	RI-S234	Jubilee Tea (BGLR1107P L1302)	12.929781236 398883- 77.633571065 96231	0724	19/07/2021
5	EE/ OFC/pole/202 2-23/0724/W- 151/205	RI- S234,W0301	A.K Residency (BGLR1107P L1204)	12.929694314 178457- 77.633944898 84377	0724	19/07/2021

6	EE/ OFC/pole/202 2-23/0724/W- 151/206	RI- S234,W0303	Percis Beauty Care (BGLR1107P L1201)	12.929591053 155448- 77.634158134 46045	0724	19/07/2021
7	EE/ OFC/pole/202 2-23/0724/W- 151/207	W0307	Karthy Tattooz (BGLR1107P L1105)	12.929535501 32159- 77.634286880 49318	0724	19/07/2021
8	EE/ OFC/pole/202 2-23/0724/W- 151/208	W0307	Paan Culture (BGLR1107J C1101)	12.929508705 726738- 77.634345889 09149	0724	19/07/2021
9	EE/ OFC/pole/202 2-23/0724/W- 151/209	W0309	Habibi Falafel Restaurant (BGLR1107P L1106)	12.929473740 738857- 77.634413279 59299	0724	19/07/2021
10	EE/ OFC/pole/202 2-23/0724/W- 151/210	W0309	Saraswathi Sweets (BGLR1107P L1107)	12.929455441 304002- 77.634453848 00436	0724	19/07/2021
11	EE/ OFC/pole/202 2-23/0724/W- 151/211	W0315	Vacant Land (BGLR1107P L1102)	12.929338782 375257- 77.634675130 24808	0724	19/07/2021
12	EE/ OFC/pole/202 2-23/0724/W- 151/212	W0315	Tea Beewery (PL-81)	12.929315254 517462- 77.634732127 18965	0724	19/07/2021
13	EE/ OFC/pole/202 2-23/0724/W- 151/213	RI- S234,W0315	Hyderabadi Biryani (BGLR1107P L1002)	12.929255127 759717- 77.634650319 8147	0724	19/07/2021
14	EE/ OFC/pole/202 2-23/0724/W- 151/214	W0317	Zolo Store	12.929210686 233796- 77.634935975 07478	0724	19/07/2021
15	EE/ OFC/pole/202 2-23/0724/W- 151/215	RI-S234	Five Star (BGLR1107P L1006)	12.929128992 231712- 77.635044604 53989	0724	19/07/2021
16	EE/ OFC/pole/202 2-23/0724/W- 151/216	RI-S234	Safa House (BGLR1107P L1003)	12.929057755 040064- 77.635012418 0317	0724	19/07/2021
17	EE/ OFC/pole/202 2-23/0724/W- 151/217	RI-S234	House (BGLR1107P L1004)	12.928759735 008683- 77.635614573 95555	0724	19/07/2021
18	EE/ OFC/pole/202 2-23/0724/W- 151/218	RI- S234,W0325	The Hibiscus Apartment (BGLR1107B GLRBD02827 40)	12.928519880 909178- 77.636324688 79224	0724	19/07/2021
19	EE/ OFC/pole/202 2-23/0724/W- 151/219	RI- S234,W0335	Near Sri Ganesh Temple (BGLR1107J C1007)	12.928146701 45684- 77.636926844 71607	0724	19/07/2021
20	EE/ OFC/pole/202 2-23/0724/W- 151/220	RI-S234	Srimathi House #23 (BGLR1107P L1005)	12.927921878 540252- 77.637113928 79486	0724	19/07/2021

21	EE/ OFC/pole/202 2-23/0724/W- 151/221	RI-S234	Sudarshana House #19 (BGLR1107P L0606)	12.927606211 138244- 77.637441828 84695	0724	19/07/2021
22	EE/ OFC/pole/202 2-23/0724/W- 151/222	RI- S234,W0286	Shreya Hearing Clinic (BGLR1107P L0602)	12.927333024 534365- 77.637659758 32942	0724	19/07/2021
23	EE/ OFC/pole/202 2-23/0724/W- 151/223	RI- S234,W0286	R.P Store (BGLR1107P L0603)	12.927337599 432107- 77.637742906 80887	0724	19/07/2021
24	EE/ OFC/pole/202 2-23/0724/W- 151/224	RI-S234	SBI ATM (BGLR1107B GLRBD06480 41)	12.926945465 035544- 77.637677192 688	0724	19/07/2021
25	EE/ OFC/pole/202 2-23/0724/W- 151/225	RI-S234	House #5 (BGLR1107P L0601)	12.926349419 573011- 77.637575268 74544	0724	19/07/2021
26	EE/ OFC/pole/202 2-23/0724/W- 151/226	RI-S234	Nous Info Systems (BGLR1107J C0708)	12.925256012 299934- 77.637396231 29368	0724	19/07/2021
27	EE/ OFC/pole/202 2-23/0724/W- 151/227	RI-A43	State Bank of India (BGLR1107P L0101)	12.925265815 733718- 77.636165767 90811	0724	19/07/2021
28	EE/ OFC/pole/202 2-23/0724/W- 151/228	RI-A43	House (BGLR1107P L0102)	12.925203073 750955- 77.635684311 38994	0724	19/07/2021
29	EE/ OFC/pole/202 2-23/0724/W- 151/229	RI-A43	Rite Irene #157 (BGLR1107B GLRBD06420 08)	12.925133796 12668- 77.635177373 88612	0724	19/07/2021
30	EE/ OFC/pole/202 2-23/0724/W- 151/230	RI-A43	Maria Arcade (BGLR1107P L0104)	12.924943936 123896- 77.633925117 55228	0724	19/07/2021
31	EE/ OFC/pole/202 2-23/0724/W- 151/231	RI-A43	House (BGLR1107P L0103)	12.925023344 025588- 77.634441778 06377	0724	19/07/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 31

Pole Charges @ Rs 1500/- Pole	46,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	229.09
Junction Box Charges @ Rs 3000/- Pole	93,000	Total (C)	229.09
Supervision Charge @ Rs 100/- Pole	3,100		
Sub Total (A)	142,600	GST @ 18% (B)	25,668
Grand Total (A + B + C)	168,497.09		

Total Amount Payable Rs: 168,497 In words (Rupees One Lakh Sixty-Eight Thousand Four Hundred and Ninety-Seven Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-918

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

