



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/928/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 08-05-2022
 - 3) Fee Demand Note letter No: 10-2022-928, Date: **13-05-2022**.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **14-10-2022**.

*_*_*_*


With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization from 1st Main via 2nd cross, 2nd Main, 2nd cross, 4th Main, 3rd Cross, 5th 'A' Main, 2nd 1st Cross, 5th Main, 2nd 'G' Cross, 4th Main up to 2nd 'F' Cross Road.	31 Poles
02	From 1st Main via 2nd Cross, 6th Main, 2nd 'B' Cross, 2nd Main, 2nd 'F' Cross up to 3rd Main.	
03	From 2nd 'B' Cross via 2nd Main, 2nd 'A' Cross	
04	From 6th Main via 2nd 'B' Cross, 6th 'A' Main	
05	From 5th 'A' Main via 3rd Cross. For a total of 31 poles, in Ward No-100, West Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/928/2022-23, Dt: 15-10-2022


Executive Engineer (OFC), BBMP

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.

13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:

22. Right-of-way (ROW) for Electrical lines.-

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**West Zone**) for information.
4. Copy to Zonal Chief Engineer (**West Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Rajaji Nagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Rajaji Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-928 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-928

With reference to your Demand Note bearing Pole-OFC-10-2022-928 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0418

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-928	31	142829	205858	25668	142829
			Dated		
			01-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

.Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



928

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205858

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-928 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-928

With reference to your Demand Note bearing Pole-OFC-10-2022-928, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0418.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-928	31	142829	205858	25668	142829
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **205858**
as per details mentioned below.

01/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31122022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 01/10/2022
दिनांक 01 10 2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर
RUPEES One Lac Forty Two Thousand Eight Hundred Twenty Nine Only

रुपये

₹ 142,829.00
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No: 205858

Client Reference 4200008085_41

For Axis Bank Ltd
Authorized Signatory
Rudresha B

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Please sign above

Rudresha B
SS. No. 26182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-928

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-928

General Information

Segment ID

OFC/Pole/2022-23/W0005/919

Street ID

18635

Street Name

NA

Zone

West

Ward No.

100

Ward Name

Basaveshwara Nagar

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

08/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

31

No.Junction Box

31




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	12/05/2022

Date : 13/05/2022

Time : 01:28:29

20220513012829





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-928

Date: 13/05/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-928, dated : 08/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0005/919)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/2517/W- 100/169	W0005	BGLR0418 PAVITHRA PARADISE	12.987972452 2103- 77.537931203 84218	2517	21/01/2022
2	EE/ OFC/pole/202 2-23/2517/W- 100/170	W0162,W000 5	BGLR0418 PAVITHRA PARADISE	12.988390626 381964- 77.538033127 78473	2517	21/01/2022
3	EE/ OFC/pole/202 2-23/2517/W- 100/171	W0005	BGLR0418 PAVITHRA PARADISE	12.989592873 204083- 77.538349628 4485	2517	21/01/2022
4	EE/ OFC/pole/202 2-23/2517/W- 100/172	W0005	BGLR0418 PAVITHRA PARADISE	12.989096293 700326- 77.538231611 25185	2517	21/01/2022
5	EE/ OFC/pole/202 2-23/2517/W- 100/173	W0162,W000 7	BGLR0418 PAVITHRA PARADISE	12.988223356 79777- 77.538451552 39107	2517	21/01/2022

6	EE/ OFC/pole/202 2-23/2517/W- 100/174	W0007	BGLR0418 PAVITHRA PARADISE	12.989002204 840371- 77.538628578 18605	2517	21/01/2022
7	EE/ OFC/pole/202 2-23/2517/W- 100/175	W0007	BGLR0418 PAVITHRA PARADISE	12.989608554 645935- 77.538746595 3827	2517	21/01/2022
8	EE/ OFC/pole/202 2-23/2517/W- 100/176	W0009	BGLR0418 PAVITHRA PARADISE	12.989571964 613422- 77.539057731 62843	2517	21/01/2022
9	EE/ OFC/pole/202 2-23/2517/W- 100/177	W0009	BGLR0418 PAVITHRA PARADISE	12.988923797 42985- 77.538902163 50557	2517	21/01/2022
10	EE/ OFC/pole/202 2-23/2517/W- 100/178	W0154,W000 9	BGLR0418 PAVITHRA PARADISE	12.988401080 72723- 77.538800239 563	2517	21/01/2022
11	EE/ OFC/pole/202 2-23/2517/W- 100/179	W0009	BGLR0418 PAVITHRA PARADISE	12.988087450 17768- 77.538730502 1286	2517	21/01/2022
12	EE/ OFC/pole/202 2-23/2517/W- 100/180	W0118	BGLR0418 PAVITHRA PARADISE	12.990167858 75762- 77.539266943 9316	2517	21/01/2022
13	EE/ OFC/pole/202 2-23/2517/W- 100/181	W0118	BGLR0418 PAVITHRA PARADISE	12.990162631 622217- 77.539631724 35762	2517	21/01/2022
14	EE/ OFC/pole/202 2-23/2517/W- 100/182	W0025,W011 8	BGLR0418 PAVITHRA PARADISE	12.990162631 622217- 77.540087699 89015	2517	21/01/2022
15	EE/ OFC/pole/202 2-23/2517/W- 100/183	W0162	BGLR0418 PAVITHRA PARADISE	12.987873135 74108- 77.538971900 93996	2517	21/01/2022
16	EE/ OFC/pole/202 2-23/2517/W- 100/184	W0162	BGLR0418 PAVITHRA PARADISE	12.987622230 799882- 77.539502978 3249	2517	21/01/2022
17	EE/ OFC/pole/202 2-23/2517/W- 100/185	W0162,W006 3	BGLR0418 PAVITHRA PARADISE	12.986524518 702556- 77.541595101 35652	2517	21/01/2022
18	EE/ OFC/pole/202 2-23/2517/W- 100/186	W0063	BGLR0418 PAVITHRA PARADISE	12.986947922 514704- 77.541686296 46301	2517	21/01/2022
19	EE/ OFC/pole/202 2-23/2517/W- 100/187	W0152,W006 3	BGLR0418 PAVITHRA PARADISE	12.987282463 288064- 77.541739940 64332	2517	21/01/2022
20	EE/ OFC/pole/202 2-23/2517/W- 100/188	W0152	BGLR0418 PAVITHRA PARADISE	12.987146556 153222- 77.542104721 06935	2517	21/01/2022
21	EE/ OFC/pole/202 2-23/2517/W- 100/189	W0148	BGLR0418 PAVITHRA PARADISE	12.987381779 993422- 77.542163729 66768	2517	21/01/2022

22	EE/ OFC/pole/202 2-23/2517/W- 100/190	W0071	BGLR0418 PAVITHRA PARADISE	12.987779046 417831- 77.542244195 93812	2517	21/01/2022
23	EE/ OFC/pole/202 2-23/2517/W- 100/191	W0071	BGLR0418 PAVITHRA PARADISE	12.988406307 899703- 77.542367577 55281	2517	21/01/2022
24	EE/ OFC/pole/202 2-23/2517/W- 100/192	W0071	BGLR0418 PAVITHRA PARADISE	12.988761755 369694- 77.542410492 89705	2517	21/01/2022
25	EE/ OFC/pole/202 2-23/2517/W- 100/193	W0071	BGLR0418 PAVITHRA PARADISE	12.989462194 483568- 77.542608976 36415	2517	21/01/2022
26	EE/ OFC/pole/202 2-23/2517/W- 100/194	W0130	BGLR0418 PAVITHRA PARADISE	12.989294925 620966- 77.542131543 1595	2517	21/01/2022
27	EE/ OFC/pole/202 2-23/2517/W- 100/195	W0130	BGLR0418 PAVITHRA PARADISE	12.989347197 15263- 77.541707754 13515	2517	21/01/2022
28	EE/ OFC/pole/202 2-23/2517/W- 100/196	W0130	BGLR0418 PAVITHRA PARADISE	12.989441285 881902- 77.541230320 9305	2517	21/01/2022
29	EE/ OFC/pole/202 2-23/2517/W- 100/197	W0132,W003 5	BGLR0418 PAVITHRA PARADISE	12.989179928 212586- 77.540946006 77492	2517	21/01/2022
30	EE/ OFC/pole/202 2-23/2517/W- 100/198	W0132	BGLR0418 PAVITHRA PARADISE	12.989237426 92343- 77.540543675 42268	2517	21/01/2022
31	EE/ OFC/pole/202 2-23/2517/W- 100/199	W0031	BGLR0418 PAVITHRA PARADISE	12.988709483 714826- 77.540506124 49647	2517	21/01/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 31


Pole Charges @ Rs 1500/- Pole	46,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	229.09
Junction Box Charges @ Rs 3000/- Pole	93,000	Total (C)	229.09
Supervision Charge @ Rs 100/- Pole	3,100		
Sub Total (A)	142,600	GST @ 18% (B)	25,668
Grand Total (A + B + C)	168,497.09		

Total Amount Payable Rs: 168,497 In words (Rupees One Lakh Sixty-Eight Thousand Four Hundred and Ninety-Seven Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-928

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

OFC/Pole/2022-23/W0413/929 10-2022-937 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

Pole Details



OFC/Pole/2022-23/W0010/908 10-2022-916 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE