

BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building, N.R. Square, Bangalore -560002

No: EE/OFC/PR/933/2022-23

Date: 31-10-2022

366

Permission for Regularization for Poles

To,

M/s. Jio Digital Fibre Private Limited,

RMZ ICON, No-51, Palace Road Cross, Vasanth Nagar, Bengaluru-52.

Sir,

<u>Sub</u>:- Permission for Regularization for poles.

Ref: 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.

- 2) M/s. Jio Digital Fibre Private Limited online application Dated: 09-05-2022
- 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022: 15-10-2022.
- 4) Fee Demand Note letter No: 10-2022-933, Date: 19-10-2022.
- 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 25-10-2022.

*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for laying of OFC by HDD Method from 3 rd Main Road via 6 th Cross Road, 4 th Main Road, Street ID No-W0509 up to 3 rd Main Road.	
02	From 3 rd Main Road via 5 th Cross, 3 rd 'A' Main, 5 th 'A' Cross, 5 th Cross up to 3 rd 'A' Main Road, 3 rd 'B' Main Road.	
03	From 3rd Main Road via 4th 'B' Cross up to 4th 'B' Main Road.	14 Poles
04	From 3rd Main Road via 4th 'A' Cross up to 4th 'B' Main Road for total No of	
	14cPoles in Ward No-27, East Zone	
	Ref: As per drawing enclosed & demand note GIS co-ordinates	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/933/2022-23, Dt: 31-10-2022

Executive Engineer (OFC), BBMP

Conditions for Regularization of Poles

- 1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
- 2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
- 3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
- 4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
- 5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
- 6. The minimum distance between two poles shall be 40 mtrs.
- 7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
- 8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
- 9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
- 10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
- 11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
- 12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.

- 13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
- 14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
- 15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
- 16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
- 17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
- 18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
- 19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
- 20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
- **21. Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
- 22. Right-of-way(ROW) for Electrical lines.-

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or reerected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.		2.0
iii	Extra high voltage lines beyond 33000 v.	every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

- 24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
- 25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
- 26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

- 1. Copy to the Chief Commissioner for kind information.
- 2. Copy to the Special Commissioner (Project) for kind information.
- 3. Copy to the Zonal Additional/Joint Commissioner (East Zone) for information.
- 4. Copy to Zonal Chief Engineer (East Zone) for information.
- 5. Copy to the Chief Engineer (Road Infrastructure) for information.
- 6. Copy to the Concerned Executive Engineer of (Sarvagna Nagar Division) for information.
- 7. Copy to the Concerned Assistant Executive Engineer of (Maruthi Seva Nagar Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
- 8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
- 9. Office Copy

	and the state of t
	0 33 केन्य वें र 🕰 Canara Bank जमा पूर्ची / DEPOSIT / PAY IN SLIP
· ·	शाखा/ Branch <u>BCC Extension</u>
	दिनांक/ Date 25102022
	SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
	वचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता मं. / क्रेडिट कार्ड मं.
	<u> </u>
(x,y) = (x,y) + (y,y)	नाम/Name Commissioner BBMP
	टेलिफोन / मोबाइल न Tel No./Mobile No.
	Till /Amount 64, 503. @F
	राशि शब्दों में अपेट है अवस्था ।
	Rupees in words Stary TOW DOWG
•	चिक तं / द्विनक्षितेवाह्यके व भागा भागा माना दिन्त के प्रति । कि
	Solution of the state of the st
	A CONTRACTOR OF THE CONTRACTOR
	7 18 1
	EVERTHER POPULATION TON
	अधिकारी अधिकेरी क्षेत्र होल फ्री 24 घंटे कॉल सेंटर
	एम डेक्ट्यू अपना 1800 425 0018
	Officer/Cashier/SWO
,	
\	

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/

10-2022-933

/DD

Date:

20-Oct-22

The Chief Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4th floor Annex Building, N R Square Bengaluru – 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note:-

Pole-OFC-10-2022-933

With reference to your Demand Note bearing Pole-OFC-10-2022-933 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1458 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-933	14	64503	206458 Dated 19-10-2022	11592	64503

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.

Same Sengabru

Same Sengabru

Bale: 25. [18] -2 2



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

206458

19/10/2022 dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/

10-2022-933

/DD

Date:

20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note:-

Pole-OFC-10-2022-933

With reference to your Demand Note bearing

Pole-OFC-10-2022-933

,Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment

to get permission for laying Poles on BGLR1458

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-933	14	64503	206458 Dated 19-10-2022	11592	64503

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for IIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.





MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE


Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

206458

19/10/2022 dated

PAYMENT REFERENCE



CODE NO.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/

10-2022-933

/DD

Date:

20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note:-

Pole-OFC-10-2022-933

With reference to your Demand Note bearing

Pole-OFC-10-2022-933

,Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment

to get permission for laying Poles on BGLR1458

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
·			206458		
10-2022-933	14	64503	Dated	11592	64503
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for IIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

206458

19/10/2022 dated

PAYMENT REFERENCE

ISSUING BRANCH Valid Until: 18012023 - Centralised Collection and Payment Hub (CCPH) IFS CODE - UTIB0000274 PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD COMMISSIONER BBMP BANGALORE OR ORDER / या उनके आदेश पर ON DEMAND PAY माँगे जाने पर RUPEES Sixty Four Thousand Five Hundred Three Only 64,503.00 Payable at par at all Branches of AXIS Bank Ltd. For Axis Bank Ltd DD Sr. No 206458 Client 4200009020. 154 Reference 5540:24004 **Under CMS Arrangement** Centralised Collections & Payment Hub

CODE NO.

Mumbai.

BBMP ENGINEERING DEPARTMENT Pole Form

Application No. :10-2022-933

PR Number(To be Assigned by AE/JE- CE-POLE-10-2022-933

OFC, BBMP)

General Information

Segment ID

OFC/Pole/2022-23/W0509/925

Street ID 46835

NA

Zone

East

Ward No.

Organization

M/s. Jio Dig

27

Ward Name

Street Name

Service Provider Category

Telecom

Banasavadi

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5 380006 Rasta, Ambawadi, Ahmedabad, Gujarat,

India

Official Phone No.

9845117017

Previous Relevant Exp.

10

Official Phone No.

www.jio.com

Penalized Details

No

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

Application Submission Date 09/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

AHMJ08610A

08035485012

Vat Reg No.

DGM

0

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

Purpose

OFC Laying

Phone No.

9845117017

Mobile No.

Attachments

9845117017


Pole Related Information

No.of Poles

No.Junction Box

14


14



status of My Application


Approver Name	Designation	Date
ceofc01(ceofc01)	CECO	31/05/2022

Date: 18/10/2022



20221018122318

No: 10-2022-933



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore - 560002

No.: Pole-OFC-10-2022-933

Date: 19/10/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Sabu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-933 dated 09/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0509/925)

Sr No.	Unique Poleld.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/1460/W- 27/74	W0398	house	13.009049295 821239- 77.652764493 5954		26/03/2021
2	EE/ OFC/pole/202 2-23/1460/W- 27/75	W0398	house	13.009206097 902277- 77.652340577 41452	1460	26/03/2021
3	EE/ OFC/pole/202 2-23/1460/W- 27/76	W0398	home	13.009347219 690433- 77.651932759 31648		26/03/2021
4	EE/ OFC/pole/202 2-23/1460/W- 27/77	W0398	land	13.009472661 2125- 77.651567869 43923		26/03/2021
5	EE/ OFC/pole/202 2-23/1460/W- 27/78	W0398	land	13.009603329 397173- 77.651176149 424		26/03/2021

6	EE/ OFC/pole/202 2-23/1460/W-	W0398	apartment	13.009761873 262459- 77.650738311	1460	26/03/2021
	27/79		·	26209		
7	EE/ OFC/pole/202 2-23/1460/W- 27/80	W0503	apartment	13.010007529 106181- 77.651410658 14805		26/03/2021
8	EE/ OFC/pole/202 2-23/1460/W- 27/81	W0503	house	13.010308936 404636- 77.652276136 79596		26/03/2021
9	EE/ OFC/pole/202 2-23/1460/W- 27/82	W0503	home	13.010653899 099774- 77.653322512 17913		26/03/2021
10	EE/ OFC/pole/202 2-23/1460/W- 27/83	W0505	house	13.009915190 62601- 77.652435054 19267		26/03/2021
11	EE/ OFC/pole/202 2-23/1460/W- 27/84	W0505	land	13.010166073 032062- 77.653164833 9471		26/03/2021
12	EE/ OFC/pole/202 2-23/1460/W- 27/85	W0505	nome	13.010359461 380155- 77.653787293 1494		26/03/2021
13	EE/ OFC/pole/202 2-23/1460/W- 27/86	W0509	apartment:	13.010673063 945708- 77.654450562 57923		26/03/2021
14	EE/ OFC/pole/202 2-23/1460/W- 27/87	W0511	school	13.010234020 466184- 77.654751060 12516		26/03/2021
				Section of the last of the las		
Wiso)		9.	East	THE LEGISTAL STREET OF THE PARTY OF THE PART	ALTERNATION OF THE PARTY OF THE	The state of the s
0	9	Qal		National Section		

In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Banglore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 14

Pole Charges @ Rs 1500/- Pole	21,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	103.46
Junction Box Charges @ Rs 3000/- Pole	42,000	Total (C)	103.46
Supervision Charge @ Rs 100/- Pole	1,400		
Sub Total (A)	64,400	GST @ 18% (B)	11,592
Grand Total (A + B + C)	76,095.46		

Total Amount Payable Rs: 76,095 In words (Rupees seventy-Six Thousand and Ninety-Five Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above

mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-933

- 1. Copy submitted to Commissioner for kind information.
- 2. Copy submitted to Special Commissioner (Project) for kind information.
- 3. Copy submitted to CAO for information.
- 4. Copy to Office file.

