



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/934/2022-23

Date: 02-11-2022

Permission for Regularization for Poles

To,

M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 09-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-934, Date: 19-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 25-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 7th Cross road via 3rd Main Road, 4th Cross Road	24 Poles
02	From 3rd Main Road via 5th Cross Road up to 4th Cross Road.	
03	From 1st Cross Road via 7th Cross Road	
04	From 1st Cross Road via Street ID No-W0287	
05	From SWD via 1st Cross Road, Street ID No-W0121, W0110 up to Road end.	
06	From SWD via Street ID No-W0102 up to W0123.	
07	From Street ID No-W0110 via W0115, W0100 up to W0123.	
08	From Street ID No-W0110 via W0119 up to W0106.	
09	From 3rd Main Road via Street ID No-W0112 up to Road end.	
10	From Street ID No-W0114 via Subramanyapura Main Road for total No of 24 Poles, in Ward No-197, Bommanahalli Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/934/2022-23, Dt: 02-11-2022

Executive Engineer (OFC), BBMP

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do the same at its own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at its own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to poles and resultant losses, if any during performance of official duties by any employee of corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. If any dispute arise it will be settled as per the MOU.
14. Operational and maintenance activities in respect of poles shall be undertaken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operational and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exist, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)


24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Bommanahalli** Zone) for information.
4. Copy to Zonal Chief Engineer (**Bommanahalli** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Bangalore South** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Uttarahalli** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP
 शाखा/ Branch Bee Extension

दिनांक/ Date 25 10 2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
 बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000010

नाम/Name Commissioner BBMP

टेलिफोन / मोबाइल नं
 Tel No./Mobile No.

राशि/Amount 1,10,577 ₹ पै/P. 00

राशि शब्दों में / Rupees in words One lakh ten thousand five hundred and seventy seven only

चेक नं./दिनांक/बैंक व शाखा का नाम Cheque No./Date/Name of Bank & Branch	₹	पै/P.
<u>201380</u> <u>25/10/22</u> <u>Canara Bank</u>	<u>1 10 577</u>	<u>00</u>

EXECUTED/TOTAL 1 10 577 00

अधिकारी / रोकाडिया / 0503 0503 0503 0503 0503
 एस डब्ल्यूओ / Canara Bank Toll Free No. 1800 425 0018
 Officer/Cashier/SWO

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-934 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-934

With reference to your Demand Note bearing Pole-OFC-10-2022-934 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0957

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-934	24	110577	206380	19872	110577
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



934

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206380

dated 19/10/2022

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-934 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-934

With reference to your Demand Note bearing Pole-OFC-10-2022-934 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0957

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-934	24	110577	206380	19872	110577
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206380

dated 18/10/2022

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18/10/2023

DATE	D9	D1	M0	M2	Y0	Y2	Y
दिनांक							

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES One Lac Ten Thousand Five Hundred Seventy Seven Only

रुपये

अदा करे

₹ 110,577.00

DD Sr. No. 206380

Payable at par at all Branches of AXIS Bank Ltd.

Client Reference 4200009020 76

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

(Signature)
Authorised Signatory

(Signature)
Authorised Signatory

Rudresha B
SS No. 26182
Please sign above

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-934 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-934

With reference to your Demand Note bearing Pole-OFC-10-2022-934 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0957

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-934	24	110577	206380	19872	110577
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206380

dated 19/10/2022

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18/01/2023

DATE	D9	D1	M0	M2	Y0	Y2	Y
दिनांक							

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES One Lac Ten Thousand Five Hundred Seventy Seven Only

रुपये

अदा करे

₹ 110,577.00

DD Sr. No. 206380

Payable at par at all Branches of AXIS Bank Ltd.

Client Reference 4200009020.76

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

(Signature)
Authorized Signatory

(Signature)
Authorized Signatory

Rudresh B
SS. No. 26782
Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-934

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-934

General Information

Segment ID

OFC/Pole/2022-23/W0112/926

Street ID

79610

Street Name

NA

Zone

Bommanahalli

Ward No.

197

Ward Name

Vasanthpura

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5 Rasta, Ambawadi, Ahmedabad, Gujarat, India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

09/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052[®]

Purpose

ofc

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

24

No.Junction Box


24



Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	18/05/2022

Date : 19/10/2022



20221019031530



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-934

Date: 19/10/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-934, dated : 09/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0112/926)



Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/2264/W- 197/35	W0112	w0112	12.909895388 958343- 77.547395878 65006	2264	25/08/2021
2	EE/ OFC/pole/202 2-23/2264/W- 197/36	W0112 *	w0112	12.909890160 138685- 77.547824970 01747	2264	25/08/2021
3	EE/ OFC/pole/202 2-23/2264/W- 197/37	W0112	w0112	12.909827414 294156- 77.548060970 26953	2264	25/08/2021
4	EE/ OFC/pole/202 2-23/2264/W- 197/38	W0112	w0112	12.909764668 433876- 77.548382788 79508	2264	25/08/2021
5	EE/ OFC/pole/202 2-23/2264/W- 197/39	W0121	w0121	12.910426636 817418- 77.548650683 027	2264	25/08/2021

6	EE/ OFC/pole/202 2-23/2264/W- 197/40	W0110	w0110	12.910149509 813364- 77.548066046 0389	2264	25/08/2021
7	EE/ OFC/pole/202 2-23/2264/W- 197/41	W0110	w0110	12.910128594 555292- 77.547443863 55614	2264	25/08/2021
8	EE/ OFC/pole/202 2-23/2264/W- 197/42	W0115,W010 8	w0115	12.910494611 31867- 77.548023140 00588	2264	25/08/2021
9	EE/ OFC/pole/202 2-23/2264/W- 197/43	W0104	w0104	12.910797881 945136- 77.547781776 11173	2264	25/08/2021
10	EE/ OFC/pole/202 2-23/2264/W- 197/44	W0104	w0104	12.910792653 144346- 77.547186411 83949	2264	25/08/2021
11	EE/ OFC/pole/202 2-23/2264/W- 197/45	W0115,W010 2	w0102	12.911106380 997978- 77.548017776 36379	2264	25/08/2021
12	EE/ OFC/pole/202 2-23/2264/W- 197/46	W0102	w0102	12.911127296 174234- 77.547679866 91196	2264	25/08/2021
13	EE/ OFC/pole/202 2-23/2264/W- 197/47	W0102	w0102	12.911122067 380326- 77.547250775 54457	2264	25/08/2021
14	EE/ OFC/pole/202 2-23/2264/W- 197/48	W0115,W010 0	w0115	12.911383506 941139- 77.548033867 2901	2264	25/08/2021
15	EE/ OFC/pole/202 2-23/2264/W- 197/49	W0109	w0109	12.910740365 130462- 77.546763566 95862	2264	25/08/2021
16	EE/ OFC/pole/202 2-23/2264/W- 197/50	W0109	w0109	12.910630560 265682- 77.546345202 8754	2264	25/08/2021
17	EE/ OFC/pole/202 2-23/2264/W- 197/51	W0005	w0005	12.912005731 995894- 77.546302293 73868	2264	25/08/2021
18	EE/ OFC/pole/202 2-23/2264/W- 197/52	W0107	w0107	12.911391872 795122- 77.546474088 90425	2264	25/08/2021
19	EE/ OFC/pole/202 2-23/2264/W- 197/53	W0107	w0107	12.911517363 682972- 77.546838816 56652	2264	25/08/2021
20	EE/ OFC/pole/202 2-23/2264/W- 197/54	W0115,W010 3	w0115	12.911998411 502708- 77.546688634 58795	2264	25/08/2021
21	EE/ OFC/pole/202 2-23/2264/W- 197/55	W0115	w0115	12.911914751 078825- 77.546994362 18722	2264	25/08/2021

22	EE/ OFC/pole/202 2-23/2264/W- 197/56	W0115	w0115	12.911799717 950272- 77.547353726 2074	2264	26/08/2021
23	EE/ OFC/pole/202 2-23/2264/W- 197/57	W0115	w0115	12.911585337 887582- 77.547788181 21689	2264	26/08/2021
24	EE/ OFC/pole/202 2-23/2264/W- 197/58	W0115	w0115	12.911574880 318849- 77.547906181 34294	2264	25/08/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven (7) days. Then only your request can be processed further.

Total No. of Poles 24

Pole Charges @ Rs 1500/- Pole	36,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	177.36
Junction Box Charges @ Rs 3000/- Pole	72,000	Total (C)	177.36
Supervision Charge @ Rs 100/- Pole	2,400		
Sub Total (A)	1,10,400	GST @ 18% (B)	19,872
Grand Total (A + B + C)	1,30,449.36		

Total Amount Payable Rs: 1,30,449 In words (Rupees One Lakh Thirty Thousand Four Hundred and Forty-Nine Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-934

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

BABU.VEERABHADRE@RIL.COM

OFC/Pole/2022-23/W0036/934 10-2022-942 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details



OFC/Pole/2022-23/W0123/919 10-2022-927 Pending ceofc01(ceofc01) OFC Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

S. Yash
 ASSISTANT EXECUTIVE ENGINEER
 OFC CELL

BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU

EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU