



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/955/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 09-05-2022
 - 3) Fee Demand Note letter No: 10-2022-955, Date: 14-05-2022.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 12-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Jageramma Temple Road via 3rd Cross	25 Poles
02	From Jageramma Temple Road via 2nd Cross Road	
03	From Jageramma Temple Road via 1st Cross, Street ID No-W0557 up to W0578.	
04	From Street ID No-W0855 via W0561	
05	From Street ID No-W0545 via W0566	
06	From Devi Nagar Main Road via Street ID No-W0545, W0578, W0580, W0576, W0584, W0557 back to Devi Nagar Road, for total No of 25 Poles , in Ward No-08, Yelahanka Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/955/2022-23, Dt: 15-10-2022


Executive Engineer (OFC), BBMP

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.

13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.


25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Yelahanka** Zone) for information.
4. Copy to Zonal Chief Engineer (**Yelahanka** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Byatarayanapura** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Kodigehalli** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

10-2022-955 jio

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch Sec Extension

दिनांक/ Date

1	3	1	0	2	0	2	2
---	---	---	---	---	---	---	---

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

वचन / चालु खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

₹	4	0	1	1	3	2	0	0	0	0	1	0
---	---	---	---	---	---	---	---	---	---	---	---	---

नाम/Name Commissioner B&M

टेलिफोन / मोबाइल नं
Tel No./Mobile No.


राशि /Amount 1,85,185.00/-

राशि शब्दों में
Rupees in words One Lakh Eighty five thousand and eighty five

चेक नं. / दिनांक लेख देक व शाखा का नाम Cheque No./Date/Name of Bank & Branch	₹	चै/P
<u>206630 dt 10/10/22</u>	<u>1,85,185.00/-</u>	

अधिकारी / रोकड़िवा
Officer/Cashier

BRUHAR BENGALURU MAHANAGARA PATERE
1800 425 0018



JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasathanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-955 /DD

Date: 12-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-955

With reference to your Demand Note bearing Pole-OFC-10-2022-955 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1376 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-955	25	115185	206030	20700	115185
			Dated		
			11-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



955

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206030

11/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-955 /DD

Date: 12-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-955

With reference to your Demand Note bearing Pole-OFC-10-2022-955 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1376 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-955	25	115185	206030	20700	115185
			Dated		
			11-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

206030

11/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 10012023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE
दिनांक

D	D	M	M	Y	Y	Y	Y
---	---	---	---	---	---	---	---

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौगे जाने पर
RUPEES One Lac Fifteen Thousand One Hundred Eighty Five Only

रुपये ₹ 115,185.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206030

Client Reference 4200008447_19

For Axis Bank Ltd
Authorized Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Rudresha B
Please sign above
CC NO.



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-955

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-955

General Information

Segment ID

OFC/Pole/2022-23/W0557/945

Street ID

63494

Street Name

NA

Zone

Yelahanka

Ward No.

8

Ward Name

Kodigehalli

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

09/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

pole

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

25

No.Junction Box


25



Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	13/05/2022

Date : 14/05/2022



20220514012322



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-955

Date: 14/05/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0


Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-955, dated : 09/05/2022

Details of Poles added on BBMP GIS Map



(Pole Id:-OFC/Pole/2022-23/W0557/945)



Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/5256/W- 8/102	W0557	deccan elite appt	13.047968012 117503- 77.570391297 34041	5256	21-01-2022
2	EE/ OFC/pole/202 2-23/5256/W- 8/103	W0590,W055 7	lawers building	13.048276340 983175- 77.570509314 53706	5256	21-01-2022
3	EE/ OFC/pole/202 2-23/5256/W- 8/104	W0588,W055 7	venkateshwar a nilaya	13.048548088 1392- 77.570579051 97145	5256	21-01-2022
4	EE/ OFC/pole/202 2-23/5256/W- 8/105	W0586	lakshmi nilaya	13.048804157 301335- 77.571276426 31532	5256	21-01-2022
5	EE/ OFC/pole/202 2-23/5256/W- 8/106	W0582,W058 4,W0557	provision store	13.049185647 601961- 77.570804357 5287	5256	21-01-2022

6	EE/ OFC/pole/202 2-23/5256/W- 8/107	W0584,W057 5	sheet house	13.048971385 998737- 77.571759223 938	5256	21-01-2022
7	EE/ OFC/pole/202 2-23/5256/W- 8/108	WA566,W057 0,W0557	temple opp	13.049974755 807526- 77.571115493 77443	5256	21-01-2022
8	EE/ OFC/pole/202 2-23/5256/W- 8/109	W0564,W055 7	v thomas	13.050314437 37209- 77.571244239 80714	5256	21-01-2022
9	EE/ OFC/pole/202 2-23/5256/W- 8/110	W0564	vacant land	13.050246501 096526- 77.571689486 50362	5256	21-01-2022
10	EE/ OFC/pole/202 2-23/5256/W- 8/111	W0562	ramky subham appt	13.050439858 139475- 77.571077942 84822	5256	21-01-2022
11	EE/ OFC/pole/202 2-23/5256/W- 8/112	W0564	saraswathi nilaya	13.050204694 148421- 77.572118639 946	5256	21-01-2022
12	EE/ OFC/pole/202 2-23/5256/W- 8/113	W0562	white house	13.050465987 458017- 77.570745348 93037	5256	21-01-2022
13	EE/ OFC/pole/202 2-23/5256/W- 8/114	W0562	mithun nilaya	13.050518246 086783- 77.570364475 25026	5256	21-01-2022
14	EE/ OFC/pole/202 2-23/5256/W- 8/115	W0562,W054 5	sri madeswara nilaya	13.050554827 120335- 77.569999694 82423	5256	21-01-2022
15	EE/ OFC/pole/202 2-23/5256/W- 8/116	W0498	blue house	13.050377147 763754- 77.569602727 890017	5256	21-01-2022
16	EE/ OFC/pole/202 2-23/5256/W- 8/117	W0498	lakshmi.nilaya	13.050492116 773773- 77.569227218 62793	5256	21-01-2022
17	EE/ OFC/pole/202 2-23/5256/W- 8/118	W0498	manjunatha nilaya	13.050659344 32928- 77.568535208 7021	5256	21-01-2022
18	EE/ OFC/pole/202 2-23/5256/W- 8/119	W0498	appolo medicals	13.050857926 90449- 77.567859292 03035	5256	21-01-2022
19	EE/ OFC/pole/202 2-23/5256/W- 8/120	W0490	swamy nilaya	13.051087864 423836- 77.568132877 34987	5256	21-01-2022
20	EE/ OFC/pole/202 2-23/5256/W- 8/121	W0490	rai nilaya	13.050951992 279167- 77.568674683 57088	5256	21-01-2022
21	EE/ OFC/pole/202 2-23/5256/W- 8/122	W0490	sri sakamma nilaya	13.050847475 19397- 77.569141387 93947	5256	21-01-2022

22	EE/ OFC/pole/202 2-23/5256/W- 8/123	W0484	sri venkateshwar a nivas	13.051035605 9155- 77.569490075 1114	5256	21-01-2022
23	EE/ OFC/pole/202 2-23/5256/W- 8/124	W0484	casa drean appt	13.051166252 165629- 77.569109201 43129	5256	21-01-2022
24	EE/ OFC/pole/202 2-23/5256/W- 8/125	W0484	bal;aji nilaya	13.051328253 419891- 77.568508386 61195	5256	21-01-2022
25	EE/ OFC/pole/202 2-23/5256/W- 8/126	W0484	jayamma nilaya	13.051417092 77231- 77.568095326 42366	5256	21-01-2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 25

Pole Charges @ Rs 1500/- Pole	37,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	184.75
Junction Box Charges @ Rs 3000/- Pole	75,000	Total (C)	184.75
Supervision Charge @ Rs 100/- Pole	2,500		
Sub Total (A)	115,000	GST @ 18% (B)	20,700
Grand Total (A + B + C)	135,884.75		

Total Amount Payable Rs: 135,885 In words (Rupees One Lakh Thirty-Five Thousand Eight Hundred and Eighty-Five Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through

RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-955

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-955

1/2

@RIL.COM

OFC/Pole/2022-23/W0032/956 10-2022-965 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details

The map displays a cluster of blue location pins. Labels include: Eye 2 Eye Contact Lens Clinic & Optical, High school, MODICARE DP CENTER, RMV Clusters Phase 1, Krishna Dwellinton Apartment, Sankalp Square, Uttam Debnath, Deccan Elite Apartment, US-MAX SASMARAV, CASA Dreams, Apollo Pharmacy, Devi Nagar Bangalore, RMV CLUSTERS PHASE II, Axis Bank ATM, Mosquito Net For Bed, Oceanik Institute Of Higher Education, Big Brand Store, 1st Cross Rd, 11th B Cross Rd, Cauvery Cars Used car dealer, Ring View Hotels, Shantiniketan School, OYO 14203 Chetana Inn, Shoba Tulip, Golden liquor, Bharat Petri Corporation, Yuvraj Residency, State Bank of India LOTTEGOLLAHALLI.

10-2022-955

OFC/Pole/2022-23/W0235/934 10-2022-943 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

EXECUTIVE ENGINEER
OFC CELL

BRUHAT BENGALURU MAHANAGARA PALIKE

BENGALURU