



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/967/2022-23
17

Date: 15-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 09-05-2022
 - 3) Fee Demand Note letter No: 10-2022-967, Date: **14-05-2022**.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **14-10-2022**.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from the junction of Chamundi Nagara Main Road via s1t Cross Road	31 Poles
02	From the junction of 1 st Cross Road via Street ID No-W0041	
03	From the junction of 1 st Cross Road via Street ID No-W0279	
04	From the junction of 1 st Cross Road via Street ID No-W0045	
05	From the junction of 1 st Cross Road via Chamundi Nagara Main Road	
06	From the junction of Chamundi Nagara Main Road via Street ID No-W0038	
07	From the junction of Chamundi Nagara Main Road via Street ID No-W0040	
08	From the junction of Chamundi Nagara Main Road via Street ID No-W0042 LHS	
09	From the junction of Chamundi Nagara Main Road via Street ID No-W0042 RHS	
10	From the junction of Chamundi Nagara Main Road via Street ID No-W0007	
11	From the junction of Street ID No-W0007 via W0056	
12	From the junction of Street ID No-W0056 via 6 th Cross Road Street ID No-W0411 up to junction of Street ID No-W0080.	
13	From the junction of Chamundi Nagara Main Road via Street ID No-W0056	
14	From the junction of Street ID No-W0056 via Street ID No-W0135 up to Street ID No-W0037.	

No: EE/OFC/PR/967/2022-23, Dt: 15-10-2022


Executive Engineer (OFC), BBMP

15	From the junction of Street ID No-W0141 via W0099 up to junction of W0059.	31 Poles
16	From the junction of Street ID No-W0099 via Street ID No-W0037	
17	From the junction of 6 th Cross Road via 4 th Main Road, 4 th 'c' Cross Road up to Cholanayakanahalli Road.	
18	From the junction of Street ID No-W0059 via Street ID No-W0059	
19	From the junction of Street ID No-W0048 via Street ID No-W0037	
20	Road Cross Street ID No-W0037 via Street ID No-W0048 both side	
21	From the junction of Street ID No-W0042 via W0099	
22	From the junction of Street ID No-W0050 via Street ID No-W0095, W0056 for a total No of 31 Poles, in Ward No-33, East Zone	
Ref: As per drawing enclosed & demand note GIS co-ordinates.		

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.

10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.

20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.

21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:

22. Right-of-way (ROW) for Electrical lines.-

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**East Zone**) for information.
4. Copy to Zonal Chief Engineer (**East Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Hebbal** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**J.C Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-967 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-967

With reference to your Demand Note bearing Pole-OFC-10-2022-967 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1346 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-967	31	142829	205892	25668	142829
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



967

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205892

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasathanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-967 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-967

With reference to your Demand Note bearing Pole-OFC-10-2022-967 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1346

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-967	31	142829	205892 Dated 01-10-2022	25668	142829

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE
Thane-400701

We are pleased to send to you Demand Draft No. **205892**
as per details mentioned below.

01/10/2022
dated

PAYMENT REFERENCE



AXIS BANK LTD ISSUING BRANCH
IFS CODE - UTIB0000274

- Centralised Collection and Payment Hub (CCPH) Valid Until: 31/12/2022

DATE 0 1 10 2022
दिनांक D 1 D 1 M 0 M 2 Y 0 Y 2 Y 2 Y

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर
RUPEES One Lac Forty Two Thousand Eight Hundred Twenty Nine Only

रुपये अदा करें ₹ 142,829.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205892

Client Reference 4200008085_75

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

(Signature)
SS-10: 29004
Authorised Signatory

(Signature)
Authorised Signatory

Please Refer Above
Rudresha B
SS. No. 26182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-967

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-967

General Information

Segment ID

OFC/Pole/2022-23/W0080/955

Street ID

38149

Street Name

NA

Zone

East

Ward No.

33

Ward Name

Manorayanapalya

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

09/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

Pole

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

31

No.Junction Box

31




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	12/05/2022

Date : 14/05/2022

20220514012754





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-967

Date: 14/05/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-967, dated : 09/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0080/955)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/6294/W- 33/1	W0056	Rice Shop	13.031064731 263386- 77.599638473 94019	6294	12/12/2018
1	EE/ OFC/pole/202 2-23/6294/W- 33/30	W0042,W009 1,W0093	House	13.032078625 889703- 77.598357613 92696	6294	12/12/2018
2	EE/ OFC/pole/202 2-23/6294/W- 33/2	W0052	House	13.031362628 662645- 77.599450746 46693	6294	12/12/2018
3	EE/ OFC/pole/202 2-23/6294/W- 33/3	W0052	Dead End rd	13.031441022 655512- 77.599032382 38371	6294	12/12/2018
4	EE/ OFC/pole/202 2-23/6294/W- 33/4	W0048	Shop	13.031665751 964127- 77.599386382 76185	6294	12/12/2018

5	EE/ OFC/pole/202 2-23/6294/W- 33/5	W0099	House	13.031885254 812787- 77.599397110 04603	6294	12/12/2018
6	EE/ OFC/pole/202 2-23/6294/W- 33/6	W0101,W004 2	Home	13.032021137 431085- 77.599643837 58228	6294	12/12/2018
7	EE/ OFC/pole/202 2-23/6294/W- 33/7	W0042	Bakery	13.032089078 712286- 77.599257655 3516	6294	12/12/2018
8	EE/ OFC/pole/202 2-23/6294/W- 33/8	W0048	Bakery	13.031629168 137078- 77.599761837 7083	6294	12/12/2018
9	EE/ OFC/pole/202 2-23/6294/W- 33/9	W0048	House	13.031587358 042426- 77.600040747 09713	6294	12/12/2018
10	EE/ OFC/pole/202 2-23/6294/W- 33/10	W0052	Home	13.031289460 913579- 77.599815474 12924	6294	12/12/2018
11	EE/ OFC/pole/202 2-23/6294/W- 33/11	W0052	Shop	13.031226745 682893- 77.600126565 37062	6294	12/12/2018
12	EE/ OFC/pole/202 2-23/6294/W- 33/12	W0060	Vaccant Land	13.030768923 826088- 77.599352056 89038	6294	12/12/2018
13	EE/ OFC/pole/202 2-23/6294/W- 33/13	W0060	Dead End Rd	13.030847318 006952- 77.598971238 30184	6294	12/12/2018
14	EE/ OFC/pole/202 2-23/6294/W- 33/14	W0056	House	13.031160894 482161- 77.599073147 5016	6294	12/12/2018
15	EE/ OFC/pole/202 2-23/6294/W- 33/15	W0064,W015 7	House	13.030429215 422144- 77.599555875 28991	6294	12/12/2018
16	EE/ OFC/pole/202 2-23/6294/W- 33/16	W0070,W015 3	House	13.030173127 240278- 77.599319875 03785	6294	12/12/2018
17	EE/ OFC/pole/202 2-23/6294/W- 33/17	W0153,W008 2	Corporator Office	13.029843870 617208- 77.599276965 90111	6294	12/12/2018
18	EE/ OFC/pole/202 2-23/6294/W- 33/18	W0149,W007 0	Shop	13.030214937 573767- 77.599051692 9332	6294	12/12/2018
19	EE/ OFC/pole/202 2-23/6294/W- 33/19	W0149	Home	13.029958849 170255- 77.598987329 22812	6294	12/12/2018
20	EE/ OFC/pole/202 2-23/6294/W- 33/20	W0068	House	13.030418762 848486- 77.598172055 63003	6294	12/12/2018

21	EE/ OFC/pole/202 2-23/6294/W- 33/21	W0095	Manzil	13.030622587 955387- 77.598413419 52418	6294	12/12/2018
22	EE/ OFC/pole/202 2-23/6294/W- 33/22	W0095	House	13.030946617 26707- 77.598483146 8714	6294	12/12/2018
23	EE/ OFC/pole/202 2-23/6294/W- 33/23	W0095,W005 6	Bakery Shop	13.031223609 729539- 77.598499237 79768	6294	12/12/2018
24	EE/ OFC/pole/202 2-23/6294/W- 33/24	W0097	Home	13.030423989 135379- 77.598665510 70257	6294	12/12/2018
25	EE/ OFC/pole/202 2-23/6294/W- 33/25	W0097	House	13.030831639 172762- 77.598751328 97605	6294	12/12/2018
26	EE/ OFC/pole/202 2-23/6294/W- 33/26	W0097	Home	13.031160894 482161- 77.598826419 96532	6294	12/12/2018
27	EE/ OFC/pole/202 2-23/6294/W- 33/27	W0056	Shop	13.031311410 985383- 77.598292184 25621	6294	12/12/2018
28	EE/ OFC/pole/202 2-23/6294/W- 33/28	W0089,W005 6	Medical	13.031342768 591998- 77.598099093 14087	6294	12/12/2018
29	EE/ OFC/pole/202 2-23/6294/W- 33/29	W0089	Temple	13.031832991 92844- 77.598100159 10654	6294	12/12/2018
31	EE/ OFC/pole/202 2-23/6294/W- 33/31	W0095,W004 2	House	13.032068173 385687- 77.598652614 24207	6294	12/12/2018



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 31


Pole Charges @ Rs 1500/- Pole	46,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	229.09
Junction Box Charges @ Rs 3000/- Pole	93,000	Total (C)	229.09
Supervision Charge @ Rs 100/- Pole	3,100		
Sub Total (A)	142,600	GST @ 18% (B)	25,668
Grand Total (A + B + C)	168,497.09		

Total Amount Payable Rs: 168,497 In words (Rupees One Lakh Sixty-Eight Thousand Four Hundred and Ninety-Seven Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-967

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-967

1/2

@RIL.COM

OFC/Pole/2022-23/W0093/976 10-2022-985 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

Pole Details

10-2022-967



OFC/Pole/2022-23/W0741/945 10-2022-956 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

S. Yash
EXECUTIVE ENGINEER
OFC CELL

BRIHAT BENGALURU MAHANAGARA PALIKE
BENGALURU