



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/975/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 09-05-2022
 - 3) Fee Demand Note letter No: 10-2022-975, Date: 14-05-2022.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 12-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles, from 16 th Main road via Street ID No-W0054 up to 18 th Main Road.	41 Poles
02	From 2 nd Cross Road via 24 th Main Road	
03	From 2 nd Cross Road via 22 nd Main Road	
04	From 2 nd Cross Road via 21 st Main Road	
05	From 19 th Main road via 3 rd Cross road Joggers Tree Park.	
06	From 3 rd Cross Road via W0103 up to 3 rd 'B' Cross Road.	
07	From 3 rd Cross Road via W0099 up to 3 rd 'B' Cross Road.	
08	From 3 rd Cross Road via W0093 up to 3 rd 'B' Cross Road.	
09	From 21 st Main Road via 3 rd 'A' Cross Road up to W0103.	
10	From 21 st Main Road via 3 rd 'B' Cross Road up to W0103.	
11	From 21 st Main Road via 3 rd 'C' Cross up to Road end.	
12	From 21 st Main Road via 3 rd 'B' Cross up to 26 th Main Road.	
13	From 18 th Main Road via 3 rd 'E' Cross Road	
14	From 25 th Main road via 5 th Cross Road up to end.	
15	From 1 st Main Road via 25 th Main Road	
16	From 1 st Main Road via 23 rd Main Road, for total No of 41 Poles, in Ward No-176, South Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/975/2022-23, Dt: 15-10-2022

Executive Engineer (OFC), BBMP

Ab.

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0


23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**BTM Layout Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**BTM Layout Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

10-2022 - 975 9:0
 केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP
 शाखा / Branch BCC Extel: 07

दिनांक / Date 13102022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
 बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000010

नाम / Name Comm: JP... RBM?

टेलिफोन / मोबाइल नं
 Tel No. / Mobile No.

राशि / Amount 188903.00/- ₹ पै/P.

राशि शब्दों में
 Rupees in words One lakh eighty eight thousand and three

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date / Name of Bank & Branch	₹	पै/P
<u>005954 01/01/2022</u>	<u>903</u>	<u>00/-</u>
<u>Sw. Branch, J.C. Road,</u>		

EXECUTIVE FINANCIAL 903.00/-

अधिकारी / रोकाडिया OFFICER केनरा बैंक टोल फ्री 24 घंटे कॉल सेंटर
 BRUHAT BANGALURU MAHANAGARA BANK
 Officer/Cashier/SWO
 Canara Bank Toll Free No. 1800 425 0018
 BANGALURU

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-975 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note:- Pole-OFC-10-2022-975

With reference to your Demand Note bearing Pole-OFC-10-2022-975 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1145 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-975	41	188903	205954	33948	188903
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



8/10

975

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205954

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-975 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method .

Ref: Demand Note :- Pole-OFC-10-2022-975

With reference to your Demand Note bearing Pole-OFC-10-2022-975 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1145

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-975	41	188903	205954	33948	188903
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205954

01/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31122022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 01 10 2022
दिनांक 01 10 2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौगे जाने पर
RUPEES One Lac Eighty Eight Thousand Nine Hundred Three Only
रुपये

₹ 188,903.00
अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205954

Client Reference 4200008085_137

For Axis Bank Ltd
Authorized Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-975

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-975

General Information

Segment ID

OFC/Pole/2022-23/W0056/967

Street ID

30664

Street Name

NA

Zone

South

Ward No.

176

Ward Name

B T M Layout

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5 Rasta, Ambawadi, Ahmedabad, Gujarat, India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

09/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

41

No.Junction Box


41



Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	12/05/2022

Date : 14/05/2022



20220514013239



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-975

Date: 14/05/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-975, dated : 09/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0056/967)

Sr No.	Unique Poleld.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/0604/W- 176/341	W0089	BGLRBD1344 735	12.914237363 017046- 77.612341046 33331	0604	20/02/2021
2	EE/ OFC/pole/202 2-23/0604/W- 176/342	W0058	PL0104	12.914038671 244741- 77.612432241 43983	0604	20/02/2021
3	EE/ OFC/pole/202 2-23/0604/W- 176/343	W0058	BGLRBD0096 701	12.914007298 8452- 77.612555623 05452	0604	20/02/2021
4	EE/ OFC/pole/202 2-23/0604/W- 176/344	W0058	BGLRBD0645 088	12.914012527 578729- 77.612657546 99708	0604	20/02/2021
5	EE/ OFC/pole/202 2-23/0604/W- 176/345	W0093	PL1002	12.913740633 290054- 77.612797021 86586	0604	20/02/2021


6	EE/ OFC/pole/202 2-23/0604/W- 176/346	W0058,W009 9	PL1004	12.913887037 9438- 77.613097429 27553	0604	20/02/2021
7	EE/ OFC/pole/202 2-23/0604/W- 176/347	W0093	PL1105	12.914054357 443048- 77.612888216 97237	0604	20/02/2021
8	EE/ OFC/pole/202 2-23/0604/W- 176/348	W0085	PL1204(20th Main Rd)	12.914943240 404174- 77.612131834 03017	0604	20/02/2021
9	EE/ OFC/pole/202 2-23/0604/W- 176/349	W0056	BGLRBD0646 984(3rd Cross)	12.914493570 595495- 77.611911892 89094	0604	20/02/2021
10	EE/ OFC/pole/202 2-23/0604/W- 176/350	W0056	BGLRBD0042 241 (3rd Cross)	12.914341937 570601- 77.612587809 5627	0604	20/02/2021
11	EE/ OFC/pole/202 2-23/0604/W- 176/351	W0087	PL0503(21st Main)	12.914639974 808098- 77.612400054 93165	0604	20/02/2021
12	EE/ OFC/pole/202 2-23/0604/W- 176/352	W0087	PL0501(21st Main)	12.914760235 347131- 77.612464427 94801	0604	20/02/2021
13	EE/ OFC/pole/202 2-23/0604/W- 176/353	W0087	PL0502(21st Main)	12.915079186 931203- 77.612459063 52998	0604	20/02/2021
14	EE/ OFC/pole/202 2-23/0604/W- 176/354	W0087	PL0504(21st Main)	12.915560227 894478- 77.612475156 78407	0604	20/02/2021
15	EE/ OFC/pole/202 2-23/0604/W- 176/355	W0087	PL0505(21st Main)	12.915805976 724819- 77.612485885 62013	0604	20/02/2021
16	EE/ OFC/pole/202 2-23/0604/W- 176/356	W0087	21st-Main	12.915800748 028822- 77.612539529 80042	0604	20/02/2021
17	EE/ OFC/pole/202 2-23/0604/W- 176/357	W0091	22nd Main	12.915701402 784004- 77.612797021 86586	0604	20/02/2021
18	EE/ OFC/pole/202 2-23/0604/W- 176/358	W0091	PL0607	12.915612514 899909- 77.612845301 62813	0604	20/02/2021
19	EE/ OFC/pole/202 2-23/0604/W- 176/359	W0091	PL0602(22nd Main)	12.915220362 092528- 77.612770199 77571	0604	20/02/2021
20	EE/ OFC/pole/202 2-23/0604/W- 176/360	W0091	PL1203(22nd MAin)	12.914660889 688612- 77.612764835 35768	0604	20/02/2021
21	EE/ OFC/pole/202 2-23/0604/W- 176/361	W0095	PL1104 (23rd Main)	12.914420368 457039- 77.613011598 58705	0604	20/02/2021

22	EE/ OFC/pole/202 2-23/0604/W- 176/362	W0095	PL1102(23rd MAin)	12.914896181 973738- 77.613065242 76735	0604	20/02/2021
23	EE/ OFC/pole/202 2-23/0604/W- 176/363	W0095	PI1101(23rd Main)	12.915288335 289906- 77.613118886 94765	0604	20/02/2021
24	EE/ OFC/pole/202 2-23/0604/W- 176/364	W0095	PL1103(23rd Main)	12.915476568 663061- 77.613113522 52962	0604	20/02/2021
25	EE/ OFC/pole/202 2-23/0604/W- 176/365	W0095	PL0605(23rd Main)	12.915711860 180057- 77.613134980 20174	0604	20/02/2021
27	EE/ OFC/pole/202 2-23/0604/W- 176/367	W0097	25th Main	12.915622972 299678- 77.613424658 77534	0604	20/02/2021
28	EE/ OFC/pole/202 2-23/0604/W- 176/368	W0097	25th Main	12.915434739 036824- 77.613413929 93927	0604	20/02/2021
29	EE/ OFC/pole/202 2-23/0604/W- 176/369	W0097	PL0705	12.915105330 485629- 77.613371014 59503	0604	20/02/2021
30	EE/ OFC/pole/202 2-23/0604/W- 176/370	W0097	25th Main	12.914870038 397442- 77.613365650 17702	0604	20/02/2021
31	EE/ OFC/pole/202 2-23/0604/W- 176/371	W0097	25th Main	12.914687033 28679- 77.613360285 75899	0604	20/02/2021
32	EE/ OFC/pole/202 2-23/0604/W- 176/372	W0097	PL1005	12.914545857 824127- 77.613338828 086873	0604	20/02/2021
33	EE/ OFC/pole/202 2-23/0604/W- 176/373	W0097	PL-1006	12.914341937 570601- 77.613344192 5049	0604	20/02/2021
34	EE/ OFC/pole/202 2-23/0604/W- 176/374	W0056,W009 7	3rd Cross	12.914106644 763573- 77.613295912 74263	0604	20/02/2021
35	EE/ OFC/pole/202 2-23/0604/W- 176/375	W0105	PL0704	12.915612514 899909- 77.613746523 85712	0604	20/02/2021
36	EE/ OFC/pole/202 2-23/0604/W- 176/376	W0105	25th Main	12.915382451 994205- 77.613719701 76698	0604	20/02/2021
37	EE/ OFC/pole/202 2-23/0604/W- 176/377	W0105	PL0802	12.915314478 822436- 77.613746523 85712	0604	20/02/2021
38	EE/ OFC/pole/202 2-23/0604/W- 176/378	W0109	PL0804	12.915696174 085818- 77.614358067 51253	0604	20/02/2021

39	EE/ OFC/pole/202 2-23/0604/W- 176/379	W0109	27th Main	12.915194218 550162- 77.614320516 58632	0604	20/02/2021
40	EE/ OFC/pole/202 2-23/0604/W- 176/380	W0109	PL0906	12.914577230 15606- 77.614288330 07812	0604	20/02/2021
41	EE/ OFC/pole/202 2-23/0602/W- 176/381	W0109	PL0902	12.913772005 72308- 77.614202499 38966	0602	20/02/2021
341	EE/ OFC/pole/202 2-23/0604/W- 176/366	W0097	PL0704 (25th Main)	12.915696174 085818- 77.613440752 02943	0604	20/02/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP, Bangalore" within seven (7) days. Then only your request can be processed further.



Total No. of Poles 41

Pole Charges @ Rs 1500/- Pole	61,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	302.99
Junction Box Charges @ Rs 3000/- Pole	123,000	Total (C)	302.99
Supervision Charge @ Rs 100/- Pole	4,100		
Sub Total (A)	188,600	GST @ 18% (B)	33,948
Grand Total (A + B + C)	222,850.99		

Total Amount Payable Rs: 222,851 In words (Rupees Two Lakh Twenty-Two Thousand Eight Hundred and Fifty-One Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-975


1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

OFC/Pole/2022-23/W0260/982 10-2022-990 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details



OFC/Pole/2022-23/W0302/955 10-2022-963 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

EXECUTIVE ENGINEER
OFC CELL

BENGALURU