



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/985/2022-23
₀₁

Date: 15-10-2022

Permission for Regularization for Poles

To,

M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 10-05-2022
 - 3) Fee Demand Note letter No: 10-2022-985, Date: **14-05-2022**.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **14-10-2022**.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

SI No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 17 th Cross Road via 7 th Main Road, 9 th Main Road, Street ID No-W0093, 5 th Cross Road 17 th Cross Road, 18 th Main Road up to 2 nd Cross Road.	35 Poles
02	On 8 th Main Road	
03	On Street ID No-W0093 from 17 th Cross Road up to 5 th Cross.	
04	On 6 th Cross Road from Street ID No-W0093 to Street ID No-W0091.	
05	From 5 th Cross Road via Street ID No-W0093, 6 th Cross, Street ID No-W0085 up to 5 th Cross Road.	
06	On 16 th Cross Road from Govindapura Main Road to W0085.	
07	From 17 th Cross Road via 18 th Main Road, Street ID No-W0048 up to Road end.	
08	From 18 th Main Road via Street ID No-W0056, W0061, W0064 up to W0053.	
09	On Street ID No-W0055 from W0064	

No: EE/OFC/PR/985/2022-23, Dt: 15-10-2022


Executive Engineer (OFC), BBMP

10	On Street ID No-W0057 for total No of 35 Poles in Ward No-23, East Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	
----	--	--

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the

- satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
 13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
 14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
 15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
 16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
 17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
 18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
 19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
 20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
 21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
 22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0

05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**East Zone**) for information.
4. Copy to Zonal Chief Engineer (**East Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Sarvagna Nagara Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**HBR Layout Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-985 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-985

With reference to your Demand Note bearing Pole-OFC-10-2022-985, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1423.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-985	35	161259	205947	28980	161259
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



985

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205947

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-985 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-985

With reference to your Demand Note bearing Pole-OFC-10-2022-985 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1423

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-985	35	161259	205947	28980	161259
			Dated		
			01-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

995

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

205947

01/10/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31122022

DATE 0 D 1 D 1 M 0 M 2 Y 0 Y 2 Y 2 Y

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर

RUPEES One Lac Sixty One Thousand Two Hundred Fifty Nine Only

रुपये

अदा करें

₹ 161,259.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205947

Client Reference 4200008085.130

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

Authorized Signatory

Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-985

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-985

General Information

Segment ID

OFC/Pole/2022-23/W0093/976

Street ID

39735

Street Name

NA

Zone

East

Ward No.

23

Ward Name

Nagavara

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

10/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

ofc

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

35

No.Junction Box

35




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	13/05/2022

Date : 14/05/2022

Time : 01:33:38

20220514013338





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-985

Date: 14/05/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-985, dated : 10/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0093/976)



Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/1443/W- 23/1	W0097	home	13.038052508 050493- 77.617323203 64622	1443	09/04/2021
2	EE/ OFC/pole/202 2-23/1443/W- 23/2	W0097	home	13.037582156 28594- 77.617183686 92848	1443	09/04/2021
3	EE/ OFC/pole/202 2-23/1443/W- 23/3	W0097	home	13.037247683 37606- 77.617065634 32116	1443	09/04/2021
4	EE/ OFC/pole/202 2-23/1443/W- 23/4	W0097	home	13.037205874 230535- 77.617130026 65242	1443	09/04/2021
5	EE/ OFC/pole/202 2-23/1443/W- 23/5	W0097	home	13.036829591 602924- 77.616990509 9347	1443	09/04/2021

6	EE/ OFC/pole/202 2-23/1443/W- 23/6	W0095	home	13.038010699 040955- 77.616754404 71998	1443	09/04/2021
7	EE/ OFC/pole/202 2-23/1443/W- 23/7	W0095	home	13.037571704 014358- 77.616636352 11266	1443	09/04/2021
8	EE/ OFC/pole/202 2-23/1443/W- 23/8	W0095	home	13.036840043 905867- 77.616443175 11886	1443	09/04/2021
9	EE/ OFC/pole/202 2-23/1443/W- 23/9	W0095	home	13.036714616 241463- 77.616443175 11886	1443	09/04/2021
10	EE/ OFC/pole/202 2-23/1443/W- 23/10	W0093	home	13.038313814 200013- 77.616443175 11886	1443	09/04/2021
11	EE/ OFC/pole/202 2-23/1443/W- 23/11	W0093	home	13.038000246 787478- 77.616357318 67717	1443	09/04/2021
12	EE/ OFC/pole/202 2-23/1443/W- 23/12	W0093	home	13.037644869 906208- 77.616207069 90419	1443	09/04/2021
13	EE/ OFC/pole/202 2-23/1443/W- 23/13	W0093	home	13.037519442 649769- 77.616239266 06981	1443	09/04/2021
14	EE/ OFC/pole/202 2-23/1443/W- 23/14	W0091	home	13.037820816 473433- 77.615488660 99776	1443	09/04/2021
15	EE/ OFC/pole/202 2-23/1443/W- 23/15	W0094	home	13.037909660 67841- 77.615982335 537523	1443	09/04/2021
16	EE/ OFC/pole/202 2-23/1443/W- 23/16	W0094	home	13.037977600 343073- 77.615343778 25238	1443	09/04/2021
17	EE/ OFC/pole/202 2-23/1443/W- 23/17	W0094	pg	13.038066444 491768- 77.614758881 24336	1443	09/04/2021
18	EE/ OFC/pole/202 2-23/1443/W- 23/18	W0087	home	13.037637901 833289- 77.615193529 47944	1443	09/04/2021
19	EE/ OFC/pole/202 2-23/1443/W- 23/19	W0087	home	13.037909660 67841- 77.615209627 5623	1443	09/04/2021
20	EE/ OFC/pole/202 2-23/1443/W- 23/20	W0096	home	13.037890498 258692- 77.614855878 57263	1443	09/04/2021
21	EE/ OFC/pole/202 2-23/1443/W- 23/21	W0054	home	13.038672674 381667- 77.614119052 60202	1443	09/04/2021

22	EE/ OFC/pole/202 2-23/1443/W- 23/22	W0054	home	13.038972304 712033- 77.613389475 49051	1443	09/04/2021
23	EE/ OFC/pole/202 2-23/1443/W- 23/23	W0065	home	13.038751066 059001- 77.612964142 7641	1443	09/04/2021
24	EE/ OFC/pole/202 2-23/1443/W- 23/24	W0065	home	13.037503764 477476- 77.612579604 16944	1443	09/04/2021
25	EE/ OFC/pole/202 2-23/1443/W- 23/25	W0061	home	13.038420078 994028- 77.612425985 36185	1443	09/04/2021
26	EE/ OFC/pole/202 2-23/1443/W- 23/26	W0064,W005 3	home	13.038083865 121985- 77.611362028 07555	1443	09/04/2021
27	EE/ OFC/pole/202 2-23/1443/W- 23/27	W0064,W005 5	home	13.037995020 979551- 77.611667891 64908	1443	09/04/2021
28	EE/ OFC/pole/202 2-23/1443/W- 23/28	W0057	home	13.037545573 652416- 77.611818166 17527	1443	09/04/2021
29	EE/ OFC/pole/202 2-23/1443/W- 23/29	W0057	home	13.037218068 618541- 77.611705527 88288	1443	09/04/2021
30	EE/ OFC/pole/202 2-23/1443/W- 23/30	W0057	home	13.036862690 613875- 77.611587475 27553	1443	09/04/2021
31	EE/ OFC/pole/202 2-23/1443/W- 23/31	W0074,W007 6,W0065	home	13.036611835 244484- 77.612344085 167957	1443	09/04/2021
32	EE/ OFC/pole/202 2-23/1443/W- 23/32	W0055	home	13.037662290 40662- 77.611512350 88903	1443	09/04/2021
33	EE/ OFC/pole/202 2-23/1443/W- 23/33	W0055	home	13.037228520 905073- 77.611378200 19886	1443	09/04/2021
34	EE/ OFC/pole/202 2-23/1443/W- 23/34	W0055	home	13.036857464 462944- 77.611286977 72956	1443	09/04/2021
35	EE/ OFC/pole/202 2-23/1443/W- 23/35	W0055	home	13.036726810 653679- 77.611244049 50874	1443	09/04/2021



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 35

Pole Charges @ Rs 1500/- Pole	52,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	258.65
Junction Box Charges @ Rs 3000/- Pole	105,000	Total (C)	258.65
Supervision Charge @ Rs 100/- Pole	3,500		
Sub Total (A)	161,000	GST @ 18% (B)	28,980
Grand Total (A + B + C)	190,238.65		

Total Amount Payable Rs: 190,239 In words (Rupees One Lakh Ninety Thousand Two Hundred and Thirty-Nine Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-985

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-985

1/2

@RIL.COM

OFC/Pole/2022-23/W0260/985 10-2022-993 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details

Map showing various locations in Bengaluru with blue location pins. Labels include MS Bar And Restaurant, Sobha Petunia, Premier Studio Apartment, Sri Chaitanya School, Zolo Tulpar PG, Creative Elegance Apartment, Buy Dogs in Bangalore - Mylilpaw, and others. Street names like 14th Main Rd and 6th Main Rd are also visible.

10-2022-985

OFC/Pole/2022-23/W0080/955 10-2022-967 Pending ceofc01(ceofc01) OFC Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

EXECUTIVE ENGINEER
OFC CELL

CHIEF EXECUTIVE OFFICER
BANGALURU MAHANAGARA PALIKE

BANGALURU