



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell ), 3<sup>rd</sup>Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/986/2022-23

Date: 15-10-2022

**Permission for Regularization for Poles**

To,  
M/s. Jio Digital Fibre Private Limited ,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

**Ref :-** 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.  
2) M/s. Jio Digital Fibre Private Limited online application Dated: 05-05-2022  
3) Fee Demand Note letter No: 10-2022-986, Date: **14-05-2022**.  
4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.  
5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **14-10-2022**.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Govindapura Main Road via 3 <sup>rd</sup> Cross, 4 <sup>th</sup> Cross, 2 <sup>nd</sup> Cross, 16 <sup>th</sup> Main	<b>27 Poles</b>
02	From Govindapura Main Road via Street ID No-W0070 up to 4 <sup>th</sup> Cross Road.	
03	From Govindapura Main Road via Street ID No-W0068	
04	From Govindapura Main Road via Street ID No-W0066	
05	From Govindapura Main Road via Street ID No-W0077	
06	From Govindapura Main Road via Street ID No-W0100	
07	From Govindapura Main Road via Street ID No-W0102, for total No of 27 Poles in Ward No-23, East Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/986/2022-23, Dt: 15-10-2022

*S. Yash*  
Executive Engineer (OFC), BBMP

### **Conditions for Regularization of Poles**

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.

13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:

**22. Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**East Zone**) for information.
4. Copy to Zonal Chief Engineer (**East Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Sarvagna Nagara Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**HBR Layout Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-986 /DD

Date: 12-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-986

With reference to your Demand Note bearing Pole-OFC-10-2022-986 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1423 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-986	27	124400	206026	22356	124400
			Dated		
			11-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.





986

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206026**

11/10/2022  
dated

PAYMENT REFERENCE

**JIO DIGITAL FIBRE PRIVATE LIMITED**

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-986 /DD

Date: 12-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-986

With reference to your Demand Note bearing Pole-OFC-10-2022-986 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1423 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-986	27	124400	206026	22356	124400
			Dated		
			11-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206026**  
as per details mentioned below.

11/10/2022  
dated

**PAYMENT REFERENCE**

ISSUING BRANCH

Centralised Collection and Payment Hub (CCPH)

Valid Until: 10012023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE  
दिनांक

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर  
RUPEES One Lac Twenty Four Thousand Four Hundred Only  
रुपये

₹ 124,400.00  
अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206026

Client Reference 4200008447-15

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd

Authorised Signatory

Authorised Signatory

Rudresha B

Please sign above

No. 26182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT  
Pole Form

Application No. :10-2022-986

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-986

General Information

Segment ID

OFC/Pole/2022-23/W0094/978

Street ID

39620

Street Name

NA

Zone

East

Ward No.

23

Ward Name

Nagavara

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

10/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

Purpose

ofc

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

27

No.Junction Box

27




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	13/05/2022

Date : 14/05/2022

Time : 01:34:57

20220514013457





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-986

Date: 14/05/2022

**Demand Notice**  
**GST No.: 29AAALBI608FIZK**

**To**

Babu Veerabhadre


M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

**Sub:-** Permission for Poles(Regularization)

**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).  
2)Your request letter No. : 10-2022-986, dated : 10/05/2022


Details of Poles added on BBMP GIS Map (Pole Id:-OFC/Pole/2022-23/W0094/978)



Sr No.	Unique Poleld.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/1446/W- 23/36	W0077	apartment	13.037975858 406936- 77.613978162 63357	1446	03/04/2021
2	EE/ OFC/pole/202 2-23/1446/W- 23/37	W0075,W007 7	home	13.038049024 179287- 77.613666933 03243	1446	03/04/2021
3	EE/ OFC/pole/202 2-23/1446/W- 23/38	W0077	land	13.037965406 151983- 77.613849377 97102	1446	03/04/2021
4	EE/ OFC/pole/202 2-23/1446/W- 23/39	W0066	home	13.037604803 085523- 77.613870842 08148	1446	03/04/2021
5	EE/ OFC/pole/202 2-23/1446/W- 23/40	W0066	home	13.037677968 96759- 77.613564978 50792	1446	03/04/2021

6	EE/ OFC/pole/202 2-23/1446/W- 23/41	W0100	home	13.037292976 396428- 77.614423600 86963	1446	03/04/2021
7	EE/ OFC/pole/202 2-23/1446/W- 23/42	W0100	home	13.037183227 39444- 77.614756294 5812	1446	03/04/2021
8	EE/ OFC/pole/202 2-23/1446/W- 23/43	W0100	home	13.037230262 686965- 77.614520189 36654	1446	03/04/2021
9	EE/ OFC/pole/202 2-23/1446/W- 23/44	W0102	home	13.037000312 282975- 77.614235789 9034	1446	03/04/2021
10	EE/ OFC/pole/202 2-23/1446/W- 23/45	W0102	home	13.036927146 20052- 77.614552385 53215	1446	03/04/2021
11	EE/ OFC/pole/202 2-23/1446/W- 23/46	W0102	home	13.036864432 39835- 77.614767026 63641	1446	03/04/2021
12	EE/ OFC/pole/202 2-23/1446/W- 23/47	W0070	home	13.036853980 096438- 77.613795775 63974	1446	03/04/2021
13	EE/ OFC/pole/202 2-23/1446/W- 23/48	W0070	home	13.037026443 021459- 77.613167950 40982	1446	03/04/2021
14	EE/ OFC/pole/202 2-23/1446/W- 23/49	W0070	garage	13.036974181 54172- 77.613484546 03856	1446	03/04/2021
15	EE/ OFC/pole/202 2-23/1446/W- 23/50	W0071, W007 0	home	13.037136192 092985- 77.612905015 057127	1446	03/04/2021
16	EE/ OFC/pole/202 2-23/1446/W- 23/51	W0072	home	13.036592672 405265- 77.613602598 6459	1446	03/04/2021
17	EE/ OFC/pole/202 2-23/1446/W- 23/52	W0072	home	13.036739004 746325- 77.613200146 57547	1446	03/04/2021
18	EE/ OFC/pole/202 2-23/1446/W- 23/53	W0072	home	13.036796492 428062- 77.612969407 38839	1446	03/04/2021
19	EE/ OFC/pole/202 2-23/1446/W- 23/54	W0072	home	13.036806944 73239- 77.612840622 72586	1446	03/04/2021
20	EE/ OFC/pole/202 2-23/1446/W- 23/55	W0071	home	13.037031669 168826- 77.612829890 67067	1446	03/04/2021
21	EE/ OFC/pole/202 2-23/1446/W- 23/56	W0071	home	13.037690162 853869- 77.613060629 8577	1446	03/04/2021

22	EE/ OFC/pole/202 2-23/1446/W- 23/57	W0076	home	13.036430661 33866- 77.611894640 45981	1446	03/04/2021
23	EE/ OFC/pole/202 2-23/1446/W- 23/58	W0074	home	13.036472470 615172- 77.612914185 70497	1446	03/04/2021
24	EE/ OFC/pole/202 2-23/1446/W- 23/59	W0074	home	13.036373173 57194- 77.613171755 03004	1446	03/04/2021
25	EE/ OFC/pole/202 2-23/1446/W- 23/60	W0061	home	13.036786039 963788- 77.611926836 62547	1446	03/04/2021
26	EE/ OFC/pole/202 2-23/1446/W- 23/61	RI- S30,W0074	home	13.036221614 850184- 77.613788848 20476	1446	03/04/2021
27	EE/ OFC/pole/202 2-23/1446/W- 23/62	W0061	home	13.037418403 608163- 77.612096788 51404	1446	03/04/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No.of Poles 27**

Pole Charges @ Rs 1500/- Pole	40,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	199.53
Junction Box Charges @ Rs 3000/- Pole	81,000	Total (C)	199.53
Supervision Charge @ Rs 100/- Pole	2,700		
Sub Total (A)	124,200	GST @ 18% (B)	22,356
Grand Total (A + B + C)	146,755.53		

**Total Amount Payable Rs: 146,756 In words (Rupees One Lakh Forty-Six Thousand Seven Hundred and Fifty-**

**Six Only)**

**Note:**The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

No.: 10-2022-986

**Copy to**

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.




BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

@RIL.COM

OFC/Pole/2022-23/W0183/986 10-2022-994 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details

10-2022-986



OFC/Pole/2022-23/W0062/961 10-2022-969 Pending ceofc01(ceofc01) OFC Work Created Demand Notice Permission Letter View/Submit

S. H. H. H.  
EXECUTIVE ENGINEER  
OFC CELL

BENGALURU