

BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Superintendent Engineer (OFC-Cell), 3rdFloor, Annexe II Building, N.R. Square, Bangalore -560002

No: EE/OFC/PR/3935/2021-22

Date: 25-10-2021

642

Permission for laying of Optical Fiber Cable

To,

M/s. Bharti Airtel Limited

Circle office, #55 Divya Shree towers, Bannerghatta Main Road Bangalore-560029.

Sir,

<u>Sub</u>:- Permission for laying of O F C by HDD Method-regarding

<u>Ref :-</u>

- 1) MOU of M/s. Bharti Airtel Limited, Dated: 19-02-2014.
- 2) M/s. **Bharti Airtel Limited** online application Dated: 31-07-2021.
- 3) Opinion obtained in **Online from Assistant Executive Engineer Kormangala**Sub division, South Zone on Dated: 24-08-2021.
 - 4) Approved by Superintendent Engineer (OFC-Cell) on Dated: 30-09-2021 (Online).
 - 5) Fee Demand Note letter No: 04-2021-3935, Date: 30-09-2021.
 - 6) Fee Paid by M/s Bharti Airtel Limited DD submitted letter Dated: 21-10-2021.

*_*_*_*

With reference to your application for permission, we have pleasure to inform you that permission has been given for laying of OFC cables by HDD method on roads mentioned below subject to the terms and conditions of MOU and the conditions mentioned below:

Sl No	Name of the Road and Route	Length in Mtr
01	Permission for laying of OFC by HDD Method from Adugodi Main Road via Street ID No-W0179 for a length of 145.78 Mtr.	145.78 M
02	From Adugodi Main Road via Street ID No-W0179 up to W0150.	44.93 M
03	From Adugodi Main Road via Street ID No-W0199 up to W0150.	24.93 M
04	From Adugodi Main Road via Street ID No-W0201 for a length of 37.23 Mtr.	37.23 M
05	From Adugodi Main Road via Street ID No-W0203 for a length of 39.27 Mtr.	39.27 M
06	From Adugodi Main Road via Street ID No-W0205 for a length of 34.35 Mtr.	34.35 M
07	From Adugodi Main Road via Street ID No-W0207 for a length of 30.51 Mtr.	30.51 M

No: EE/OFC/PR/3935/2021-22, Dt: 25-10-2021

Executive Engineer

EC) RRAME

	Total	1085.07 Mtr
	Ref: As per drawing enclosed.	
18	Manhole-06 and No of Ducts 3, in Ward No-147, South Zone	56.73
	From Street ID No-W0179 via W0158 for a length of 56.73 Mtr. No of Pits-07, No of	
17	From Street ID No-W0179 via W0152 for a length of 47.94 Mtr.	47.94 M
16	From Street ID No-W0179 via W0148 for a length of 66.63 Mtr.	66.63 M
15	From Street ID No-W0179 via W0155 up to W0167.	52.23 M
14	From Street ID No-W0213 via Street ID No-W0184 for a length of 29.63 Mtr.	29.63 M
13	From Adugodi Main Road via Street ID No-W0221 for a length of 48.61 Mtr.	48.61 M
12	From Adugodi Main Road via Street ID No-W0235 up to Street ID No-W0192.	132.73 M
11	From Adugodi Main Road via Street ID No-W0219 for a length of 84.11 Mtr.	84.11 M
10	From Adugodi Main Road via Street ID No-W0213 for a length of 75.67 Mtr.	75.67 M
09	From Adugodi Main Road via Street ID No-W0211 for a length of 63.40 Mtr.	63.40 M
08	From Adugodi Main Road via Street ID No-W0209 for a length of 70.39 Mtr.	70.39 M

The work shall be strictly taken up and completed between <u>25-10-2021</u> to <u>24-12-2021</u> and in line with conditions cited below:

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for HDD Method OFC laying

- 1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
- 2. The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.
- 3. Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.
- 4. Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.

Executive Ingineer (OFC) BBMP

No: EE/OFC/PR/3935/2021-22, Dt: 25-10-2021

- 5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
- 6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. PSR(G)/5870/2019-20, Dated : 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.
- 7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
- 8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
- 9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.
- 10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
- 11. Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated/destroyed.
- 12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
- 13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCOM / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.

No: EE/OFC/PR/3935/2021-22, Dt: 25-10-2021

- 14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
- 15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
- 16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
- 17. The Agency should not cause any inconvenience to public while executing the work.
- 18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
- 19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
- 20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

Copy to:-

- 1. Copy to the **Special Commissioner** (**Project**) for kind information.
- 2. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
- 3. Copy to Zonal Chief Engineer (**South Zone**) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
- 4. Copy to the Chief Engineer (Road Infrastructure) for information.
- 5. Copy to the Concerned Executive Engineer of (Kormangala Division) for information.
- 6. Copy to the Concerned Assistant Executive Engineer of (**BTM Layout** Sub Division) for information.
- 7. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.

8. Office Copy.

pr 27/10/21

xecutive Engineer (OFC), BBMF

No: EE/OFC/PR/3935/2021-22, Dt: 25-10-2021

Bruhat Bengaluru Mahanagara Palike



Office of Executive Engineer OFC Cable and Rain Water Harvesting Cell **Central Zone**

Receipt (General Purpose) [para 22(1)]

Receipt Number: RE-ifms665-Ofc / 000521

DDO

: ddo665 Executive Engineer OFC Cable and Rain Water

Harvesting Cell Central Zone

Receipt Date

: 30-Oct-2021

Ward

: 147 Adugodi

Reference

: EE/OFC/PR/3935/2021-22 / Credited

: Canara Bank, Bangalore City Corpn. E.C. (Cor)

(CNRB0008401) - 8401132000010 (OFC)

30-Sep-2021

eceived the sum of Rs. 962880.00 (Nine Lakh Sixty Two Thousand Eight Hundred Eighty) from

Sri/Smt M/s. Bharti Airtel Limited

Circle office, #55 Divya shree towers, Bannerghatta main road Bangalore

Bengaluru 560029


towards the following -

SI No	Name	Misc.	Amount	Remarks	
1	R0007 Security Deposits (RCM)		54253.00		
2	R1096 Road Cutting and Restoration Charges (OFC) (RCM)		141059.00		
3	R0008 Misc. Deposits (RCM)		8019.00		
4	R1033 Duct Services (RCM)	Ofc Laying Charges	651042.00		
15	R1033 Duct Services (RCM)	Ofc Supervision Charges	108507.00		
	Total 962880				

Amount received as:

SI No	Type	Bank	Chq/DD No.	Chq/DD Dt.	Amount
1	DD	Hdfc Bank Ltd., Hdfc Bank Ltd. (Hdf)	711400	11-Oct-2021	908627.00
2	DD	Hdfc Bank Ltd., Hdfc Bank Ltd. (Hdf)	701449	11-Oct-2021	54253.00
			· · · ·	Total	962880

for Bruhat Bengaluru Mahanagara Palike Executive Engineer OFC Cable and Rain Water Harvesting Cell Central Zone



bharti airtel limited circle office #55, divyasree towers, bannerghatta main road, bangalore - 560 029 www.airtel.in call +91 80 41218060 fax +91 80 41218070



Ref No 04-2021- 3935

Date-21.10.2021

To,

Executive Engineer - OFC
Bruhat Bengaluru Mahanagar Palike,
2nd floor, Annex 2nd Building, N R Square
Bengaluru

Sir,

Sub: - Permission to lay the OFC / Copper Cables by HDD Method in below mentioned areas.

Ref:- Your Demand Note bearing Application No. CE-OFC-04-2021-3935 you have issued a demand note as per our applications, as per issued demand by BBMP we hereby submitting DD's, hence request you please issue the permission to start the work.

Application No.	Length	L+S+R+C=Total	Refundable Rs Security Deposit	L+S+R+C DD NO	SD DD NO
CE-OFC-04-2021- 3935	1085.07	9,08,626.77	54,253.50	711400	701449

Yours Faith fully

For Bharti Airtel Ltd

Thanking You

(Authorized Signatory) Kumar (Fa)(1) 9900090402 BIMP WEER OF CELL OF COOL LINE BOTTON

HDFC BANK

Cash Management Services - Payments

MAIL TO -

COMMISSIONER BBMP BANGALORE

BY ORDER OF ·

A-27,2nd FLOOR, SIGMA TOWERS, SEC-34,INFOCITY, GURGAON -122001

TELESONIC NETWORKS LIMITED

Instrument Date: 11/10/2021

Instrument No.: 701449

Amount Rs.*****54,253.50

66410031610 357756

Client Ref No.

66410031610



Cash Management Services - Payments

MAIL TO -

COMMISSIONER BBMP BANGALORE

THE COMMISSIONER, BANGALORE MAHANAGAR PALIKE BANGALORE, KARNATAKA

BANGALORE

BY ORDER OF

Bharti Airtel Limited Airtel Center of Excellence, Airtel Center, Gurgaon - 122002

KEB-3935-lay


711400

Bene Code :

Customer Ref No: 204448549

Inv. No.	Inv. Date	Description	Inv. Amt.	Amt.Paid
CE-OFC-04-2021-3935	30/09/2021		908626.77	908626.77
	•			X with the second secon

No: 04-2021-3935



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore - 560002

No.: CE-OFC-04-2021-3935

Date: 30/09/2021

Demand Notice

GST No.: 29AAALBI608FIZK

To

Kumar Patil

M/s Bharti Airtel Limited

GST No.: 29AAACB2894G1ZJ

Sub:- Permission to lay OFC by HDD Method regarding

Ref:- 1)MOU of M/S M/s Bharti Airtel Limited, Dated (28/03/2014).

2)Your request letter No.: 04-2021-3935, dated: 31/07/2021


As per requisition shown in below table for laying of OFC by HDD method to a length of 1085.07 mtr. has been approved by the competent authority.

Details of Segments drawn on BBMP GIS Map

(Segment Id:-OFC/2021-22/Z3-597/W147-18/3935)

Sr No.	Segment Length (mts)	From Landmark	To Landmark	Start Coordinates	End Coordinates	Passing Through
1	132.73	2nd G Main Rd	2nd G Main Rd	12.942061- 77.615256	12.941007- 77.614682	2nd G Main Rd
2	48.61	Enable India	Enable India	12.942460- 77.615351	12.942027- 77.615289	Enable India
3	84.11	2nd H Main Road	2nd H Main Road	12.942213- 77.614877	12.941552- 77.614499	2nd H Main Road
4	75.67	3rd Main Road	3rd Main Road	12.942560- 77.614253	12.941916- 77.614027	3rd Main Road
5	63.4	3rd A Main Road	3rd A Main Road	12.942663- 77.613941	12.942125- 77.613746	3rd A Main Road
6	70.39	3rd B Main Road	3rd B Main Road	12.942763- 77.613643	12.942167- 77.613424	3rd B Main Road
7	29.63	3rd Main Road	3rd Main Road	12.942173- 77.614122	12.942035- 77.614356	3rd Main Road

8	30.51	6th Cross Rd	6th Cross Rd	12.942930- 77.613266	12.942665- 77.613195	6th Cross Rd
9	34.35	5th Cross Rd	5th Cross Rd	12.943045- 77.613075	12.942744- 77.613004	5th Cross Rd
10	39.27	4th Cross Rd	4th Cross Rd	12.943131- 77.612798	12.942786- 77.612721	4th Cross Rd
11	37.23	3rd Cross Rd	3rd Cross Rd	12.943217- 77.612515	12.942891- 77.612437	3rd Cross Rd
12	24.93	2nd Cross Rd	2nd Cross Rd	12.943303- 77.612210	12.943085- 77.612154	2nd Cross Rd
13	43.88	2nd Cross Rd	2nd Cross Rd	12.943641- 77.610830	12.943259- 77.610731	2nd Cross Rd
14	145.78	Pragathi Comunication	Pragathi Comunication	12.944016- 77.609813	12.943194- 77.609712	Pragathi Comunication
15	56.73	Pragathi Comunication	Pragathi Comunication	12.943292- 77.609723	12.943200- 77.610238	Pragathi Comunication
16	66.63	Pragathi Comunication	Pragathi Comunication	12.943539- 77.609753	12.943411- 77.610354	Pragathi Comunication
17	53.23	Pragathi Comunication	Pragathi Comunication	12.943731- 77.609279	12.943687- 77.609768	Pragathi Comunication
18	47.99	Pragathi Comunication	Pragathi Comunication	12.943417- 77.609739	12.943328- 77.610173	Pragathi Comunication



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Banglore" within seven(7) days. Then only your request can be

processed further.

Length of OFC proposed 1085.07 Mtrs.

Laying Charge @ 600/- Mtr	6,51,042.00	Road Restoration Charges Rs. 10000/ (Pits+ Manholes) or Rs.130/ Per Mtr, Whichever is higher	1,41,059.10
Supervision Charge @ 100/- Mtr	1,08,507.00	Cess Amount @ 7.39/- Mtr	8,018.67
Sub Total (A)	7,59,549.00	Security Deposit @ Rs.50/- Mtr	54,253.50
GST @ 18% (B)	1,36,718.82	Total (C)	2,03,331.00
Grand Total (A + B + C)	10,99,599.00		

Total Amount Payable Rs: 10,99,599.00 In words (Rupees Ten Lakh Ninety-Nine Thousand Five Hundred and Ninety-Nine Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself so as to make the road motorable for moving traffic. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded with all applicable, necessary conditions after submission of the Demand Draft drawn from Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 04-2021-3935

- 1. Copy submitted to Commissioner for kind information.
- 2. Copy submitted to Special Commissioner (Project) for kind information.
- 3. Copy submitted to CAO for information.
- 4. Copy to Office file.

BBMP ENGINEERING DEPARTMENT **OFC Form**

Application No.:04-2021-3935

PR Number(To be Assigned by AE/JE- CE-OFC-04-2021-3935 OFC, BBMP)

General Information

Seament ID

OFC/2021-22/Z3-597/W147-18/3935

Street ID

Street Name

NA

Zone

South

Ward No.

147

NA

Ward Name

Adugodi

Service Provider Category

Telecom

Organization-

M/s Bharti Airtel Limited

Year of Incorporation

2009-10

Registered Office Address

Bharti Airtel Limited #55, Divyasree Towers, Bannergatta Main Road Bangalore

Pin Code 560029

Official Phone No.

08041218060

Previous Relevant Exp.

08041218061

Official Phone No.

www.airtel.com

Penalized Details

Vat Reg No

GST

29AAACB2894G1ZJ

Turnover for Last 3 Years

100000000

Application Submission Date

31/07/2021

Name of the Authorized Person

Kumar Patil

Designation

RTKB03826E

Manager

Email ID

kumara.patil@airtel.com

Local Address

Bharti Airtel Limited #55, Divyasree Towers, Bannergatta Main Road Bangalore

Purpose OFC Laying Phone No. 08041218060

Mobile No.

Attachments

9900090402

OFC/Cable Related Information

Laying OFC

Total No.of Pits(Points marked on map) Laying Method

Likely Date of Commencement

Total Length (m)


No. of Cables

No.of Ducts

No. of Manhole

2

- 6



Declaration

I hereby accept the following terms and conditions specified by BBMP

Maintenance of the cable and road for next 2 years

Refundable Security Deposit (Rs. 150/Mtr.) will be kept with BBMP.

Security deposit will be refunded after 2 years, after field verification from BBMP

BBMP will retain the security deposit, if service provider fails to maintain the OFC road cut portions for 2 years

Status of My Application

Approver Name	Designation	Date
seofc01(seofc01)	SE E SE	01/08/2021
aes14701(aes14701)	AE	05/08/2021
aees08(aees08)	AEE	24/08/2021
seofc01(seofc01)	SE The second	30/09/2021
seofc01(seofc01)	SE	30/09/2021

Date: 19/10/2021 Time: 05:06:43 20211019050643

HDFC BANK

Cash Management Services - Payments

BY ORDER OF MAIL TO · TELESONIC NETWORKS LIMITED COMMISSIONER BBMP BANGALORE A-27,2nd FLOOR, SIGMA TOWERS, SEC-34, INFOCITY, GURGAON -122001 KER-3435-CD Instrument Date: 11/10/2021 Amount Rs. *****54, 253.50 Instrument No.: 701449 66410031610 357756 66410031610 Client Ref No. VALID FOR THREE MONTHS FROM THE DATE OF ISSUE **PAYINST DRAFT** HDFC BANK RUPEES (FIETY-FOUR THOUSAND TWO HUNDRED FIETY THREE AND Paise FIETY CORRECTED FOR THE PROPERTY OF THE PROPERTY DRAWEE BRANCH ISSUING BRANCH LICENTRIES

HDFC BANK

Cash Management Services - Payments

MAIL TO BY ORDER OF · COMMISSIONER BBMP BANGALORE Bharti Airtel Limited Airtel Center of Excellence. THE COMMISSIONER, BANGALORE MAHANAGAR PALIKE BANGALORE, KARNATAKA Airtel Center, Gurgaon - 122002 BANGALORE KEB-3935-la 711400 Customer Ref No: 204448549 Bene Code: Inv. No. Tray Amt Inv. Date Description Amt Paid CE-OFC-04-2021-3935 30/09/2021 908626.77 VALID FOR THREE MONTHS FROM THE DATE OF ISSUE HDFC BANK **PAYINST DRAF** PROBLEM NINE LAKH EIGHT/THOUSAND/SIX/HUNDRED/TWENTY-SIX/AND Paise RUREES SEVENTY SEVENIONLY ACCUSED ACCU OR ORDER 9,08,626.77 PURCHASER Bharti Airtei Limited a sa a ra a composition de la composition della comp GESSEFOR HDFC BANK LTD. BANGALORE

DRAWEE BRANCH

Tall 400

BRANCH

Tall

Assistant Executive Engineer
OFC CELL
Bruhat Bangaluru Mahanagra Palike
Bangaluru

48/3894

3894

Exécutive Engineer QUE LO

OFC CELL

Bruhat Bangaluru Mahanagra Palike

Rangaluru

Letter

Notice