

BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building, N.R. Square, Bangalore -560002

No: EE/OFC/PR/3985/2021-22

715

Date: 09-12-2021

Permission for laying of Optical Fiber Cable

To,

M/s. Jio Digital Fibre Private Limited, RMZ ICON, No-51, Palace Road Cross, Vasanth Nagar, Bengaluru-52.

Sir,

<u>Sub</u>:- Permission for laying of O F C by HDD Method-regarding

<u>Ref :-</u> 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.

- 2) M/s. Jio Digital Fibre Private Limited online application Dated: 04-08-2021.
- 3) Opinion obtained Online from Assistant Executive Engineer -HBR Layout Sub Division, East Zone on Dated: 18-08-2021.
- 4) Approved by Superintendent Engineer (OFC-Cell) on: 18-08-2021 (Online).
- 5) Fee Demand Note letter No: 04-2021-3985, Date: 19-08-2021.
- 6) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD on: 08-09-2021

*_*_*

With reference to your application for permission, we have pleasure to inform you that permission has been given for laying of OFC cables by HDD method on roads mentioned below subject to the terms and conditions of MOU and the conditions mentioned below:

Sl No	Name of the Road and Route	Length in Mtr
01	Permission for laying of OFC by HDD Method from 80feet Road via Street ID No-W0730 up to Road end.	118.86 M
02	From 80feet Road via Street ID No-W0734 up to 3rd Cross Road.	177.54 M
03	From 80feet Road via Street ID No-W0738 up to 3rd Cross Road.	174.67 M
04	From Street ID No-W0738 via W0833 up to Road end.	19.08 M
05	From 80feet Road via Street ID No-W0744 up to 3rd Cross Road.	157.26 M
06	From 80feet Road via Street ID No-W0758 up to 3rd Cross Road.	145.78 M
07	From 80feet Road via Street ID No-W0754 up to 3rd Cross Road.	117.35 M
07	From 80feet Road via Street ID No-W0760 up to 3rd Cross Road.	106.05 M
08	From 80feet Road via Street ID No-W0758 up to Road end.	53.05 M

No: EE/OFC/PR/3985/2021-22, Dt: 09-12-2021

Executive Engineer (

C). BBMP 9/12

09	From 80feet Road via Street ID No-W0786 up to 3rd Cross Road.		62.71 M
10	From Street ID No-W0786 via W0835 up to W0760.		201.09 M
	of Pits-04, No of Manhole-13 and No of Ducts 3, in Ward No-24, East Zone As per drawing enclosed.		
		Total	1333.44 M

The work shall be strictly taken up and completed between <u>09-12-2021</u> to <u>07-02-2022</u> and in line with conditions cited below:

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for HDD Method OFC laying

- 1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
- 2. The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.
- 3. Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.
- 4. Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.
- 5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
- 6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. PSR(G)/5870/2019-20, Dated : 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.
- 7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.

Executive Engineer (OFC), BBMP

No: EE/OFC/PR/3985/2021-22, Dt: 09-12-2021

- 8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
- 9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.
- 10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
- 11. Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated/destroyed.
- 12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
- 13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCOM / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
- 14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
- 15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
- 16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
- 17. The Agency should not cause any inconvenience to public while executing the work.
- 18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.

No: EE/OFC/PR/3985/2021-22, Dt: 09-12-2021

- 19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
- 20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

Copy to:-

- 1. Copy to the Special Commissioner (Project) for kind information.
- 2. Copy to the Zonal Additional/Joint Commissioner (East Zone) for information.
- 3. Copy to Zonal Chief Engineer (**East** Zone) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
- 4. Copy to the Chief Engineer (Road Infrastructure) for information.
- 5. Copy to the Concerned Executive Engineer of (Sarvagna Nagar Division) for information.
- 6. Copy to the Concerned Assistant Executive Engineer of (**HBR Layout** Sub Division) for information.
- 7. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.

8. Office Copy

Andria Maria

Executive Engineer (OFC), BBMI

Torici de A Capara Bank. THI HAT / DEPOSIT / PAY IN SLIP दिनांक/ Date 🕖 🎖 SB/CA/OD/CC/RD/TL/DL ACHNO / Credit Card No. बचत / चालू खाता / ओडी / सीसी / अप्रदा स्टीएल्ए/डीएल खाता सं. / केडिट कार्ड सं. iara Bank Toll Free No. Bandaluru

Bruhat Bengaluru Mahanagara Palike



Office of Executive Engineer OFC Cable and Rain Water Harvesting Cell **Central Zone**

Receipt (General Purpose) [para 22(1)]

Receipt Number: RE-ifms665-Ofc / 000596

DDO

: ddo665 Executive Engineer OFC Cable and Rain Water

Receipt Date

: 17-Nov-2021

Ward

to

: 024 HBR Layout

Harvesting Cell Central Zone

Reference

: EE/OFC/PR/3985/2021-22 / Credited

: Canara Bank, Bangalore City Corpn. E.C. (Cor)

19-Aug-2021

(CNRB0008401) - 8401132000010 (OFC)

Received the sum of Rs. 1183281.00 (Eleven Lakh Eighty Three Thousand Two Hundred Eighty One) from

ori/Smt M/s. Jio Digital Fiber Private Ltd, RMZ ICON, No-51, Palace Road Cross, Vasanth Nagar, Bengaluru Bengaluru 560052

towards the following -

SI No	Name	Misc.	Amount	Remarks
1	R0007 Security Deposits (RCM)		66672.00	
2	R1096 Road Cutting and Restoration Charges (OFC) (RCM)		173347.00	
3	R0008 Misc. Deposits (RCM)		9854.00	
4	R1033 Duct Services (RCM)	Ofc Laying Charges	800064.00	
¥	R1033 Duct Services (RCM)	Ofc Supervision Charges	133344.00	
		Total	1183281	

Amount received as:

SI No	Type	Bank	Chq/DD No.	Chq/DD Dt.	Amount
1	DD	Axis Bank,Mahadevpura	196866	31-Aug-2021	1116609.00
2	DD	Axis Bank,Mahadevpura	196857	31-Aug-2021	66672.00
				Total	1183281

for Bruhat Bengaluru Mahanagara Palike Executive Engineer OFC Cable and Rain Water Harvesting Cell Central Zone

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/

04-2021-3985

/DD

Date:

04-09-2021

The Chief Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4th floor Annex Building, N R Square Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note

CE-OFC-04-2021-3985

With reference to your Demand Note bearing

CE-OFC-04-2021-3985

,Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards

payment to get permission for laying OFC on

BGLR1446 by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No.for Laying⋑ ervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
04-2021-3985	1333.44	3	1116609 -	196866 , Dated 31-08-21	66672	196857 - Dated : 31-08-21	168013


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.





A	A	۸	H	_	\sim	
n	/ŧ	Δ	н		{ }	

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE


Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

196866

31/08/2021 dated

PAYMENT REFERENCE



MAIL TO --

COMMISSIONER BBMP BANGALORE

BY ORDER OF -

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD,THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

196857

31/08/2021 dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.61, RMZ Icon, Palace Cross Road, Vasanthanager, Bangalore 560052

No. BBMP/OFC/

04-2021-3985

/DD

Date:

04-09-2021

The Chief Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4th floor Annex Building, N R Square Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note

CE-OFC-04-2021-3985

With reference to your Demand Note bearing

CE-OFC-04-2021-3985

,Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying OFC on

BGLR1446 by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No.for Laying⋑ ervision	Security Deposit (Rs.)	Deposit	GST (through RCM) Rs.
04-2021-3985	1333.44	3	1116609 -	196866 " Dated 31-08-21	66672 💂	196857 - Dated : 31-08-21	168013

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE


Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

196866

31/08/2021 dated

PAYMENT REFERENCE



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701


We are pleased to send to you Demand Draft No. as per details mentioned below.

196857

31/08/2021 dated


Please sign above

PAYMENT REFERENCE



CODE NO.

Mumbai.



BBMP ENGINEERING DEPARTMENT **OFC Form**

Application No.: 04-2021-3985

PR Number(To be Assigned by AE/JE- CE-OFC-04-2021-3985

OFC, BBMP)

General Information

Segment ID

OFC/2021-22/Z1-648/W24-43/3985

Street ID

Street Name

NA

Zone

East

Ward No.

24

Ward Name

HBR Layout

Service Provider Category

Telecom

Organization

Pin Code

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5 380006 Rasta, Ambawadi, Ahmedabad, Gujarat,

India

Official Phone No.

9845117017

Previous Relevant Exp.

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

AHMJ08610A

Application Submission Date

04/08/2021

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

Purpose

Phone No.

9845117017

Mobile No.

Attachments

OFC CABLING

9845117017

OFC/Cable Related Information

Laying

OFC

Total No. of Pits(Points marked on map) Laying Method

4

HDD

Likely Date of Commencement

Total Length (m)


No. of Cables

No.of Ducts

No. of Manhole

3

13



Declaration

I hereby accept the following terms and conditions specified by BBMP

Maintenance of the cable and road for next 2 years

Yes

Refundable Security Deposit (Rs. 150/Mtr.) will be kept with BBMP.

Yes

Yes

Security deposit will be refunded after 2 years, after field verification from BBMP

Yes

BBMP will retain the security deposit ,if service provider fails to maintain the OFC road cut portions for 2 years $\,$

Status of My Application


Approver Name	Designation	Date
seofc01(seofc01)	SE	12/08/2021
aee2401(aee2401)	AE	17/08/2021
aeee09(aeee09)	AEE	18/08/2021
seofc01(seofc01)	SE	18/08/2021
seofc01(seofc01)	SE	19/08/2021

Date: 23/08/2021

Time: 09:20:10

20210823092010

No: 04-2021-3985



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore - 560002

No.: CE-OFC-04-2021-3985

Date: 19/08/2021

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission to lay OFC by HDD Method regarding

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No.: 04-2021-3985, dated: 04/08/2021


As per requisition shown in below table for laying of OFC by HDD method to a length of 1333.44 mtr. has been approved by the competent authority.

Details of Segments drawn on BBMP GIS Map

(Segment Id:-OFC/2021-22/Z1-648/W24-43/3985)

Sr No.	Segment Length (mts)	From Landmark	To Landmark	Start Coordinates	End Coordinates	Passing Through
1	118.86	SHOP	HOUSE	13.025293- 77.629331	13.025117- 77.630413	BGLR_1446
2	177.54	HOUSE	HOUSE	13.025211- 77.628778	13.025075- 77.629452	BGLR_1446
3	174.67	SHOP	SHOP	13.024751- 77.628696	13.024627- 77.629533	BGLR_1446
4	157.26	HOUSE	HOUSE	13.024509- 77.628672	13.024331- 77.629495	BGLR_1446
5	145.78	SHOP	HOUSE	13.024233- 77.628620	13.023991- 77.629667	BGLR_1446
6	117.35	HOUSE	HOUSE	13.023949- 77.628570	13.023794- 77.629095	BGLR_1446
7	19.08	SHOP	SHOP	13.024895- 77.629058	13.024728- 77.629018	BGLR_1446

8	106.05	SHOP	HOUSE	13.023322- 77.628467	13.023350- 77.629445	BGLR_1446
9	201.09	HOUSE	HOUSE	13.023294- 77.628863	13.022439- 77.628706	BGLR_1446
10	62.71	SHOP	HOUSE	13.021490- 77.628150	13.021456- 77.628728	BGLR_1446
11	53.05	SHOP	SHOP	13.023675- 77.629821	13.023655- 77.630310	BGLR_1446



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Banglore" within seven(7) days. Then only your request can be processed further.

Length of OFC proposed 1333.44 Mtrs.

Laying Charge @ 600/- Mtr	8,00,064.00	Road Restoration Charges Rs. 10000/ (Pits+ Manholes) or Rs.130/ Per Mtr, Whichever is higher	1,73,347.20
Supervision Charge @ 100/- Mtr	1,33,344.00	Cess Amount @ 7.39/- Mtr	9,854.12
Sub Total (A)	9,33,408.00	Security Deposit @ Rs.50/- Mtr	66,672.00
GST @ 18% (B)	1,68,013.44	Total (C)	2,49,873.00

Total Amount Payable Rs: 13,51,294.00 In words (Rupees Thirteen Lakh Fifty-One Thousand Two Hundred and Ninety-Four Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself so as to make the road motorable for moving traffic. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded with all applicable, necessary conditions after submission of the Demand Draft drawn from Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 04-2021-3985

- 1. Copy submitted to Commissioner for kind information.
- 2. Copy submitted to Special Commissioner (Project) for kind information.
- 3. Copy submitted to CAO for information.
- 4. Copy to Office file.



Assistant Executive Engineer
OFC CELL
Bruhat Bangaluru Mahanagra Palike

Bangaluru

Executive Engineer

Bruhat Bangaluru Mahanagra Palike

Rappaluru

21:1