



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell), 3<sup>rd</sup> Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1860/2020-21

Date: 01-01-2021

**733**

**Permission for laying of Optical Fiber Cable**

To,

M/s. Jio Digital Fibre Private Limited,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for laying of O F C by HDD Method-regarding

**Ref :-** 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.

2) M/s. Jio Digital Fibre Private Limited online application Dated: 21-07-2020.

3) Opinion obtained in **Online** from Assistant Executive Engineer - Whitefield sub division,  
**Mahadevapura Zone** on Dated: **19-10-2020**

4) Approved by Chief Engineer (OFC-Cell) on Dated: 22-10-2020 (**Online**).

5) Fee Demand Note letter No: 05-2020-1860, Date: 22-10-2020.

6) Opinion obtained as per orders of Hon'ble Administrator dated 12-11-2020, in **Manual** from  
Assistant Executive Engineer - Whitefield sub division on Dated: **23-12-2020**.

7) Fee Paid by M/s. Jio Digital Fibre Private Limited DD submitted letter Dated: **21-11-2020**.

Sl No	Name of the Road and Route	Length in Mtr
01	Permission for laying of OFC by HDD Method from Marathalli Main Road via 1 <sup>st</sup> Main Road up to junction of Temple Road.	810.70 M
02	From 1 <sup>st</sup> Main Road via Street ID No-W0034 up to end.	71.55 M
03	From 1 <sup>st</sup> Main Road via Street ID No-W0884 for a length of 61.51Mtr.	61.51 M
04	From 1 <sup>st</sup> Main Road via Street ID No-W0056 up to end.	32.78 M
05	From 1 <sup>st</sup> Main Road via Street ID No-W0060 up to end.	71.22 M
06	From 1 <sup>st</sup> Main Road via Street ID No-W0066 up to end.	75.46 M
07	From 1 <sup>st</sup> Main Road via Street ID No-W0066 up to end.	34.55 M
08	From 1 <sup>st</sup> Main Road via Street ID No-W0060 up to end.	35.33 M
09	From 1 <sup>st</sup> Main Road via Street ID No-W0056 up to end.	29.83 M
10	From 1 <sup>st</sup> Main Road via Street ID No-W0044 up to end. No of Pits-04, No of Manhole-13 and No of Ducts 3, in Ward No-149, Mahadevapura Zone Ref: As per drawing enclosed	27.41 M
	<b>Total</b>	<b>1250.34 M</b>

No: EE/OFC/PR/1860/2020-21, Dt: 01-01-2021

  
Executive Engineer (OFC), BBMP

The work shall be strictly taken up and completed between 01-01-2021 to 31-03-2021 and in line with conditions cited below:

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for HDD Method OFC laying**

1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
2. The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.
3. Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.
4. Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.
5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. - PSR(G)/5870/2019-20, Dated : 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.
7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.

9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.
10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
11. **Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated /destroyed.**
12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCOM / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
17. The Agency should not cause any inconvenience to public while executing the work.
18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.

19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

Copy to:-

1. Copy to the Zonal Additional/Joint Commissioner (**Mahadevapura Zone**) for information.
2. Copy to Zonal Chief Engineer (**Mahadevapura Zone**) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
3. Copy to the Chief Engineer (Road Infrastructure) for information.
4. Copy to the Concerned Executive Engineer of (**Mahadevapura Division**) for information.
5. Copy to the Concerned Assistant Executive Engineer of (**Whitefield Sub Division**) for information.
6. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
7. Office Copy

o/c  
one letter  
out by hoy



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell ), 3<sup>rd</sup>Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/226/2020-21

Date: 03-02-2021

**CORRIGENDUM**

To,

M/s. Jio Digital Fibre Private Limited ,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.


Sir,

**Sub:-** This office original permission letter No: EE/OFC/PR/1860/2020-21,  
Dated:01-01-2021.

\*\*\*\*\*

With reference to the above permission the time period mentioned is "The work shall be strictly taken up and completed between 01-01-2021 to 31-03-2021". This may be red as ""The work shall be strictly taken up and completed between 01-01-2021 to 02-03-2021".


This corrigendum is being given for restriction in the duration of permission for 2 months only. The other details are same as the original permission letter referred above.

  
Executive Engineer(OFC)

Bruhat Bengaluru Mahanagara Palike

**Copy to:-**

1. Copy to the Zonal Additional/Joint Commissioner (Mahadevapura Zone) for information.
2. Copy to Zonal Chief Engineer (Mahadevapura Zone) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
3. Copy to the Chief Engineer (Road Infrastructure) for information.
4. Copy to the Concerned Executive Engineer of (Mahadevapura Division) for information.
5. Copy to the Concerned Assistant Executive Engineer of (Whitefield Sub Division) for information.
6. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
7. Office Copy





**Bruhat Bengaluru Mahanagara Palike**  
Office of Executive Engineer OFC Cable and Rain Water Harvesting Cell  
Central Zone

**Receipt**  
**(General Purpose)**  
**[para 22(1)]**

**Receipt Number** : RE-ifms665-Ofc / 000058      **DDO** : ddo665 Executive Engineer OFC Cable and Rain Water Harvesting Cell Central Zone  
**Receipt Date** : 11-Jan-2021      **Ward** : 149 Varthuru  
**Reference** : EE/OFC/PR/1860/2020-21 / 22-Oct-2020      **Credited to** : Canara Bank, Bangalore City Corpn. E.C. (Cor) (CNRB0008401) - 8401132000010 (OFC)

Received the sum of Rs. 1116995.00 (Eleven Lakh Sixteen Thousand Nine Hundred Ninety Five) from

Sri/Smt M/s. Jio Digital Fiber Private Ltd  
RMZ ICON, No-51, Palace Road Cross, Vasanth Nagar, Bengaluru  
Bengaluru 560052

towards the following -

SI No	Name	Misc.	Amount	Remarks
1	R0009 Security Deposit (Receipt) (RCM)		62517.00	
2	R1033 Duct Services (RCM)	Ofc Laying Charges	1054478.00	
<b>Total</b>			<b>1116995</b>	

Amount received as :

SI No	Type	Bank	Chq/DD No.	Chq/DD Dt.	Amount
1	DD	Hdfc Bank Ltd., Hdfc Bank Ltd. (Hdf)	561591	20-Nov-2020	62517.00
2	DD	Hdfc Bank Ltd., Hdfc Bank Ltd. (Hdf)	561585	20-Nov-2020	1054478.00
<b>Total</b>					<b>1116995</b>

for Bruhat Bengaluru Mahanagara Palike  
Executive Engineer OFC Cable and Rain Water Harvesting Cell Central Zone

केंद्र बँके : **Canara Bank** जमा पर्चा / DEPOSIT / PAY IN SLIP

शाख / Branch **BCC EXP: 02**

दिनांक / Date **29 12 20 20**

SB/CA/CD/CC/RD/TL/DL A/c. No. / Credit Card No.

वचत / बाल खाता / जोडी / सीसी / आरडी / टेलिफोन / क्रेडिट कार्ड सं.  
**040113000010**

नाम / Name **SRINIVAS RAO**

टेलिफोन / मोबाइल नंबर / Tel No. /

राशि / Amount **16,86,995/-**

राशि शब्दों में / Rupees in words **Sixteen lakhs 86 thousand nine hundred 99 and 50 paise only**

चेक नं. / दिनांक तथा बँके व शाखे का नाम Cheque No./Date / Name of Bank & Branch	₹	₹/P.
<b>561583, 20/11/20</b>	<b>10,54,478/-</b>	
<b>561591, 20/12/20</b>	<b>62,517/-</b>	
<b>कुल / Total</b>	<b>11,16,995/-</b>	

**Executive Engineer**

अधिकारी / Officer in Charge  
**Canara Bank Toll Free No.**

**1800 425 0018**

**Bangaluru**

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/ 05-2020-1860 /DD

Date: 21-11-20

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note: CE(OFC)/PR/05-2020-1860

With reference to your Demand Note bearing CE(OFC)/PR/05-2020-1860 Please find mentioned below the details of Demand Draft drawn on HDFC Bank, payable at Bangalore towards payment to get permission to lay OFC on BGLR1580 by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying, Supervision, Cess & Restoration Charges (Rs.)	DD No. for Laying, Supervision, Cess & Restoration charges	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
05-2020-1860	1250.34	3	1054478	561585 Dated 21-11-20	62517	561591 Dated : 21-11-20	157543

Request you to kindly issue permission letter for the same.

Thanking you,


Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

*SDA*  
*28/12*





1860



### Cash Management Services - Payments

MAIL TO \_\_\_\_\_  
  
Commissioner BBMP Bangalore

BY ORDER OF \_\_\_\_\_  
  
JIO DIGITAL FIBRE PRIVATE LIMITED  
WS, 269, A WING 5TH FLR TC 22RCP  
GHANSOLI NAVI MUMBAI -400701.

Instrument Date : 20/11/2020      Instrument No.: 561585      Amount Rs.\*\*\*10,54,478.00

BANGALORE

Client Ref No.                      4200004277

1860



## Cash Management Services - Payments

MAIL TO

Commissioner BBMP Bangalore

BY ORDER OF

JIO DIGITAL FIBRE PRIVATE LIMITED  
WS, 269, A WING 5TH FLR TC 22RCP  
GHANSOLI NAVI MUMBAI -400701.

Instrument Date : 20/11/2020

Instrument No.: 561591

Amount Rs.\*\*\*\*\*62,517.00

BANGALORE

Client Ref No.

4200004277

1860



# Cash Management Services - Payments

MAIL TO

Commissioner BBMP Bangalore

BY ORDER OF

JIO DIGITAL FIBRE PRIVATE LIMITED  
WS,269,A WING 5TH FLR TC 22RCP  
GHANSOLI NAVI MUMBAI -400701.

Instrument Date : 20/11/2020

Instrument No.: 561585

Amount Rs.\*\*\*10,54,478.00

BANGALORE

Client Ref No.

4200004277



**PAYINST DRAFT**

VALID FOR THREE MONTHS FROM THE DATE OF ISSUE

2 0 1 1 2 0 2 0

Commissioner BBMP Bangalore

A/C Payee  
Not Negotiable

ON DEMAND PAY

TEN LAKH FIFTY-FOUR THOUSAND FOUR HUNDRED SEVENTY-EIGHT

RUPEES ONLY

OR ORDER

₹ 10,54,478.00

PURCHASER

JIO DIGITAL FIBRE PRIVATE LIMITED

FOR HDFC BANK LTD.

Payable at Par at all Clearing Branches

of HDFC Bank Ltd. in India

Centralised Clearing, Bangalore

DRAWEE BRANCH

561585

ISSUING BRANCH

AUTHORISED SIGNATORIES

*[Handwritten Signature]*  
33020  
20/11

AMC DATA FORMS CTS 2010 920

⑈ 561585⑈ 000240000⑈ 999998⑈ 16

1860



# Cash Management Services - Payments

MAIL TO

Commissioner BBMP Bangalore

BY ORDER OF

JIO DIGITAL FIBRE PRIVATE LIMITED  
WS,269,A WING 5TH FLR TC 22RCP  
GHANSOLI NAVI MUMBAI -400701.

Instrument Date : 20/11/2020

Instrument No.: 561591

Amount Rs.\*\*\*\*\*62,517.00

BANGALORE

Client Ref No. 4200004277

VALID FOR THREE MONTHS FROM THE DATE OF ISSUE



**PAYINST DRAFT**

2 0 1 1 2 0 2 0

Commissioner BBMP Bangalore

ON DEMAND PAY

SIXTY-TWO THOUSAND FIVE HUNDRED SEVENTEEN ONLY \*\*

RUPEES

OR ORDER

₹ \*\*\*\*\*62,517.00

PURCHASER

JIO DIGITAL FIBRE PRIVATE LIMITED

FOR HDFC BANK LTD.

Payable at Par at all Clearing Branches

of HDFC Bank Ltd. in India.

Centralised Clearing : Bangalore

DRAWEE BRANCH : 561591

ISSUING BRANCH

AUTHORISED SIGNATORIES

Please sign above

⑈ 561591⑈ 000240000⑈ 999998⑈ 16

BANG DATA FORMS CTS: 20.10 9/20

A/c Payee  
Not Negotiable

*[Handwritten Signature]*  
33010  
01/11

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No. 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

Ref: JDFPL/ROW/BBMP/45/2020-21

21<sup>st</sup> November 2020

The Chief Engineer (OFC Cell)

Bruhath Bengaluru Mahanagara Palike

N R Square

Bangalore - 560 002

Dear Sir,

Sub: Request for permission to lay OFC cable for the Demand note issued.

Ref: Chief Engineer/OFC/PR/236/2020-21 dated 12-11-2020

With reference to the above, we have received the Demand Note for the below BBMP applications. As discussed in the meeting dated: 12-11-2020 with Honourable Administrator, Honourable Commissioner, Special Commissioner, in which Chief Engineer (OFC Cell), Executive Engineer, and AEE were also present. As per the instructions from the Commissioner we are submitting the files for field report from the concerned Sub Divisional Engineers. Kindly request you to process the file for further action.

SL NO	Date	BBMP App No	DN Received in Mtrs
1	22-10-20	05-2020-1797	1941.03
2	22-10-20	05-2020-1800	1933.41
3	22-10-20	05-2020-1802	1932.00
4	22-10-20	05-2020-1822	1830.40
5	22-10-20	05-2020-1840	1460.57
6	22-10-20	05-2020-1844	1416.68
7	22-10-20	05-2020-1845	1416.06
8	22-10-20	05-2020-1848	1325.02
9	22-10-20	05-2020-1851	1281.86
10	22-10-20	05-2020-1860	1250.34
11	22-10-20	05-2020-1889	811.30
12	22-10-20	05-2020-1915	436.93
13	22-10-20	05-2020-2021	1446.30
14	22-10-20	05-2020-2024	1999.59
15	22-10-20	05-2020-2025	1761.59
16	22-10-20	05-2020-2084	1997.78

We kindly request you to accord permission at the earliest.

Yours faithfully,

for Jio Digital Fibre Pvt Ltd

Authorized Signatory





ಬ್ರಹ್ಮನಗರ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Brunat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

OFC Form

General

Application No. 05-2020-1860 PR Number(To be Assigned by AE/JE-OFC, BBMP) CE/OFC/PR/20-21/0001

General Information

<b>Segment ID</b>	<b>Street ID</b>	<b>Street Name</b>	
149/S-W0066/140720/115719	W0044, W0056, W0060, W0066	NA	
<b>Zone</b>	<b>Ward No.</b>	<b>Ward Name</b>	
MAHADEVAPURA	149	Varthuru	
<b>Service Provider Category</b>	<b>Organization</b>	<b>Year of Incorporation</b>	
Telecom	Jio Digital Fibre Pvt Ltd	0	
<b>Registered Office Address</b>	<b>Pin Code</b>	<b>Official Phone No.</b>	
No. 8, Nitesh Time Square, 2nd Floor, Besige Trinity Metro Railway Station, M G Road, Bangalore	560001	0804922602	
<b>Previous Relevant Exp.</b>	<b>Fax</b>	<b>Website</b>	
	08025588030		
<b>Penalized Details</b>	<b>Vat Reg No</b>	<b>Tin</b>	
	560001		
<b>Turnover for Last 3 Years</b>	<b>Tan</b>	<b>Application Submission Date</b>	
		21/07/2020	

<b>Name of the Authorized Person</b>	<b>Designation</b>	<b>Email ID</b>
S Narasimhan	Circle Head	babu.veerabhadre@ril.com

<b>Local Address</b>	<b>Purpose</b>
No. 8, Nitesh Time Square, 2nd Floor, Besige Trinity Metro Railway Station, M G Road, Bangalore	OFC

<b>Pin Code</b>	<b>Phone No.</b>	<b>Mobile No</b>	<b>Authorization Letter</b>	<b>MOU with BBMP</b>
560001	0804922602	9845117017		

<b>OFC/Cable Related Information</b>	<b>Laying</b>	<b>Total No.of Pits (Points marked on map)</b>
	OFC	4


<b>Likely Date of Commencement</b>	<b>Total Length (m)</b>	<b>No. of Cables</b>
2020-08-31	1,250.34	3

<b>Laying Method</b>	<b>No.of Ducts</b>	<b>No. of Manhole</b>
HDD	3	13

Segment Details

Sr No.	Length (m)	From Landmark	To Landmark	Start X Coordinate	Start Y Coordinate	End X Coordinate	End Y Coordinate	Passing Through
1	810.70	k		77.71558984 32	12.9485214 665	77.7146877 034	12.95568705 57	
2	71.55			77.71570203 84	12.9544759 869	77.7150475 794	12.95440018 25	
3	27.41			77.71503493 68	12.9540020 646	77.7147828 091	12.95398638 09	

4	29.83	77.71506175 89	12.9535786 047	77.7147881 735	12.95355246 52
5	32.78	77.71549091 23	12.9536308 838	77.7151905 049	12.95359951 63
6	61.51	77.71570548 90	12.9540752 551	77.7151422 251	12.95401252 04
7	71.22	77.71588787 92	12.9532753 861	77.7152334 202	12.95322833 49
8	35.33	77.71512613 19	12.9531995 814	77.7148015 846	12.95317344 18
9	34.55	77.71514490 73	12.9528101 016	77.7148284 067	12.95277612 01
10	75.46	77.71597370 99	12.9528859 064	77.7152817 000	12.95281794 35



**Declaration**

I hereby accept the following terms and conditions specified by BBMP

- Maintenance of the cable and road for next 2 years Yes
- Refundable Security Deposit (Rs. 150/Mtr.) will be kept with BBMP. Yes
- Security deposit will be refunded after 2 years, after field verification from BBMP Yes
- BBMP will retain the security deposit, if service provider fails to maintain the OFC road cut portions for 2 years Yes

Name of the Attachments Show Attachments  
 Authorized Signatory Letter [attachment](#)

**Status of My Application**

Approver Name	Designation	Date
ceofc01 ceofc01	CE-OFC	17/10/2020
aem14901 aem14901	AE	19/10/2020
aeem03 aeem03	AEE	19/10/2020
ceofc01 ceofc01	CE-OFC	22/10/2020



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bengaluru Mahanagara Palike

Office of the Chief Engineer (OFC), 2nd Floor, Annex II  
Building, N.R. Square, Bangalore-560002.

No: CE(OFC)/PR/05-2020-1860

Date: 22/10/2020

**DEMAND NOTE****GST No.:29AAALB1608F1ZK**

To,

Circle Head

Jio Digital Fibre Pvt Ltd

No. 8, Nitesh Time Square, 2nd Floor, Besige Trinity Metro Railway Station, M G Road,  
Bangalore 560001

Sir,

**Sub:-** Permission to lay OFC by HDD Method regarding

**Ref:-** 1) MOU of M/S Jio Digital Fibre Pvt Ltd, Dated 16/02/2014.  
2) Your Request letter No., Dated 21/07/2020.

As, per the requisition shown in the below table for laying of OFC by HDD method to a length of 1250.34 Mtr has been approved by the commissioner.


Details of Segments drawn on BBMP GIS Map

(Segment Id :-149/S-W0066/140720/115719 )

Sr No	Segment Length (mts)	From Landmark	To Landmark	Start Coordinates	End Coordinates	Passing Through
1	810.70			77.715590,12.948521	77.714688,12.955687	
2	71.55			77.715702,12.954476	77.715048,12.954400	
3	27.41			77.715035,12.954002	77.714783,12.953986	
4	29.83			77.715062,12.953579	77.714788,12.953552	
5	32.78			77.715491,12.953631	77.715191,12.953600	
6	61.51			77.715705,12.954075	77.715142,12.954013	
7	71.22			77.715888,12.953275	77.715233,12.953228	
8	35.33			77.715126,12.953200	77.714802,12.953173	
9	34.55			77.715145,12.952810	77.714828,12.952776	



10	75.46		77.715974,12.952886	77.715282,12.952818	
----	-------	--	---------------------	---------------------	--



In view of the above you are hereby informed to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(07) days. Then only your request can be processed further.

**Length of OFC proposed 1250.34 Mtrs.**

GST: 29AAALB1608F1ZK Code 9972		GST: 29AAALB1608F1ZK Code 9954	
Laying Charge	750,204.00	Road Restoration Charge	170,000.00
Supervision Charge	125,034.00	Cess Amount	9,240.01
Sub Total	875,238.00	Total	179,240.01
SGST (9%)	78,771.42		
CGST (9%)	78,771.42		
Total	1,032,780.84		
Total non- refundable Amount (Rs.)		1,212,020.85	
Refundable Security Deposit Amount (Rs.)		62,517.00	

**Total Amount Payable Rs: 1,274,537.85 In words (Rupees Twelve Lakh Seventy Four Thousand Five Hundred Thirty Seven Only)**

**\*18% GST(9% CGST+ 9%SGST=18% GST) is included in the charges (Not Applicable for Security deposit.)  
Effective from 23 Sep 2017**

**The excavated road cut portion should be brought to its original condition by you as per the MORTH Specification and directions of the BBMP Engineer within 15 days from the date of excavation.**


Permission will be accorded with all applicable, only conditions after submission of the Demand Draft drawn from Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully, . . .

Executive Engineer (OFC-Cell)

Copy to

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



Select Area : [Dropdown] [Dropdown] [Dropdown] [Dropdown]

Search [Input]

OFC

Select the drawing tools to indicate pits and select road where OFC laying activity will be carried out.

OFC DECLARATION TYPE

- OFC New Application
- Voluntary Declaration
- Ward Road  Major Road



No Of Pits : 0  
Total Length : 0 m

Upload KML File

Fill Application Form

Enable/Disable Major Road Layer  
Download Zone-Ward-StreetID Mapping



05-2020-1860 [Search]

Options  
View Details View on Map [Route]

*[Handwritten signature]*

Assistant Executive Engineer  
OFC CELL  
Bruhat Bengaluru Mahanagra Palike  
Bangaluru

*[Handwritten signature]*  
Executive Engineer  
OFC CELL  
Bruhat Bengaluru Mahanagra Palike  
Bangaluru