



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/604/2020-21

Date: 20-02-2021

818

Permission for laying of Optical Fiber Cable

To,

M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for laying of O F C by HDD Method-regarding


- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 20-01-2021.
 - 3) Opinion obtained in **Online** from Assistant Executive Engineer -BTM Layout sub division, **South Zone** on Dated: **28-01-2021**.
 - 4) Approved by Chief Engineer (OFC-Cell) on Dated: **28-01-2021 (Online)**.
 - 5) Fee Demand Note letter No: 05-2021-604, Date: **29-01-2021**.
 - 6) Fee Paid by M/s. Jio Digital Fibre Private Limited DD submitted letter Dated: **19-02-2021**.

Sl No	Name of the Road and Route	Length in Mtr
01	Permission for laying of OFC by HDD Method from 16 th Main road via Street ID No-W0054 up to 18 th Main Road.	69.20 M
02	From 2 nd Cross Road via 24 th Main Road for a length of 69.54 Mtr.	69.52 M
03	From 2 nd Cross Road via 22 nd Main Road for a length of 102.70 Mtr.	102.70 M
04	From 2 nd Cross Road via 21 st Main Road for a length of 126.97 Mtr.	126.97 M
05	From 19 th Main road via 3 rd Cross road Joggers Tree Park.	320.05 M
06	From 3 rd Cross Road via W0103 up to 3 rd 'B' Cross Road.	66.85 M
07	From 3 rd Cross Road via W0099 up to 3 rd 'B' Cross Road.	66.45 M
08	From 3 rd Cross Road via W0093 up to 3 rd 'B' Cross Road.	69.33 M
09	From 21 st Main Road via 3 rd 'A' Cross Road up to W0103.	128.32 M
10	From 21 st Main Road via 3 rd 'B' Cross Road up to W0103.	139.12 M
11	From 21 st Main Road via 3 rd 'C' Cross up to Road end.	145.84 M
12	From 21 st Main Road via 3 rd 'B' Cross up to 26 th Main Road.	171.24 M
13	From 18 th Main Road via 3 rd 'E' Cross Road for a length of 165.79Mtr.	165.79 M
14	From 25 th Main road via 5 th Cross Road up to end.	228.64 M
15	From 1 st Main Road via 25 th Main Road for a length of 45.65Mtr.	45.67 M
16	From 1 st Main Road via 23 rd Main Road for a length of 79.71Mtr, No of Pits-05, No of Manhole-20 and No of Ducts 3, in Ward No-176, South Zone Ref: As per drawing enclosed	79.91 M
	Total	1995.6M

No: EE/OFC/PR/604/2020-21, Dt: 20-02-2021

Signature
20/2/21

Executive Engineer (OFC), BBMP



The work shall be strictly taken up and completed between 20-02-2021 to 21-04-2021 and in line with conditions cited below:

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for HDD Method OFC laying

1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
2. The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.
3. Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.
4. Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.
5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. - PSR(G)/5870/2019-20, Dated : 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.
7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.

10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
11. **Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated /destroyed.**
12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCOM / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
17. The Agency should not cause any inconvenience to public while executing the work.
18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

Copy to:-

1. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
2. Copy to Zonal Chief Engineer (**South Zone**) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
3. Copy to the Chief Engineer (Road Infrastructure) for information.
4. Copy to the Concerned Executive Engineer of (**BTM Layout Division**) for information.
5. Copy to the Concerned Assistant Executive Engineer of (**BTM Layout Sub Division**) for information.
6. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
7. Office Copy



Bruhat Bengaluru Mahanagara Palike
Office of Executive Engineer OFC Cable and Rain Water Harvesting Cell
Central Zone

Receipt
(General Purpose)
[para 22(1)]

Receipt Number : RF-ifms665-Ofc / 000124 DDO : ddo665 Executive Engineer OFC Cable and Rain Water
Receipt Date : 25-Feb-2021 Ward : 176 BTM Layout
Reference : EE/OFC/PR/604/2020-21 / 29-Jan-2021 Credited to : Canara Bank, Bangalore City Corpn. E.C. (Cor)
(CNRB0008401) - 8401132000010 (OFC)

Received the sum of Rs. 1770875.00 (Seventeen Lakh Seventy Thousand Eight Hundred Seventy Five) from

Sri/Smt M/s. Jio Digital Fiber Private Ltd
RMZ ICON, No-51, Palace Road Cross, Vasanth Nagar, Bengaluru
Bengaluru 560052

towards the following -

SI No	Name	Misc.	Amount	Remarks
1	R0007 Security Deposits (RCM)		99780.00	
2	(OFC) (RCM)		259428.00	
3	R0008 Misc. Deposits (RCM)		14747.00	
4	R1033 Duct Services (RCM)	Ofc Laying Charges	1197360.00	
5	R1033 Duct Services (RCM)	Ofc Supervision Charges	199560.00	
Total			1770875	

Amount received as :

SI No	Type	Bank	Chq/DD No.	Chq/DD Dt.	Amount
1	DD	Axis Bank Ltd., Marathahalli	190930	16-Feb-2021	1671095.00
2	DD	Axis Bank Ltd., Marathahalli	190935	16-Feb-2021	99780.00
Total					1770875

for Bruhat Bengaluru Mahanagara Palike
Executive Engineer OFC Cable and Rain Water Harvesting Cell Central Zone

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/ 04-2021-604 /DD

Date: 19-02-2021

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note CE-OFC-04-2021-604

With reference to your Demand Note bearing CE-OFC-04-2021-604, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission to lay OFC on BGLR1145 by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No. for Laying & Supervision charges	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
04-2021-604	1995.6	3	1671095	190930 Dated 16-02-21	99780	190935 Dated : 16-02-21	251446

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



63604

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **190935**
as per details mentioned below.

16/02/2021
dated

PAYMENT REFERENCE

04-2021-604-7:00:18
 केनरा बैंक Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP
 शाखा / Branch BCC Center

दिनांक / Date 19 02 2021

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / चाल खाता / ओडी / मीमी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000010

नाम / Name COMPTON OVER BRMP

टेलिफोन / मोबाइल नं. / CANARA टेली. नं. / मो. नं. / टेली. नं. / मो. नं. / टेली. नं. / मो. नं. / टेली. नं. / मो. नं.

₹ 17,70,875.00/- पै / P.

रुपयों में शब्दों में Seventeen Lakhs Eighty Five Thousand Only

Subject in words Micro. 1. 64 Lakhs 875000/-

चैक नं. / दिनांक तथा बैंक का नाम / चेक नं. / दिनांक तथा बैंक का नाम / चेक नं. / दिनांक तथा बैंक का नाम

Cheque No./Date/Name of Bank/ Branch

AS	चैक नं. / दिनांक तथा बैंक का नाम / चेक नं. / दिनांक तथा बैंक का नाम / चेक नं. / दिनांक तथा बैंक का नाम	₹	पै / P.
AS	<u>190938 dt: 16/02/21</u>	<u>16,71,095.00/-</u>	
AS	<u>190938 dt: 16/02/21</u>	<u>99,780.00/-</u>	

कुल / Total 17,70,875.00/-

Executive Engineer

अधिकारी / रोकाड़िया / केनरा बैंक टॉल फ्री नं. 24 घंटे कॉल सेंटर
 Canara Bank Toll Free No.

Borhat Bangaluru Mahanagra Palike

Rangajuru

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palaco Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/ 04-2021-604 /DD

Date 19-02-2021

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note CE-OFC-04-2021-604

With reference to your Demand Note bearing CE-OFC-04-2021-604, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission to lay OFC on BGLR1145 by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No. for Laying & Supervision charges	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
04-2021-604	1995.6	3	1671095	190930 Dated 16-02-21	99780	190935 Dated : 16-02-21	251446

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANEBELAPUR ROAD,THANE

Thane-400701

We are pleased to send to you Demand Draft No. **190930**
as per details mentioned below.

dated 16/02/2021

PAYMENT REFERENCE



IFS CODE - UTI13000274

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 16052021

DATE 1 6 0 2 2 0 2 1
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर
RUPEES Sixteen Lacs Seventy One Thousand Ninety Five Only
रुपये

₹ 1,671,095.00
अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 190930

Client Reference 4200006645124

For Axis Bank Ltd
Authorised Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Please sign above

190930 400211071 999985 16



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **190935**
as per details mentioned below.

16/02/2021
dated

PAYMENT REFERENCE



IFSC CODE - UTIB000274

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 16/02/2021

DATE 1 6 0 2 2 0 2 1
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर
RUPEES **Ninety Nine Thousand Seven Hundred Eighty Only**
रुपये

₹ 99,780.00
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 190935

Client Reference 4200006645129

For Axis Bank Ltd

Authorised Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Please sign above

190935 400211071 999985 16



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
OFC Form

Application No. :04-2021-604

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-OFC-04-2021-604

General Information

Segment ID

2021-22/Z3-23/W176-4/604

Street ID

NA

Street Name

NA

Zone

South

Ward No.

176

Ward Name

B T M Layout

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

20/01/2021

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments

OFC/Cable Related Information

Laying

OFC

Total No.of Pits(Points marked on map) Laying Method

5

HDD

Likely Date of Commencement

Total Length (m)


No. of Cables

No. of Ducts

3

No. of Manhole

20

**Declaration**

I hereby accept the following terms and conditions specified by BBMP

- | | |
|--|------------|
| Maintenance of the cable and road for next 2 years | Yes |
| Refundable Security Deposit (Rs. 150/Mtr.) will be kept with BBMP. | Yes |
| Security deposit will be refunded after 2 years, after field verification from BBMP | Yes |
| BBMP will retain the security deposit ,if service provider fails to maintain the OFC road cut portions for 2 years | Yes |

Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	23/01/2021
aes17601(aes17601)	AE	27/01/2021
aees07(aees07)	AEE	28/01/2021
ceofc01(ceofc01)	CE	28/01/2021
ceofc01(ceofc01)	CE	29/01/2021

No: 04-2021-604



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : CE-OFC-04-2021-604

Date: 29/01/2021

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission to lay OFC by HDD Method regarding

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 04-2021-604, dated : 20/01/2021


As per requisition shown in below table for laying of OFC by HDD method to a length of 1995.6 mtr. has been approved by the competent authority.

Details of Segments drawn on BBMP GIS Map

(Segment Id:-2021-22/Z3-23/W176-4/604)

Sr No.	Segment Length (mts)	From Landmark	To Landmark	Start Coordinates	End Coordinates	Passing Through
1	228.64	BTM LAYOUT	BTM LAYOUT	12.912517-77.611263	12.912182-77.613344	BGLR1145
2	165.79	BTM LAYOUT	BTM LAYOUT	12.913218-77.610919	12.912935-77.612422	BGLR1145
3	171.24	BTM LAYOUT	BTM LAYOUT	12.913207-77.612175	12.912799-77.613698	BGLR1145
4	145.84	BTM LAYOUT	BTM LAYOUT	12.913448-77.612218	12.913103-77.613516	BGLR1145
5	139.12	BTM LAYOUT	BTM LAYOUT	12.913678-77.612261	12.913333-77.613494	BGLR1145
6	292.14	BTM LAYOUT	BTM LAYOUT	12.914661-77.611188	12.914452-77.612346	BGLR1145
7	66.85	BTM LAYOUT	BTM LAYOUT	12.913971-77.613655	12.913385-77.613516	BGLR1145

8	128.32	BTM LAYOUT	BTM LAYOUT	12.914065-77.612346	12.913782-77.613494	BGLR1145
9	69.33	BTM LAYOUT	BTM LAYOUT	12.914190-77.612942	12.913594-77.612754	BGLR1145
10	66.45	BTM LAYOUT	BTM LAYOUT	12.914096-77.613199	12.913521-77.613033	BGLR1145
11	27.91	BTM LAYOUT	BTM LAYOUT	12.914933-77.611188	12.914682-77.611182	BGLR1145
12	69.2	BTM LAYOUT	BTM LAYOUT	12.915905-77.610201	12.915916-77.610839	BGLR1145
13	126.97	BTM LAYOUT	BTM LAYOUT	12.915837-77.612507	12.914697-77.612438	BGLR1145
14	102.7	BTM LAYOUT	BTM LAYOUT	12.915843-77.612856	12.914922-77.612776	BGLR1145
15	79.91	BTM LAYOUT	BTM LAYOUT	12.914290-77.613001	12.915006-77.613060	BGLR1145
16	69.54	BTM LAYOUT	BTM LAYOUT	12.915843-77.613484	12.915220-77.613419	BGLR1145
17	45.65	BTM LAYOUT	BTM LAYOUT	12.914107-77.613618	12.914514-77.613666	BGLR1145



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Length of OFC proposed 1995.6 Mtrs.

Laying Charge @ 600/- Mtr	11,97,360.00	Road Restoration Charges Rs. 10000/ (Pits+ Manholes) or Rs.130/ Per Mtr, Whichever is higher	2,59,428.00
Supervision Charge @ 100/- Mtr	1,99,560.00	Cess Amount @ 7.39/- Mtr	14,747.48
Sub Total (A)	13,96,920.00	Security Deposit @ Rs.50/- Mtr	99,780.00
GST @ 18% (B)	2,51,445.60	Total (C)	3,73,955.00
Grand Total (A + B + C)	20,22,321.00		

Total Amount Payable Rs: 20,22,321.00 In words (Rupees TWENTY LAKES TWENTY TWO THOUSAND THREE HUNDRED AND TWENTY ONE Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself so as to make the road motorable for moving traffic. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded with all applicable, necessary conditions after submission of the Demand Draft drawn from Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to


No.: 04-2021-604

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

Mv Application

OFC Details

04-2021-604



[Handwritten Signature]

Assistant Executive Engineer
OFC CELL
Bruhat Bengaluru Mahanagra Palike
Bangaluru

[Handwritten Signature]

Executive Engineer
OFC CELL
Bruhat Bengaluru Mahanagra Palike
Bangaluru